

2009

**Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates**

where available

Jurisdiction Report

63

New Kent County

Prepared By

**Virginia Department of Transportation
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation
Federal Highway Administration**

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems



Interstate Route

Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.



US Route



Virginia State Route



Frontage Road (F precedes frontage route number)



Secondary Route

Special Routes



Bus - Business Route

Bypas - Bypass Route

Truck - Truck Route



ALT - Alternate Route

Wve - Wve Route connector



P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.



The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
New Kent Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
	From: King William County Line															
	New Kent County	4.65	11000	G							0.081	F		12000	G	
	To: SR 33; SR 249 Angelview Church															
	New Kent Hwy	3.43	3100	G	87%	1%	2%	4%	6%	0%	C	0.094	F	0.576	3300	G
	To: SR 273 Farmers Drive															
	New Kent Hwy	0.78	8000	G	87%	1%	2%	4%	6%	0%	F	0.086	F	8600	G	
	To: James City County Line															
	From: Henrico County Line															
	New Kent County	0.91	12000	G	93%	1%	1%	2%	3%	0%	F	0.081	F	13000	G	
	To: US 60 Bottoms Bridge															
	New Kent County	0.22	13000	G	93%	1%	1%	1%	3%	0%	F	0.090	F	14000	G	
	To: I-64															
	From: SR 33, SR 249															
	New Kent County	5.32														
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: 61000 A 91% 1% 1% 1% 7% 0% C 0.107 A 0.522 53000 A															
	To: SR 106															
	From: US 60 Bottoms Bridge															
	New Kent County	3.47														
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: 61000 B 91% 1% 1% 1% 7% 0% F 0.107 A 0.513 54000 B															
	To: SR 155															
	New Kent County	5.69														
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: 60000 F 91% 1% 1% 1% 7% 0% F 0.104 A 0.518 52000 F															
	To: SR 33															
	From: I-64 East Int															
	New Kent County	2.98	8600	G	83%	1%	1%	2%	13%	0%	C	0.082	F	9200	G	
	To: SR 30; SR 249															
	From: SR 249-30 ANGELVIEW CHURCH															
	New Kent County	4.65	11000	G							0.081	F		12000	G	
	To: King William County Line															
	From: Henrico County Line															
	New Kent County	0.91	12000	G	93%	1%	1%	2%	3%	0%	F	0.081	F	13000	G	
	To: SR 33 Bottoms Bridge															
	New Kent County	4.03	9000	G	95%	0%	1%	1%	2%	0%	F	0.09	F	9700	G	
	To: SR 106															
	New Kent County	2.62	5500	G	95%	0%	1%	1%	2%	0%	F	0.094	F	5800	G	
	To: 63-615 Mountcastle Rd															
	New Kent County	2.88	6300	G	95%	0%	1%	1%	2%	0%	C	0.096	F	6700	G	
	To: SR 155 Providence Forge															
	Pocahontas Trail	8.58	4700	G	95%	0%	1%	1%	2%	0%	F	0.093	F	5000	G	
	To: James City County Line															

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
New Kent Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
East 64	From: Henrico County Line New Kent County	1.30	34000	G	91%	1%	1%	1%	7%	0%	F	0.086	F	30000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		69000	G	91%	1%	1%	1%	7%	0%	F	NA		61000	G	
East 64 33	From: SR 33, SR 249 New Kent County	5.32	30000	A	91%	1%	1%	1%	7%	0%	C	0.115	A	27000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		61000	A	91%	1%	1%	1%	7%	0%	C	0.107	A	53000	A	
East 64 33	From: SR 106 New Kent County	3.47	30000	B	91%	1%	1%	1%	7%	0%	F	0.115	A	27000	B	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		61000	B	91%	1%	1%	1%	7%	0%	F	0.107	A	54000	B	
East 64 33	From: SR 155 New Kent County	5.69	30000	F	91%	1%	1%	1%	7%	0%	F	0.112	B	26000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		60000	F	91%	1%	1%	1%	7%	0%	F	0.104	A	52000	F	
East 64	From: SR 33 Eltham Rd New Kent County	4.29	27000	B	90%	1%	1%	1%	7%	0%	F	0.115	A	24000	B	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		54000	B	88%	1%	1%	1%	9%	0%	F	NA		46000	B	
East 64	From: James City County Line New Kent Welcome Center	0.09	2600	B	91%	1%	1%	1%	7%	0%	F	0.149	A	2200	B	
	To: Enter Rest Area Parking Lot															
West 64	From: Henrico County Line New Kent County	1.36	35000	G	91%	1%	1%	1%	7%	0%	F	0.093	F	31000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		69000	G	91%	1%	1%	1%	7%	0%	F	NA		61000	G	
West 64 33	From: SR 33, SR 249 New Kent County	5.79	30000	A	91%	1%	1%	1%	7%	0%	C	0.111	A	27000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		61000	A	91%	1%	1%	1%	7%	0%	C	0.107	A	53000	A	
West 64 33	From: SR 106 New Kent County	3.44	31000	A	91%	1%	1%	1%	7%	0%	F	0.11	A	27000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		61000	B	91%	1%	1%	1%	7%	0%	F	NA		54000	B	
West 64 33	From: SR 155 New Kent County	5.52	30000	F	91%	1%	1%	1%	7%	0%	F	0.112	B	26000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		60000	F	91%	1%	1%	1%	7%	0%	F	NA		52000	F	
West 64	From: SR 33 Eltham Rd New Kent County	4.06	27000	B	86%	1%	1%	2%	10%	0%	F	0.117	A	23000	B	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		54000	B	88%	1%	1%	1%	9%	0%	F	NA		46000	B	
	To: James City County Line															

Virginia Department of Transportation
 Traffic Engineering Division
 2009
 Annual Average Daily Traffic Volume Estimates By Section of Route
 New Kent Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
West 64	From: I-64 West to Rest Area New Kent County	0.14	2400	A	91%	1%	1%	1%	7%	0%	F	0.159	A	2100	A	
	To: Enter Rest Area Parking Lot															
106	From: Charles City County Line New Kent County (Maint: 18)	0.43	2600	N	75%	2%	2%	4%	17%	0%	N	0.08	N	2800	N	
	To: New Kent County Line															
106	From: Charles City County Line New Kent County	0.91	5000	G	77%	0%	1%	3%	18%	0%	F	0.084	F	5300	G	
	To: US 60															
106	From: US 60 New Kent County	3.04	2600	G	80%	1%	2%	3%	14%	0%	C	0.084	F	2800	G	
	To: I-64															
106	From: I-64 New Kent County	1.68	1800	G	93%	1%	1%	2%	2%	0%	C	0.091	F	2000	G	
	To: SR 249															
155	From: Charles City County Line New Kent County	1.09	2800	N	94%	1%	1%	1%	3%	0%	N	0.091	N	3000	N	
	To: US 60 Pocahontas Trail															
155	From: US 60 Pocahontas Trail New Kent County	3.83	3300	G	94%	1%	1%	1%	3%	0%	F	0.09	F	3500	G	
	To: I-64															
155	From: I-64 New Kent County	2.19	2200	G	96%	0%	1%	1%	2%	0%	C	0.084	F	2300	G	
	To: SR 249															
249	From: I-64 East of Bottoms Bridge New Kent County	4.31	4700	G	98%	1%	1%	0%	0%	0%	C	0.108	F	5000	G	
	To: 63-612 Quinton															
249	From: 63-612 Quinton New Kent County	2.30	2400	G	98%	1%	1%	0%	0%	0%	F	0.112	F	2600	G	
	To: SR 106 Talleyville															
249	From: SR 106 Talleyville New Kent County	3.78	2100	G	97%	0%	1%	1%	1%	0%	C	0.111	F	2200	G	
	To: SR 155 Carys Corner															
249	From: SR 155 Carys Corner New Kent County	5.04	2300	G	97%	0%	1%	1%	1%	0%	F	0.091	F	2400	G	
	To: 63-626 Paige Rd															
249	From: 63-626 Paige Rd New Kent County	3.00	1500	G	97%	0%	1%	1%	1%	0%	F	0.097	F	1700	G	
	To: SR 30 & 33 Angel View Church															
273	From: SR 30 New Kent Hwy New Kent County	5.33	4100	G	99%	0%	0%	0%	0%	0%	C	0.097	F	4400	G	
	To: SR 33															

Virginia Department of Transportation
 Traffic Engineering Division
 2009
 Annual Average Daily Traffic Volume Estimates By Section of Route
 New Kent Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
New Kent County																
(F117)	0.14	20	R								NA		NA			02/11/2008
(F118)	0.21	NA									NA		NA			
(F119)	Marine Corp Dr	0.34	8	R							NA		NA			02/20/2008
(F120)		0.11	7	R							NA		NA			03/03/2008
(600)	Holly Fork Rd	1.40	170	R							NA		NA			02/27/2008
(600)	Holly Fork Rd	3.35	160	R							NA		NA			02/27/2008
(600)	Holly Fork Rd	0.45	270	R							NA		NA			02/27/2008
(601)	Tabernacle Rd	2.58	410	R							NA		NA			02/27/2008
(602)		0.25	60	R							NA		NA			04/06/2005
(602)		0.25	50	R							NA		NA			04/06/2005
(602)	Townsend Rd	0.06	140	R							NA		NA			02/20/2008
(603)	Diascund Reservoir Rd	1.24	450	N							NA		NA			02/25/2008
(603)	Good Hope Rd	3.00	450	R							NA		NA			02/25/2008
(604)	Poindexter Rd	0.50	460	R							NA		NA			02/20/2008
(604)	Poindexter Rd	1.70	280	R							NA		NA			02/20/2008
(605)	Egypt Rd	0.59	750	R							NA		NA			02/25/2008
(605)	Egypt Rd	0.06	750	R							NA		NA			02/25/2008
(605)	Egypt Rd	0.23	2000	R							NA		NA			02/25/2008
(605)	Egypt Rd	0.01	2000	R							NA		NA			02/25/2008
(605)	Egypt Rd	0.11	2000	R							NA		NA			02/25/2008
(605)	Egypt Rd	0.03	2000	R							NA		NA			02/25/2008

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
New Kent Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
New Kent County																
(605) Egypt Rd	0.08	2300	R			From: 0.15 MN 63-9288					NA			NA		02/25/2008
(605) Egypt Rd	0.05	2300	R			From: 0.23 MN 63-9288					NA			NA		02/25/2008
(606) Old Church Rd	2.66	310	G	98%	0%	To: SR 249 New Kent Hwy										
(606) Old Church Rd	2.66	310	G	98%	0%	From: 63-609 Talleyville Rd; Old Church Rd				F	0.098	F	0.559	330	G	2009
(606) Old Church Rd	0.64	890	G	98%	0%	From: 63-612 Tunstall Rd				C	0.109	F	0.616	950	G	2009
(606) Old Church Rd	4.10	390	G	98%	0%	To: 63-608 Old River Rd				F	0.101	F	0.532	420	G	2009
(607) Steel Trap Rd	1.10	130	R			From: Hanover County Line										
(607) Steel Trap Rd	1.10	130	R			From: 63-619 Hopewell Rd					NA			NA		02/11/2008
(607) Steel Trap Rd	0.75	140	R			To: 63-606 Old Church Rd					NA			NA		02/11/2008
(608) Old River Rd	3.78	400	R			To: Dead End										
(608) Old River Rd	3.78	400	R			From: SR 155; SR 249					NA			NA		02/13/2008
(608) Old River Rd	1.10	320	R			To: 63-614 White House Rd					NA			NA		02/13/2008
(608) Old River Rd	1.00	210	R			To: 63-609 Talleyville Rd					NA			NA		02/13/2008
(608) Old River Rd	0.75	230	R			From: 1.00 MW 63-609 Talleyville Rd					NA			NA		02/13/2008
(608) Old River Rd	0.61	300	R			From: 1.75 MW 63-609 Talleyville Rd					NA			NA		02/13/2008
(609) Old Church Rd	1.39	1000	G	98%	0%	To: 63-606 Old Church Rd				C	0.104	F	0.639	1100	G	2009
(609) Talleyville Rd	2.57	960	R			From: SR 106; SR 249										
(609) Talleyville Rd	2.57	960	R			From: 63-606 Old Church Rd					NA			NA		02/07/2008
(610) Pine Fork Dr	3.01	370	R			To: 63-608 Old River Rd										
(610) Pine Fork Dr	3.01	370	R			From: SR 106 Emmaus Church Rd					NA			NA		02/07/2008
(611) South Quaker Rd	3.17	640	R			To: 63-612 Airport Rd										
(611) South Quaker Rd	3.17	640	R			From: 63-613 W, Dispatch Rd					NA			NA		02/11/2008
(611) South Quaker Rd	2.10	1500	R			To: 63-638 Cosby Mill Rd					NA			NA		02/11/2008
(612) Terminal Rd	1.08	1800	R			To: 63-613 E, Dispatch Rd										
(612) Terminal Rd	1.08	1800	R			From: 63-640 Old Roxbury Rd					NA			NA		02/07/2008
(612) Airport Rd	2.09	1300	R			To: 63-686					NA			NA		02/07/2008
(612) Tunstall Rd	0.99	1500	R			From: SR 249 New Kent Hwy					NA			NA		02/07/2008
(612) Tunstall Rd	2.26	710	R			To: 63-680 South					NA			NA		02/07/2008
(613) Dispatch Rd	1.20	790	G	95%	0%	From: 63-606 Old Church Rd				C	0.117	F	0.660	840	G	2009
(613) Dispatch Rd	1.20	790	G	95%	0%	To: Hanover County Line										
(613) Dispatch Rd	1.20	790	G	95%	0%	From: 63-611 W, South Quaker Rd										

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
New Kent Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
New Kent County																
(613) Dispatch Rd	0.95	780	G	95%	0%	From: 63-611 W, South Quaker Rd To: 63-675 Arrowhead Rd				F	0.101	F	0.505	830	G	2009
(613) Dispatch Rd	1.51	1200	G	95%	0%	From: 63-611 E, South Quaker Rd To: SR 249 New Kent Hwy				F	0.118	F	0.606	1200	G	2009
(613) Dispatch Rd	0.08	2600	G	95%	0%	From: 63-608 Old River Rd To: Dead End				F	0.107	F		2700	G	2009
(614) White House Rd	1.40	60	R			From: 63-608 Old River Rd To: Dead End					NA			NA		02/13/2008
(615) Mountcastle Rd	0.20	360	R			From: Dead End To: 0.20 MN Dead End					NA			NA		02/13/2008
(615) Mountcastle Rd	0.20	440	R			From: 0.20 MN Dead End To: US 60 E, Pocahontas Trail					NA			NA		02/13/2008
(615) Mountcastle Rd	2.04	410	R			From: US 60 W, Pocahontas Trail To: SR 106 Emmaus Church Rd					NA			NA		02/13/2008
(616) Peace Rd	0.70	310	R			From: 63-611 South Quaker Rd To: Hanover County Line					NA			NA		02/11/2008
(617) Crisscross Lane	0.89	30	R			From: 63-618 Olivet Church To: 0.89 ME 63-618 Olivet Church					NA			NA		03/20/2008
(617) Crisscross Lane	1.37	30	R			From: 0.89 ME 63-618 Olivet Church To: 63-604 Poindexter Rd					NA			NA		02/20/2008
(617) Crisscross Lane	0.60	30	R			From: 63-604 Poindexter Rd To: SR 155, N Courthouse Rd					NA			NA		02/20/2008
(618)	0.74	1100	G			From: Charles City County Line To: US 60 W, Pocohontas Trail: Gap					0.088	N	0.616	1100	G	2009
(618) N Adkins Rd	0.05	1300	R			From: 63-629 Gap To: US 60 E, Pocahontas Trail					NA			NA		02/20/2008
(618) Olivet Church	4.45	340	R			From: US 60 E, Pocohontas Trail To: 63-677 Piney Branch Rd					NA			NA		02/20/2008
(618) Olivet Church	2.10	480	R			From: 63-677 Piney Branch Rd To: SR 249 New Kent Hwy					NA			NA		02/20/2008
(619) Hopewell Rd	3.11	660	R			From: Hanover County Line To: 63-606 Old Church Rd					NA			NA		02/11/2008
(620) Homestead Rd	0.85	190	R			From: 63-603; 63-671 To: 63-672 Wahrani Rd					NA			NA		02/25/2008
(620) Homestead Rd	1.09	130	R			From: 63-672 Wahrani Rd To: 1.09 MN 63-672 Wahrani Rd					NA			NA		02/25/2008
(620) Homestead Rd	0.16	100	R			From: 1.09 MN 63-672 Wahrani Rd To: 1.25 MN 63-672 Wahrani Rd					NA			NA		02/25/2008
(620) Homestead Rd	1.00	120	R			From: 1.25 MN 63-672 Wahrani Rd To: 63-632 Stage Rd					NA			NA		02/25/2008
(621) Roper Church Rd	1.20	300	R			From: James City County Line To: 63-632 Stage Rd					NA			NA		02/25/2008

Virginia Department of Transportation
 Traffic Engineering Division
 2009
 Annual Average Daily Traffic Volume Estimates By Section of Route
 New Kent Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
New Kent County																
(622) Liberty Church Rd	0.10	400	R				From: US 60 Pocahontas Trail							NA		02/27/2008
							To: James City County Line									
(623) Cocksmill Rd	6.70	160	R				From: SR 249 W, New Kent Hwy							NA		02/25/2008
							To: SR 249 E, New Kent Hwy									
(623) Pamunkey Church Rd	0.70	60	R				From: SR 249 MID INT, New Kent Hwy							NA		02/25/2008
							To: 63-623 Cocksmill Rd									
(624) Old Sweet Hall Ferry	1.15	40	R				From: Dead End							NA		02/25/2008
							To: 63-623 Cocksmill Rd									
(625) Hill Farm Rd	1.30	40	R				From: Dead End							NA		02/25/2008
							To: SR 249 W, New Kent Hwy									
(626) Paige Rd	1.00	90	R				From: SR 249 E, New Kent Hwy							NA		02/25/2008
							To: 63-1001 S, Cypress Dr									
(627) Riverside Dr	1.04	610	R				From: 63-1001 N, Riverside Dr							NA		02/25/2008
							To: 63-1010									
(627) S Waterside Dr	1.73	1300	R				From: US 60 Pocahontas Trail							NA		02/25/2008
							To: 63-603 Good Hope Rd									
(627) S Waterside Dr	1.12	1800	R				From: SR 249 New Kent Hwy							NA		02/25/2008
							To: US 60 Pocahontas Trail									
(627) N Waterside Dr	3.80	720	R				From: 63-603 Good Hope Rd							NA		02/25/2008
							To: SR 249 New Kent Hwy									
(627) Stage Rd	2.75	780	R				From: SR 249 New Kent Hwy							NA		02/25/2008
							To: US 60 Pocahontas Trail									
(628) Mt Pleasant Rd	0.65	370	R				From: 63-1102 Indian Hill Lane							NA		02/20/2008
							To: 0.34 MN 63-1102 Indian Hill Lane									
(628) Mt Pleasant Rd	0.34	200	R				From: 4.30 MN 63-1102 Indian Hill Lane							NA		02/20/2008
							To: FR-119; 63-627									
(628) Mt Pleasant Rd	3.96	30	R				From: FR-119; 63-627							NA		02/20/2008
							To: US 60 W, Pocahontas Trail									
(628) Mt Pleasant Rd	1.83	40	R				From: US 60 W, Pocahontas Trail							NA		02/20/2008
							To: 63-618, N Adkins Rd									
(629) Pocahontas Trail	0.16	290	R				From: SR 155 WEST							NA		02/20/2008
							To: SR 155 EAST									
(629) Pocahontas Trail	0.58	230	R				From: 63-602 WEST							NA		02/20/2008
							To: US 60 E, Pocahontas Trail									
(629) Pocahontas Trail	2.85	100	R				From: US 60 E, Pocahontas Trail							NA		02/20/2008
							To: 63-610 Pine Fork Dr									
(630) George W Watkins Rd	1.00	180	R				From: SR 249 New Kent Hwy							NA		02/07/2008
							To: SR 106 Roxbury Rd									
(631) South Garden	2.69	270	R				From: 63-615 Mountcastle Rd							NA		02/13/2008
							To: 63-615 Mountcastle Rd									

Virginia Department of Transportation
 Traffic Engineering Division
 2009
 Annual Average Daily Traffic Volume Estimates By Section of Route
 New Kent Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
New Kent County																
(632) Stage Rd	1.37	800	R			From: 63-627 Stage Rd					NA			NA		02/25/2008
(632) Stage Rd	0.13	870	R			To: 1.37 ME 63-627 Stage Rd					NA			NA		03/29/2005
(632) Stage Rd	2.10	210	R			From: SR 33 Eltham Rd					NA			NA		02/25/2008
(632) Stage Rd	0.90	160	R			To: 63-634					NA			NA		02/25/2008
(632) Stage Rd	1.40	140	R			From: 63-620 Homestead Rd					NA			NA		02/25/2008
(632) Stage Rd	1.00	760	R			To: 63-621 Roper Church Rd					NA			NA		02/25/2008
(632) Stage Rd	0.04	700	R			From: 63-633 Barham Rd					NA			NA		02/25/2008
(633) Barham Rd	0.60	260	R			To: SR 30 New Kent Hwy					NA			NA		02/25/2008
(633) Barham Rd	1.10	20	R			From: 63-632 Stage Rd					NA			NA		02/25/2008
(633) Barham Rd	1.10	20	R			To: SR 273 W, Farmers Dr					NA			NA		02/25/2008
(634) Windy Lane	0.70	50	R			From: SR 273 E, Farmers Dr					NA			NA		02/25/2008
(634) Windy Lane	0.70	50	R			To: SR 30 N, New Kent Hwy					NA			NA		02/25/2008
(634) Windy Lane	0.70	50	R			From: 63-601 Tabernacle Rd					NA			NA		02/25/2008
(634) Windy Lane	0.70	50	R			To: Dead End: Gap					NA			NA		02/25/2008
(634) Polishtown Rd	1.40	130	R			From: SR 273 Farmers Dr; Gap					NA			NA		02/25/2008
(634) Polishtown Rd	3.20	250	R			To: 63-639 Mt Nebo Rd					NA			NA		02/25/2008
(634) Polishtown Rd	3.20	250	R			From: 63-632 Stage Rd					NA			NA		02/25/2008
(635) Triangle Rd	0.60	210	R			To: 63-601 Tabernacle Rd					NA			NA		02/27/2008
(635) Triangle Rd	0.60	210	R			From: 63-600 Holly Fork Rd					NA			NA		02/27/2008
(636) Plum Point Rd	0.06	660	R			To: SR 273 Farmers Dr					NA			NA		02/27/2008
(636) Plum Point Rd	0.50	550	R			From: 63-646 Brick House Lane					NA			NA		02/27/2008
(636) Plum Point Rd	0.24	200	R			To: 63-661 Vermont Rd					NA			NA		02/27/2008
(636) Plum Point Rd	0.24	200	R			From: Dead End					NA			NA		02/27/2008
(637) Cumberland Rd	1.50	1000	R			To: SR 249 New Kent Hwy					NA			NA		02/20/2008
(637) Cumberland Rd	1.50	1000	R			From: Dead End					NA			NA		02/20/2008
(638) Cosby Mill Rd	2.60	1100	R			To: 63-611 South Quaker Rd					NA			NA		02/11/2008
(638) Cosby Mill Rd	1.70	450	R			From: 63-656 Continental Rd					NA			NA		02/11/2008
(638) Cosby Mill Rd	1.70	450	R			To: Hanover County Line					NA			NA		02/11/2008
(639) Mt Nebo Rd	0.80	220	R			From: SR 30 New Kent Hwy					NA			NA		02/27/2008
(639) Mt Nebo Rd	0.80	220	R			To: 63-634 Polishtown Rd					NA			NA		02/27/2008
(640) Old Roxbury Rd	1.28	1800	R			From: US 60 Pocohontas Trail					NA			NA		02/07/2008
(640) Old Roxbury Rd	2.59	630	R			To: 63-665, N Hen Peck Rd					NA			NA		02/07/2008
(640) Old Roxbury Rd	2.59	630	R			From: SR 249 W, New Kent Hwy					NA			NA		02/07/2008

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
New Kent Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
New Kent County																
(640) Old Roxbury Rd	1.36	530	R				From: SR 249 E, New Kent Hwy				NA			NA		02/07/2008
							To: 63-611 South Quaker Rd									
(641) Curtis Rd	0.04	40	R				From: Dead End				NA			NA		02/27/2008
							To: 63-659 Parks Rd									
(642) St Peters Lane	0.64	190	R				From: 63-609 Old Church Rd				NA			NA		02/13/2008
(642) St Peters Lane	1.01	170	R				From: 0.64 ME 63-609 Old Church Rd				NA			NA		02/22/2005
							To: Dead End									
(643) McNacde Lane	0.50	190	R				From: SR 106 Emmaus Church rd				NA			NA		02/13/2008
							To: Dead End									
(644) Newtown Rd	1.30	240	R				From: Dead End				NA			NA		02/11/2008
							To: 63-619 Hopewell Rd									
(645) Crumps Mill Rd	0.80	430	R				From: SR 249 New Kent Hwy				NA			NA		03/03/2008
							To: Dead End									
(646) Brick House Lane	0.73	110	R				From: 63-636 Plum Point Rd				NA			NA		03/03/2008
							To: Dead End									
(647) Old Telegraph Rd	1.92	240	R				From: US 60 W, Pocahontas Trail				NA			NA		02/20/2008
(647) Old Telegraph Rd	0.51	120	R				From: 63-1104 Evergreen Rd				NA			NA		02/20/2008
(647) Old Telegraph Rd	0.80	40	R				From: US 60 E, Pocahontas Trail				NA			NA		02/20/2008
							To: 63-649 Rockahock Rd									
(648) Courthouse Circle	0.14	420	R				From: SR 249 E, New Kent Hwy				NA			NA		02/25/2008
							To: SR 249 W, New Kent Hwy									
(649) Rockahock Rd	2.50	470	R				From: US 60 W, Pocahontas Trail				NA			NA		02/27/2008
(649) Rockahock Rd	0.55	330	R				From: 63-627, S Waterside Dr				NA			NA		02/27/2008
							To: US 60 E, Pocahontas Trail									
(650) Landing Rd	0.63	220	R				From: Dead End				NA			NA		02/20/2008
							To: US 60 Pocahontas Trail									
(651) Angleview Lane	0.80	110	R				From: SR 249 New Kent Hwy				NA			NA		02/25/2008
							To: Dead End									
(652) Eastview Lane	0.18	40	R				From: US 60 W, Pocahontas Trail				NA			NA		02/20/2008
							To: US 60 E, Pocahontas Trail									
(653) Macon Lane	0.30	110	R				From: Dead End				NA			NA		02/11/2008
							To: 63-619 Hopewell Rd									
(654) Mill Creek Rd	0.16	160	R				From: Dead End				NA			NA		02/27/2008
							To: SR 33; SR 30 Eltham Rd									
(655) Old Ferry Rd	0.22	110	R				From: 63-636 Plum Point Rd				NA			NA		02/27/2008
							To: Dead End									

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
New Kent Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
New Kent County																
(656) Continental Rd	1.18	330	R											NA		02/11/2008
(657) Foxwell Rd	0.25	48	R											NA		02/20/2008
(658) Higgins Rd	0.50	180	R											NA		02/11/2008
(659) Parks Rd	0.25	46	R											NA		02/27/2008
(660) Vermont Rd	0.27	90	R											NA		02/27/2008
(660) Vermont Rd	0.13	20	R											NA		02/27/2008
(661) Vermont Rd	0.10	190	R											NA		02/27/2008
(661) Vermont Rd	0.08	150	R											NA		02/27/2008
(662) Golden Wheel Rd	0.60	240	R											NA		02/13/2008
(663) Royal Rd	0.01	140	R											NA		02/27/2008
(664) Jackson St	0.10	40	R											NA		02/27/2008
(665) N Hen Peck Rd	2.60	1400	R											NA		02/07/2008
(665) N Hen Peck Rd	0.30	350	R											NA		02/07/2008
(666) Bailey Lane	0.30	130	R											NA		02/07/2008
(667) York Rd	0.32	100	R											NA		02/27/2008
(668)	0.04	20	R											NA		02/27/2008
(669) Virginia Ave	0.32	140	R											NA		02/27/2008
(670) Sherwood Dr	0.51	460	R											NA		02/11/2008
(671)	0.36	20	R											NA		02/25/2008

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
New Kent Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
New Kent County																
(672) Wahrani Rd	0.90	80	R								NA		NA			02/25/2008
(673) Stewart Rd	0.82	110	R								NA		NA			02/27/2008
(674) Clint Lane	0.51	10	R								NA		NA			02/11/2008
(675) Arrowhead Rd	0.32	190	R								NA		NA			02/11/2008
(676) Ashland Farm Rd	1.12	80	R								NA		NA			03/03/2008
(677) Piney Branch Rd	0.56	70	R								NA		NA			02/20/2008
(678) Slatersville Rd	1.45	60	R								NA		NA			02/20/2008
(678) Slatersville Rd	0.50	40	R								NA		NA			02/20/2008
(679) Mt Prospect Rd	0.90	20	R								NA		NA			02/13/2008
(680)	0.12	20	R								NA		NA			03/03/2008
(681) Warrior Rd	0.15	50	R								NA		NA			02/13/2008
(686) Terminal Rd	0.18	1800	R								NA		NA			02/07/2008
(690) Tunstall Station Rd	0.10	20	R								NA		NA			02/11/2008
(691) N Tunstall Station Rd	0.27	7	R								NA		NA			02/11/2008
(695) Holly Pines Lane	0.49	100	R								NA		NA			02/27/2008
(700) Mini Tree Glen Lane	0.13	230	R								NA		NA			02/20/2008
(700) Mini Tree Glen Lane	0.15	110	R								NA		NA			02/20/2008
(701) Mini Tree Glen Lane	0.27	110	R								NA		NA			02/20/2008
(705) Richardson Rd	0.34	160	R								NA		NA			02/25/2008

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
New Kent Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
New Kent County																
(1001) Cypress Dr	0.07	360	R				From: 63-627 S, Riverside Dr				NA			NA		02/25/2008
(1001) Riverside Dr	0.10	80	R				To: 63-1006 Cypress Dr				NA			NA		03/30/2005
(1001) Riverside Dr	0.12	90	R				From: 63-1005 James Dr				NA			NA		03/30/2005
(1001) Riverside Dr	0.11	200	R				To: 63-1004 Beech Dr				NA			NA		03/30/2005
(1001) Riverside Dr	0.45	350	R				From: 63-1003 Whiteoak Dr				NA			NA		03/30/2005
(1002) Carter Rd	0.87	940	R				To: 63-627 N, S Waterside Dr: Riverside Dr				NA			NA		03/29/2005
(1003) Whiteoak Dr	0.11	60	R				From: 63-627, S Waterside Dr				NA			NA		03/29/2005
(1004) Beech Dr	0.20	30	R				To: US 60 Pocahontas Trail				NA			NA		03/29/2005
(1005) James Dr	0.31	60	R				From: 63-1001 Riverside Dr				NA			NA		03/30/2005
(1006) Cypress Dr	0.37	80	R				To: 63-627 Riverside Dr				NA			NA		03/30/2005
(1009) Lake Point Trail	0.12	50	R				From: 63-1001 Riverside Dr				NA			NA		03/30/2005
(1010) Colony Trail	0.10	40	R				To: 63-627 Riverside Dr				NA			NA		03/30/2005
(1010) Colony Trail	0.45	130	R				From: 63-1013 River Bend Trail				NA			NA		02/27/2008
(1010) Colony Trail	0.20	380	R				To: Cul-de-Sac				NA			NA		02/27/2008
(1010) Colony Trail	0.28	680	R				From: Cul-de-Sac				NA			NA		02/27/2008
(1010)	0.18	740	R				To: 63-1018 John Smith Trail				NA			NA		02/27/2008
(1010)	1.08	930	R				From: 63-1017 Two Rivers Trail				NA			NA		03/30/2005
(1011) Rolfe Ct	0.03	20	R				To: 63-1013 River Bend Trail				NA			NA		03/30/2005
(1012) Chickahominy Ct	0.07	30	R				From: 63-1012 Chickahominy Ct				NA			NA		03/30/2005
(1013) River Bend Trail	0.71	320	R				To: 63-1011 Rolfe Ct				NA			NA		03/30/2005
(1014) Four Island Trail	0.36	40	R				From: 63-627, S Waterside Dr				NA			NA		03/30/2005
(1014) Four Island Trail	0.36	40	R				To: Cul-de-Sac				NA			NA		03/30/2005
(1014) Four Island Trail	0.36	40	R				From: Cul-de-Sac				NA			NA		03/30/2005
(1014) Four Island Trail	0.36	40	R				To: 63-1010 Colony Trail				NA			NA		03/30/2005
(1013) River Bend Trail	0.71	320	R				From: 63-1014 Four Island Trail				NA			NA		02/27/2008
(1013) River Bend Trail	0.71	320	R				To: 63-1010 Colony Trail				NA			NA		02/27/2008
(1014) Four Island Trail	0.36	40	R				From: Cul-de-Sac				NA			NA		03/30/2005
(1014) Four Island Trail	0.36	40	R				To: 63-1017 Two Rivers Trail				NA			NA		03/30/2005

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
New Kent Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
New Kent County																
(1014) Four Island Trail	0.34	60	R				From: 63-1017 Two Rivers Trail				NA			NA		03/30/2005
							To: Cul-de-Sac									
(1015) Diascund Point Trail	0.33	70	R				From: 63-1010				NA			NA		02/27/2008
							To: 63-1016 Diascund Point Trail									
(1016) Diascund Point Trail	0.03	20	R				From: Cul-de-Sac				NA			NA		02/27/2008
							To: 63-1015 Diascund Point Trail									
(1016) Diascund Point Trail	0.04	30	R				From: 0.04 MN 63-1013 Diascund Point Trail				NA			NA		02/27/2008
							To: 63-1014 Four Island Trail									
(1017) Two Rivers Trail	0.17	90	R				From: 63-1018 John Smith Trail				NA			NA		02/27/2008
							To: 63-1010 Colony Trail									
(1017) Two Rivers Trail	0.19	190	R				From: 63-1010 Colony Trail				NA			NA		02/27/2008
							To: 63-1019 Moysonike Ct									
(1018) John Smith Trail	0.14	30	R				From: 63-1017 Two Rivers Trail				NA			NA		02/27/2008
							To: 63-1018 John Smith Trail									
(1018) John Smith Trail	0.15	100	R				From: 63-1018 John Smith Trail				NA			NA		02/27/2008
							To: Cul-de-Sac									
(1019) Moysonike Ct	0.12	70	R				From: Cul-de-Sac				NA			NA		02/27/2008
							To: 63-621 Roper Church Rd									
(1020) Wedgewood Dr	0.26	160	R				From: 63-621 Roper Church Rd				NA			NA		02/27/2008
							To: Cul-de-Sac									
(1024) Cove Court	0.04	30	R				From: 63-1014 Four Island Trail				NA			NA		02/27/2008
							To: Cul-de-Sac									
(1030)	0.49	160	R				From: Cul-de-Sac				NA			NA		04/06/2005
							To: 63-627, S Waterside Dr									
(1035) Piper Dr	0.37	NA					From: SR 30				NA			NA		
							To: Cul-de-Sac									
(1036)	0.25	NA					From: SR 30				NA			NA		
							To: Cul-de-Sac									
(1037) Brown Ave	0.37	NA					From: SR 30				NA			NA		
							To: Cul-de-Sac									
(1039)	0.09	NA					From: Cul-de-Sac				NA			NA		
							To: 63-611 South Quaker Rd									
(1040) Ranch Acres Dr	0.94	230	R				From: 63-638 Cosby Mill Rd				NA			NA		04/06/2005
							To: Cul-de-Sac									
(1041) Rachel Diann Dr	0.15	50	R				From: Cul-de-Sac				NA			NA		04/06/2005
							To: 63-1040 Ranch Acres Dr									
(1042) Marsha Mae Dr	0.19	60	R				From: Cul-de-Sac				NA			NA		04/06/2005
							To: 63-1040 Ranch Acres Dr									

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
New Kent Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
New Kent County																
(1044)	0.21	NA					From: 63-665, N Hen Peck Rd				NA			NA		
							To: Dead End									
(1047)	0.58	NA					From: SR 155				NA			NA		
							To: Dead End									
(1050) Ridgewood Dr	0.30	450		R			From: Cul-de-Sac				NA			NA		03/03/2008
							To: 63-612 Tunstall Rd									
(1051) Greenwood Blvd	0.35	190		R			From: 63-1050 W, Ridgewood Dr				NA			NA		03/03/2008
							To: 63-1050 E, Ridgewood Dr									
(1051) Greenwood Blvd	0.15	NA					From: Cul-de-Sac				NA			NA		
							To: Cul-de-Sac									
(1052)	0.08	NA					From: Cul-de-Sac				NA			NA		
							To: 63-1051									
(1052)	0.15	NA					From: Cul-de-Sac				NA			NA		
							To: Cul-de-Sac									
(1061)	0.07	NA					From: Cul-de-Sac				NA			NA		
							To: 63-638 Cosby Mill Rd									
(1065)	0.11	1100		R			From: Dead End				NA			NA		02/20/2008
							To: SR 155, N Courthouse Rd									
(1070) Marl Springs Dr	0.35	70		R			From: 63-612 Tunstall Rd				NA			NA		02/07/2008
							To: Cul-de-Sac									
(1075)	0.40	NA					From: 63-630 George W Watkins Rd				NA			NA		
							To: Cul-de-Sac									
(1076)	0.42	NA					From: 63-610 Pine Fork Dr				NA			NA		
							To: Cul-de-Sac									
(1090) Quinton Park	0.46	500		R			From: 63-665, N Hen Peck Rd				NA			NA		02/11/2008
							To: Cul-de-Sac									
(1091) Sweet Dixie Lane	0.13	110		R			From: Cul-de-Sac				NA			NA		02/11/2008
							To: 63-1090 Quinton Park									
(1092) Neighborly Lane	0.13	140		R			From: 63-1090 Quinton Park				NA			NA		02/11/2008
							To: Cul-de-Sac									
(1093) Solace Dr	0.06	50		R			From: 63-1092 Neighborly Lane				NA			NA		02/11/2008
							To: Cul-de-Sac									
(1101) Windsor Shades Rd	0.10	60		R			From: US 60 Pocahontas Trail				NA			NA		03/29/2005
							To: Dead End									
(1102) Indian Hill Lane	0.20	90		R			From: 63-628 Mt Pleasant Rd				NA			NA		03/29/2005
							To: Dead End									
(1103) S Landing Rd	0.13	50		R			From: Dead End				NA			NA		03/29/2005
							To: 63-650 Landing Rd									

Virginia Department of Transportation
 Traffic Engineering Division
 2009
 Annual Average Daily Traffic Volume Estimates By Section of Route
 New Kent Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
New Kent County																
(1104) Evergreen Rd	0.44	46	R				From: 63-647 Old Telegraph Rd					NA		NA		02/20/2008
							To: Dead End									
(1109)	0.17	NA					From: 63-1147					NA		NA		
							To: Dead End									
(1110)	3.70	NA					From: SR 155					NA		NA		
							To: 63-1110 PINE WARBLER DRIVE									
(1111)	0.11	NA					From: 63-1112					NA		NA		
							To: Cul-de-Sac									
(1112)	0.94	NA					From: 63-1110					NA		NA		
							To: Cul-de-Sac									
(1113)	0.80	NA					From: Cul-de-Sac					NA		NA		
							To: 63-1122									
(1114)	0.12	NA					From: Cul-de-Sac					NA		NA		
							To: 63-1113									
(1115)	0.05	NA					From: Cul-de-Sac					NA		NA		
							To: 63-1112									
(1116)	0.04	NA					From: 63-1112					NA		NA		
							To: Cul-de-Sac									
(1117)	0.02	NA					From: 63-1112					NA		NA		
							To: Cul-de-Sac									
(1118)	0.25	NA					From: 63-1113					NA		NA		
							To: Cul-de-Sac									
(1119)	0.03	NA					From: 63-1118					NA		NA		
							To: Cul-de-Sac									
(1120)	0.21	NA					From: 63-1113					NA		NA		
							To: Cul-de-Sac									
(1121)	0.02	NA					From: 63-1120					NA		NA		
							To: Cul-de-Sac									
(1122)	0.72	NA					From: 63-1110					NA		NA		
							To: Cul-de-Sac									
(1123)	0.24	NA					From: 63-1122					NA		NA		
							To: Cul-de-Sac									
(1124)	0.07	NA					From: 63-1122					NA		NA		
							To: Cul-de-Sac									
(1125)	0.09	NA					From: Cul-de-Sac					NA		NA		
							To: 63-1122									
(1126)	0.04	NA					From: 63-1110					NA		NA		
							To: 63-1127									

Virginia Department of Transportation
 Traffic Engineering Division
 2009
 Annual Average Daily Traffic Volume Estimates By Section of Route
 New Kent Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
New Kent County																
1127	0.06	NA														
1127	0.03	NA														
1128	0.04	NA														
1129	0.26	NA														
1130	0.26	NA														
1131	0.05	NA														
1132	0.52	NA														
1133	0.22	NA														
1134	0.12	NA														
1135	0.07	NA														
1136	0.04	NA														
1136	0.08	NA														
1137	0.04	NA														
1138	0.06	NA														
1139	0.17	NA														
1140	0.20	NA														
1141	0.08	NA														
1142	0.05	NA														
1143	0.17	NA														

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
New Kent Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
New Kent County																
(1144)	0.32	NA												NA		
(1144)	0.04	NA												NA		
(1145)	0.04	NA												NA		
(1146)	0.02	NA												NA		
(1147)	1.13	NA												NA		
(1148)	0.05	NA												NA		
(1149)	0.04	NA												NA		
(1150)	0.31	220	R											NA		02/11/2008
(1151)	0.07	70	R											NA		02/11/2008
(1152)	0.10	90	R											NA		02/11/2008
(1160)	0.03	NA												NA		
(1161)	0.34	NA												NA		
(1162)	0.17	NA												NA		
(1163)	0.11	NA												NA		
(1201) Brook Rd	0.06	60	R											NA		03/21/2005
(1201) Brook Rd	0.22	250	R											NA		03/21/2005
(1201) Brook Rd	0.06	580	R											NA		03/21/2005
(1201) Brook Rd	0.22	880	R											NA		03/21/2005
(1202) Shoreline Rd	0.12	240	R											NA		03/21/2005
(1202) Shoreline Rd	0.03	180	R											NA		03/21/2005

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
New Kent Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
New Kent County																
(1202) Shoreline Rd	0.30	110	R				From: 63-1207 Brianwood Ct				NA			NA		03/21/2005
(1202) Shoreline Rd	0.16	90	R				From: 63-1203 Club Rd				NA			NA		03/21/2005
							To: Dead End									
(1203) Club Rd	0.23	350	R				From: 63-1201 Brook Rd				NA			NA		03/21/2005
(1203) Club Rd	0.11	290	R				From: 63-1205 Cardinal Dr				NA			NA		03/21/2005
(1203) Club Rd	0.07	40	R				From: 63-1206				NA			NA		03/21/2005
							To: 63-1202 Shoreline Rd									
(1204) Lake Circle Dr	0.07	40	R				From: 63-1202 Shoreline Rd				NA			NA		03/21/2005
							To: Cul-de-Sac									
(1205) Cardinal Dr	0.08	30	R				From: Cul-de-Sac				NA			NA		03/21/2005
							To: 63-1203 Club Rd									
(1206)	0.04	10	R				From: Cul-de-Sac				NA			NA		03/21/2005
							To: 63-1203 Club Rd									
(1207) Brianwood Ct	0.10	70	R				From: Dead End				NA			NA		03/21/2005
							To: 63-1202 Shoreline Rd									
(1208) Longview Dr	0.17	1200	R				From: US 60 Pocohontas Trail				NA			NA		03/03/2008
(1208) Longview Dr	0.16	1100	R				From: 63-1209 S, Hairpin Dr				NA			NA		03/21/2005
(1208) Longview Dr	0.24	1100	R				From: 63-1209 N, Hairpin Dr				NA			NA		03/21/2005
(1208) Longview Dr	0.06	600	R				From: 63-1245 W, S Wooland Circle				NA			NA		03/03/2008
(1208) Longview Dr	0.04	580	R				From: 63-1245 E, S Wooland Circle				NA			NA		03/03/2008
(1208) Longview Dr	0.51	550	R				From: 63-1246 Cary Rd				NA			NA		03/03/2008
							To: 63-665, N Hen Peck Rd									
(1209) Hairpin Dr	0.05	290	R				From: 63-1208 S, Longview Dr				NA			NA		03/21/2005
(1209) Hairpin Dr	0.33	230	R				From: 63-1212 W, Ridge Rd				NA			NA		03/21/2005
(1209) Hairpin Dr	0.38	120	R				From: 63-1212 E, Ridge Rd				NA			NA		03/21/2005
(1209) Hairpin Dr	0.16	170	R				From: 63-1208 N, Longview Dr				NA			NA		03/21/2005
(1209) Hairpin Dr	0.06	140	R				From: 63-1211 Fairway St				NA			NA		03/21/2005
(1209) Hairpin Dr	0.09	100	R				From: 63-1210 E, Greenway Circle				NA			NA		03/21/2005
(1209) Hairpin Dr	0.05	30	R				From: 63-1210 W, Greenway Circle				NA			NA		03/21/2005
							To: Dead End									

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
New Kent Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
New Kent County																
(1210) Greenway Cir	0.20	46	R				From: 63-1209 S, Hairpin Dr					NA		NA		03/21/2005
							To: 63-1209 N, Hairpin Dr									
(1211) Fairway St	0.13	220	R				From: 63-1201 Brook Rd					NA		NA		03/21/2005
							To: 63-1209 Hairpin Dr									
(1212) Ridge Rd	0.32	40	R				From: 63-1209 W, Hairpin Dr					NA		NA		03/21/2005
							To: 63-1209 E, Hairpin Dr									
(1213) Forest Dr	0.14	260	R				From: US 60 Pocahontas Trail					NA		NA		03/21/2005
							To: 63-1218 Redwood Ct									
(1213) Forest Dr	0.08	240	R				From: 63-1217 Locust Lane					NA		NA		03/21/2005
							To: 63-1216 Willow Lane									
(1213) Forest Dr	0.14	130	R				From: 63-1215 Chestnut Dr					NA		NA		03/21/2005
							To: 63-1214 Cedar Lane									
(1213) Forest Dr	0.14	80	R				From: Cul-de-Sac					NA		NA		03/21/2005
							To: 63-1215 Chestnut Dr									
(1214) Cedar Lane	0.03	80	R				From: 63-1213 Forest Dr					NA		NA		03/21/2005
							To: 63-1213 Forest Dr									
(1215) Chestnut Dr	0.14	60	R				From: 63-1214 Cedar Lane					NA		NA		03/21/2005
							To: Cul-de-Sac									
(1216) Willow Lane	0.07	47	R				From: 63-1213 Forest Dr					NA		NA		03/21/2005
							To: Cul-de-Sac									
(1217) Locust Lane	0.05	60	R				From: 63-1213 Forest Dr					NA		NA		03/21/2005
							To: Cul-de-Sac									
(1218) Redwood Ct	0.05	50	R				From: 63-1223 Walnut Dr					NA		NA		03/21/2005
							To: 63-1222 Grayson Dr									
(1220) Woodbrook Rd	0.25	210	R				From: 63-1221 Timber Dr					NA		NA		04/04/2005
							To: SR 249 New Kent Hwy									
(1220) Woodbrook Rd	0.12	230	R				From: 63-1223 Walnut Dr					NA		NA		04/04/2005
							To: 0.23 MN 63-1223 Walnut Dr									
(1220) Woodbrook Rd	0.08	430	R				From: 63-1222 Grayson Dr					NA		NA		04/04/2005
							To: 63-1220 Woodbrook Rd									
(1221) Timber Dr	0.23	150	R				From: 63-1221 Timber Dr					NA		NA		02/11/2008
							To: 63-1220 Woodbrook Rd									
(1221) Timber Dr	0.04	140	R				From: 63-1220 Woodbrook Rd					NA		NA		04/04/2005
							To: 63-1220 Woodbrook Rd									
(1221) Timber Dr	0.21	140	R				From: 63-1220 Woodbrook Rd					NA		NA		04/04/2005
							To: 63-1220 Woodbrook Rd									
(1222) Grayson Dr	0.08	10	R				From: 63-1220 Woodbrook Rd					NA		NA		04/04/2005
							To: 63-1220 Woodbrook Rd									

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
New Kent Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
New Kent County																
(1223) Walnut Dr	0.04	20	R								NA		NA			02/11/2008
(1223) Walnut Dr	0.07	80	R								NA		NA			02/11/2008
(1223) Walnut Dr	0.07	70	R								NA		NA			02/11/2008
(1223) Walnut Dr	0.03	20	R								NA		NA			02/11/2008
(1224) Walnut Dr	0.05	20	R								NA		NA			02/11/2008
(1225)	0.16	NA									NA		NA			
(1226)	0.10	NA									NA		NA			
(1227)	0.12	NA									NA		NA			
(1230) Blackcreek Rd	0.16	40	R								NA		NA			02/11/2008
(1230) Blackcreek Rd	0.28	160	R								NA		NA			02/11/2008
(1232) Magnolia Woods Rd	0.30	590	R								NA		NA			04/06/2005
(1233) Magnolia Woods Ct	0.08	60	R								NA		NA			04/06/2005
(1234) Magnolia Woods Pl	0.12	80	R								NA		NA			04/06/2005
(1235) Magnolia Woods Terrac	0.04	40	R								NA		NA			04/06/2005
(1236) Hollywoods Ct	0.17	170	R								NA		NA			04/06/2005
(1237) Poplar Wood Ct	0.16	90	R								NA		NA			04/06/2005
(1240) Pinehurst Dr	0.07	500	R								NA		NA			03/03/2008
(1240) Pinehurst Dr	0.09	480	R								NA		NA			03/03/2008
(1240) Pinehurst Dr	0.05	270	R								NA		NA			03/03/2008
(1240) Pinehurst Dr	0.45	190	R								NA		NA			03/03/2008

Virginia Department of Transportation
 Traffic Engineering Division
 2009
 Annual Average Daily Traffic Volume Estimates By Section of Route
 New Kent Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
New Kent County																
(1241) Teakwood Ct	0.06	40	R				From: 63-1240 Pinehurst Dr					NA		NA		03/03/2008
							To: Cul-de-Sac									
(1242) Horseshoe Dr	0.11	280	R				From: 63-1240 S, Pinehurst Dr					NA		NA		03/03/2008
							To: 63-1243 Horseshoe Dr									
(1242) Horseshoe Dr	0.44	100	R				From: 63-1240 N, Pinehurst Dr					NA		NA		03/03/2008
							To: 63-1242 Horseshoe Dr									
(1243) Horseshoe Dr	0.07	50	R				From: 63-1240 W, Pinehurst Dr					NA		NA		03/03/2008
							To: Cul-de-Sac									
(1244) Pointe Dr	0.18	90	R				From: 63-1208 W, Longview Dr					NA		NA		03/03/2008
							To: 63-1208 E,									
(1246) Cary Rd	0.18	70	R				From: Cul-de-Sac					NA		NA		03/03/2008
							To: 63-1208 Longview Dr									
(1250)	0.15	NA					From: Cul-de-Sac					NA		NA		
							To: 63-1147									
(1251)	0.06	NA					From: Cul-de-Sac					NA		NA		
							To: 63-1147									
(1252)	0.04	NA					From: 63-1147					NA		NA		
							To: Cul-de-Sac									
(1253)	0.03	NA					From: Cul-de-Sac					NA		NA		
							To: 63-1147									
(1253)	0.13	NA					From: 63-1147					NA		NA		
							To: Cul-de-Sac									
(1254)	0.08	NA					From: Cul-de-Sac					NA		NA		
							To: 63-1253									
(1254)	0.08	NA					From: 63-1253					NA		NA		
							To: Dead End									
(1255)	0.11	NA					From: Cul-de-Sac					NA		NA		
							To: 63-1147									
(1256)	0.20	NA					From: Cul-de-Sac					NA		NA		
							To: 63-1255									
(1257)	0.05	NA					From: Cul-de-Sac					NA		NA		
							To: 63-1147									
(1301) Monroe Dr	0.09	200	R				From: 63-609 Talleyville Rd					NA		NA		02/22/2005
							To: 63-1302 Old Quarter									
(1302) Old Quarter	0.29	90	R				From: Dead End					NA		NA		02/22/2005
							To: 63-1301 Monroe Dr									
(1302) Old Quarter	0.19	110	R				From: 63-1301 Monroe Dr					NA		NA		02/22/2005
							To: Dead End									

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
New Kent Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
New Kent County																
(1305) Wensley Dr	0.25	60	R								NA			NA		04/04/2005
(1305) Wensley Dr	0.13	190	R								NA			NA		04/04/2005
(1305) Wensley Dr	0.10	370	R								NA			NA		04/04/2005
(1306) Hingham Dr	0.10	230	R								NA			NA		04/04/2005
(1306) Hingham Dr	0.19	200	R								NA			NA		04/04/2005
(1306) Hingham Dr	0.23	140	R								NA			NA		03/03/2008
(1307) Shrewsbury Dr	0.05	10	R								NA			NA		04/04/2005
(1307) Shrewsbury Dr	0.12	150	R								NA			NA		04/04/2005
(1307) Shrewsbury Dr	0.19	50	R								NA			NA		04/04/2005
(1307) Shrewsbury Dr	0.06	20	R								NA			NA		04/04/2005
(1308) Sedbergh Dr	0.17	40	R								NA			NA		04/04/2005
(1309) Buckden Dr	0.06	30	R								NA			NA		04/04/2005
(1310) Pontefract Dr	0.09	60	R								NA			NA		04/04/2005
(1310) Pontefract Dr	0.21	60	R								NA			NA		04/04/2005
(1330) Quinton Est	0.10	530	R								NA			NA		04/04/2005
(1330) Quinton Est	0.30	400	R								NA			NA		04/04/2005
(1331) Eddie Lane	0.11	60	R								NA			NA		02/07/2008
(1331) Eddie Lane	0.09	80	R								NA			NA		04/04/2005
(1332) Quinton Ct	0.10	90	R								NA			NA		02/07/2008
(1333) Quinton Pl	0.05	100	R								NA			NA		02/07/2008
(1334) Quinton Pl	0.15	80	R								NA			NA		02/07/2008

Virginia Department of Transportation
 Traffic Engineering Division
 2009
 Annual Average Daily Traffic Volume Estimates By Section of Route
 New Kent Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
New Kent County																
(1335) Plaster Lane	0.06	30	R				From: Cul-de-Sac					NA		NA		02/07/2008
(1335) Plaster Lane	0.20	60	R				To: 63-1331 Eddie Lane					NA		NA		02/07/2008
(1335) Plaster Lane	0.08	40	R				From: 63-1330 Quinton Est					NA		NA		02/07/2008
(1335) Plaster Lane							To: Cul-de-Sac									
(1336) Trina Ct	0.03	30	R				From: 63-1334 Quinton Pl					NA		NA		02/07/2008
(1336) Trina Ct							To: Cul-de-Sac									
(1340) Lock Lane	0.46	100	R				From: Cul-de-Sac					NA		NA		02/22/2005
(1340) Lock Lane							To: 63-638 Cosby Mill Rd									
(1392) Kendrick Dr	0.23	60	R				From: Hanover County Line					NA		NA		02/11/2008
(1392) Kendrick Dr							To: Cul-de-Sac									
(1400) Moores Lane	0.27	140	R				From: 63-621 S, Roper Church Rd					NA		NA		02/25/2008
(1400) Moores Lane							To: 63-621 N, Roper Church Rd									
(9278)	0.10	190	R				From: SR 249 New Kent Hwy					NA		NA		04/06/2005
(9278)							To: 0.10 MS SR 249									
(9278)	0.01	200	R				From: 0.11 MS SR 249					NA		NA		04/06/2005
(9278)							To: 0.11 MS SR 249									
(9278)	0.03	190	R				From: 63-630 George W Watkins Rd					NA		NA		04/06/2005
(9278)							To: SR 249 New Kent Hwy									
(9279)	0.05	970	R				From: SR 249 New Kent Hwy					NA		NA		02/25/2008
(9279)							To: 0.05 MS SR 249									
(9279)	0.09	890	R				From: SR 249 New Kent Hwy					NA		NA		02/25/2008
(9279)							To: SR 249 New Kent Hwy									
(9288)	0.09	270	R				From: 63-605 Egypt Rd					NA		NA		04/04/2005
(9288)							To: SR 249 New Kent Hwy									
(9289)	0.22	1700	R				From: 63-605 W, Egypt Rd					NA		NA		04/04/2005
(9289)							To: 63-605 E, Egypt Rd									