

2009

**Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates**

where available

Jurisdiction Report

88

Spotsylvania County
City of Fredericksburg

Prepared By

**Virginia Department of Transportation
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation
Federal Highway Administration**

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems



Interstate Route

Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.



US Route



Virginia State Route



Frontage Road (F precedes frontage route number)



Secondary Route

Special Routes



Bus - Business Route

Bypas - Bypass Route

Truck - Truck Route



ALT - Alternate Route

Wve - Wve Route connector



P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.



The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
							From: Caroline County Line									
1 Jefferson Davis Hwy	Spotsylvania County	2.61	9100	G	93%	1%	1%	2%	3%	0%	F	NA		9800	G	
							To: 88-606 Thornburg									
1 Jefferson Davis Hwy	Spotsylvania County	4.25	13000	G	93%	1%	1%	2%	3%	0%	F	0.096	F	14000	G	
							To: 88-608 Massaponax Church Rd									
1 Jefferson Davis Hwy	Spotsylvania County	2.27	18000	G	95%	1%	1%	1%	2%	0%	C	0.089	F	19000	G	
							To: US 17 Poor House Rd									
1 17 Jefferson Davis Hwy	Spotsylvania County	1.18	55000	G	98%	0%	1%	0%	0%	0%	F	0.081	F	55000	G	
							To: I-95									
1 Jefferson Davis Hwy	Spotsylvania County	0.96	24000	G	98%	0%	1%	0%	0%	0%	F	0.078	F	26000	G	
							To: Bus US 1; SR 208 Four Mile Fork									
							From: US 1 Bus; SR 208 Four Mile Fork									
1 Jefferson Davis Hwy	Spotsylvania County	1.30	23000	G	98%	0%	1%	0%	0%	0%	F	0.082	F	25000	G	
							To: SCL Fredericksburg									
1 Jefferson Davis Blvd	City of Fredericksburg	1.48	31000	A	98%	0%	1%	0%	0%	0%	C	0.1	A	0.617	33000	A
							To: SR 3									
1 Jefferson Davis Blvd	City of Fredericksburg	0.90	29000	G	98%	0%	1%	0%	0%	0%	F	0.087	F	31000	G	
							To: College Ave									
1 Jefferson Davis Blvd	City of Fredericksburg	0.59	28000	G	98%	0%	1%	0%	0%	0%	F	0.082	F	31000	G	
							To: Fall Hill Ave									
1 Jefferson Davis Blvd	City of Fredericksburg	0.29	21000	G	98%	0%	1%	0%	0%	0%	F	NA		23000	G	
							To: Bus US 1 Princess Anne Ave									
1 17 Jefferson Davis Blvd	City of Fredericksburg	0.11	29000	N	98%	0%	1%	0%	1%	0%	N	0.084	N	0.606	32000	N
							To: NCL Fredericksburg									
							From: US 1, SR 208									
Bus 1 LaFayette Blvd	Spotsylvania County	1.52	21000	G	96%	1%	1%	1%	1%	0%	C	0.085	F	23000	G	
							To: SCL Fredericksburg									
Bus 1 LaFayette Blvd	City of Fredericksburg	1.42	21000	G	96%	1%	1%	1%	1%	0%	F	0.085	F	23000	G	
							To: SR 3; Blue and Grey Parkway									
Bus 1 LaFayette Blvd	City of Fredericksburg	0.38	10000	G	96%	1%	1%	1%	1%	0%	F	0.086	F	11000	G	
							To: 111-3957 Sunken Rd									
Bus 1 LaFayette Blvd	City of Fredericksburg	0.56	10000	G	96%	1%	1%	1%	1%	0%	F	0.086	F	11000	G	
							To: 111-3961 Kenmore Ave									
Bus 1 LaFayette Blvd	City of Fredericksburg	0.10	5200	N	97%	1%	2%	0%	0%	0%	N	0.095	N	5700	N	
							To: Bus US 1 Par, Bus 17 Par Princess Anne St									
Bus 1 LaFayette Blvd	City of Fredericksburg	0.06	5200	G	97%	1%	2%	0%	0%	0%	F	0.095	F	5700	G	
							To: Bus US 17 Caroline St									

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
From: Bus US 17, Lafayette Blvd To: Bus SR 3 William St	City of Fredericksburg	0.38	5100	G	97%	1%	2%	0%	0%	0%	F	0.085	F	5600	G	
Bus 1, Bus 17, 2 Caroline St	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		11000	G	98%	1%	1%	0%	0%	0%	F	NA		12000	G	
From: Bus SR 3 William St To: Herndon St	City of Fredericksburg	0.51	6000	G	97%	1%	2%	0%	0%	0%	C	0.086	F	6500	G	
Bus 1, Bus 17 Caroline St	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		13000	G	98%	1%	1%	0%	0%	0%	C	NA		14000	G	
From: Herndon St To: Bus US 1 Par Princess Anne St	City of Fredericksburg	0.06	4500	G	97%	1%	2%	0%	0%	0%	F	0.082	F	4900	G	
Bus 1, Bus 17 Herndon St	City of Fredericksburg	0.70	9700	G	98%	0%	1%	0%	0%	0%	C	0.094	F	10000	G	
From: Bus US 1 Par Princess Anne St To: US 1 Jefferson Davis Highway	City of Fredericksburg	0.37	6300	G	98%	1%	1%	0%	0%	0%	F	0.088	F	6900	G	
Bus 1, Bus 17, 2 Princess Anne St	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		11000	G	98%	1%	1%	0%	0%	0%	F	NA		12000	G	
From: Bus US 1, Bus US 17 Lafayette Blvd To: Bus SR 3 William St	City of Fredericksburg	0.52	7200	G	98%	1%	1%	0%	0%	0%	C	0.109	F	7800	G	
Bus 1, Bus 17 Princess Anne St	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		13000	G	98%	1%	1%	0%	0%	0%	C	NA		14000	G	
From: Bus SR 3 William St To: Bus US 1 Herndon St	Spotsylvania County	1.36	5100	G	95%	1%	1%	1%	2%	0%	F	0.091	F	5500	G	
2 Sandy Lane Dr	Spotsylvania County	3.56	6900	G	93%	1%	1%	2%	3%	0%	C	0.086	F	7400	G	
From: US 17 Mills Dr To: 88-1301	Spotsylvania County	0.97	21000	G	93%	1%	1%	2%	3%	0%	F	0.081	F	23000	G	
Bus 2, Bus 17 Tidewater Trail	Spotsylvania County	0.55	22000	G	94%	1%	1%	2%	3%	0%	C	0.088	F	24000	G	
From: ECL Fredericksburg To: Ramp from SR 3 Connector	City of Fredericksburg	0.26	10000	G	98%	1%	1%	0%	0%	0%	C	0.097	F	11000	G	
Bus 2, Bus 17 Dixon St	City of Fredericksburg	0.06	4800	G	98%	1%	1%	0%	0%	0%	F	0.101	F	5200	G	
From: Charles St To: Princess Anne St	City of Fredericksburg	0.26	2900	G	96%	1%	2%	0%	0%	0%	C	0.112	F	3200	G	
Bus 2, Bus 17 Dixon St	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		7700	G	97%	1%	1%	0%	0%	0%	F	NA		8400	G	
From: Princess Anne St To: Dixon St	City of Fredericksburg	0.26	2900	G	96%	1%	2%	0%	0%	0%	C	0.112	F	3200	G	
Bus 2, Bus 17 Princess Anne St	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		5400	G	96%	1%	2%	0%	0%	0%	C	NA		5900	G	
From: Dixon St To: Bus US 1	City of Fredericksburg	0.26	2900	G	96%	1%	2%	0%	0%	0%	C	0.112	F	3200	G	

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
<div style="display: inline-block; border: 1px solid black; border-radius: 50%; padding: 2px;">2</div> <div style="display: inline-block; margin-left: 5px;"> <div style="border: 1px solid black; border-radius: 50%; padding: 2px; font-size: 8px;">Bus 1</div> <div style="border: 1px solid black; border-radius: 50%; padding: 2px; font-size: 8px; margin-left: 5px;">Bus 17</div> </div>	Princess Anne St	City of Fredericksburg	0.37	6300	G	98%	1%	1%	0%	0%	0%	F	0.088	F	6900	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:			11000	G	98%	1%	1%	0%	0%	0%	F	NA		12000	G	
<div style="border: 1px solid black; border-radius: 50%; padding: 2px;">3</div>	Plank Rd	Spotsylvania County	5.27	22000	G	96%	0%	1%	1%	3%	0%	F	0.078	F	24000	G	
<div style="border: 1px solid black; border-radius: 50%; padding: 2px;">3</div>	Plank Rd	Spotsylvania County	2.99	30000	G	96%	0%	1%	1%	3%	0%	C	0.076	F	30000	G	
<div style="border: 1px solid black; border-radius: 50%; padding: 2px;">3</div>	Plank Rd	Spotsylvania County	1.33	38000	G	96%	0%	1%	1%	3%	0%	F	0.078	F	38000	G	
<div style="border: 1px solid black; border-radius: 50%; padding: 2px;">3</div>	Plank Rd	Spotsylvania County	1.53	55000	G	96%	0%	1%	1%	3%	0%	F	0.076	F	55000	G	
<div style="border: 1px solid black; border-radius: 50%; padding: 2px;">3</div>	Plank Rd	Spotsylvania County	1.09	68000	G	96%	0%	1%	1%	3%	0%	F	NA		73000	G	
<div style="border: 1px solid black; border-radius: 50%; padding: 2px;">3</div>	Plank Rd	City of Fredericksburg	0.34	84000	F	96%	0%	1%	1%	3%	0%	F	0.077	F	0.509	80000	F
<div style="border: 1px solid black; border-radius: 50%; padding: 2px;">3</div>	Plank Rd	City of Fredericksburg	0.61	55000	G	94%	0%	1%	1%	3%	0%	F	NA		55000	G	
<div style="border: 1px solid black; border-radius: 50%; padding: 2px;">3</div>	Plank Rd	City of Fredericksburg	0.63	45000	G	94%	0%	1%	1%	3%	0%	F	0.076	F	45000	G	
<div style="border: 1px solid black; border-radius: 50%; padding: 2px;">3</div>	William St	City of Fredericksburg	0.24	39000	G	94%	0%	1%	1%	3%	0%	F	0.078	F	43000	G	
<div style="border: 1px solid black; border-radius: 50%; padding: 2px;">3</div>	Blue and Grey Parkway	City of Fredericksburg	0.53	30000	G	94%	0%	1%	1%	3%	0%	C	0.082	F	33000	G	
<div style="border: 1px solid black; border-radius: 50%; padding: 2px;">3</div>	Blue and Grey Parkway	City of Fredericksburg	1.00	36000	G	94%	0%	1%	1%	3%	0%	F	0.082	F	39000	G	
<div style="border: 1px solid black; border-radius: 50%; padding: 2px;">3</div>	Blue and Grey Parkway	City of Fredericksburg	0.36	32000	G	94%	0%	1%	1%	3%	0%	F	0.088	F	35000	G	
<div style="border: 1px solid black; border-radius: 50%; padding: 2px;">3</div>	East Ramp	Spotsylvania County	0.28	7900	F	96%	0%	1%	1%	3%	0%	F	0.086	F	7100	F	
<div style="border: 1px solid black; border-radius: 50%; padding: 2px;">3</div>	William St	City of Fredericksburg	0.14	13000	G	98%	0%	1%	0%	0%	0%	F	0.086	F	15000	G	
<div style="border: 1px solid black; border-radius: 50%; padding: 2px;">3</div>	William St	City of Fredericksburg	0.30	10000	G	98%	0%	1%	0%	0%	0%	C	0.085	F	11000	G	

Virginia Department of Transportation
 Traffic Engineering Division
 2009
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
Bus 3 William St	From: 111-3955 College Ave City of Fredericksburg	0.48	11000	G	98%	0%	1%	0%	0%	0%	C	0.085	F	12000	G	
Bus 3 William St	To: SR 3 Par, Washington Ave City of Fredericksburg	0.37	5600	G	98%	0%	1%	0%	0%	0%	C	0.09	F	6100	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			11000	G	97%	1%	1%	0%	0%	0%	F	NA		11000	G	
Bus 3 William St	From: Bus US 1 Caroline St City of Fredericksburg	0.07	6700	G	98%	0%	1%	0%	0%	0%	F	0.108	F	7300	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			12000	G	97%	1%	1%	0%	0%	0%	F	NA		13000	G	
Bus 3 William St	From: Bus SR 3 Par, Sophia St City of Fredericksburg	0.03	18000	G	98%	0%	1%	0%	0%	0%	F	NA		20000	G	
Bus 3 Washington Ave	To: WCL Stafford City of Fredericksburg	0.07	4900	G	96%	2%	1%	0%	1%	0%	F	0.087	F	5300	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			11000	G	97%	1%	1%	0%	0%	0%	F	NA		11000	G	
Bus 3 Amelia St	From: 111-3963 Amelia St City of Fredericksburg	0.43	4200	G	96%	2%	1%	0%	1%	0%	C	0.094	F	4600	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			9800	G	97%	1%	1%	0%	0%	0%	C	NA		11000	G	
Bus 3 Sophia St	To: 111-3973 Sophia St From: 111-3973, Amelia St City of Fredericksburg	0.07	5600	G	96%	2%	1%	0%	1%	0%	F	0.095	F	6100	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			12000	G	97%	1%	1%	0%	0%	0%	F	NA		13000	G	
17 Mills Dr	From: Caroline County Line Spotsylvania County	1.89	6200	G	90%	1%	1%	1%	7%	0%	F	0.080	F	5600	G	
17 Mills Dr	To: SR 2; Bus US 17 Spotsylvania County	1.23	7000	G	90%	1%	1%	1%	7%	0%	F	0.077	F	6300	G	
17 Mills Dr	To: 88-609 Jim Morris Rd; Thornton Rolling Rd Spotsylvania County	3.17	13000	G	93%	0%	1%	2%	4%	0%	C	0.091	F	12000	G	
17 Mills Dr	To: 88-771 Cosner Dr; 88-1035 Spotsylvania County	1.05	27000	G	90%	1%	1%	1%	7%	0%	F	0.077	F	24000	G	
17 Poor House Rd	To: Bus US 17; Poor House Rd From: Bus US 17 Mills Dr Spotsylvania County	0.27	27000	N	90%	1%	1%	1%	7%	0%	N	0.077	N	24000	N	
17 1 Jefferson Davis Hwy	To: US 1 Jefferson Davis Hwy From: US 17 Poor House Rd Spotsylvania County	1.18	55000	G	98%	0%	1%	0%	0%	0%	F	0.081	F	55000	G	
	To: I-95 N															

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
	From: US 1 Jefferson Davis Hwy																
	Spotsylvania County	2.81															
	See I-95 for directional traffic volume estimates for this segment.																
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: 124000 F 91% 1% 1% 0% 7% 0% F NA 111000 F																
	To: SCL Fredericksburg																
	City of Fredericksburg (Maint: 88)	0.89															
	See I-95 for directional traffic volume estimates for this segment.																
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: 124000 F 91% 1% 1% 0% 7% 0% F NA 111000 F																
	To: SR 3																
	City of Fredericksburg (Maint: 88)	2.29															
	See I-95 for directional traffic volume estimates for this segment.																
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: 145000 F 91% 1% 1% 0% 8% 0% F NA 137000 F																
	To: Stafford County Line																
ALT 	From: US 17 Poor House Rd																
	Spotsylvania County	0.09	NA									NA		NA			
	To: Bus US 17 Mills Dr																
Bus 	From: US 17 Mills Dr, SR 2 Sandy Lane Dr																
	Tidewater Trail	Spotsylvania County	3.56	6900	G	93%	1%	1%	2%	3%	0%	C	0.086	F		7400	G
	To: 88-1310																
Bus 	From: 88-1310																
	Tidewater Trail	Spotsylvania County	0.97	21000	G	93%	1%	1%	2%	3%	0%	F	0.081	F		23000	G
	To: ECL Fredericksburg																
Bus 	From: ECL Fredericksburg																
	Dixon St	City of Fredericksburg	0.55	22000	G	94%	1%	1%	2%	3%	0%	C	0.088	F		24000	G
	To: Ramp from Rte. 3 Connector																
Bus 	From: Ramp from Rte. 3 Connector																
	Dixon St	City of Fredericksburg	0.26	10000	G	98%	1%	1%	0%	0%	0%	C	0.097	F		11000	G
	To: Charles St																
Bus 	From: Charles St																
	Dixon St	City of Fredericksburg	0.06	4800	G	98%	1%	1%	0%	0%	0%	F	0.101	F		5200	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: 7700 G 97% 1% 1% 0% 0% 0% F NA 8400 G																
	To: Princess Anne St																
Bus 	From: Princess Anne St																
	Dixon St	City of Fredericksburg	0.06	2400	G	98%	1%	1%	0%	0%	0%	F	NA			2600	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: 5300 G 97% 1% 2% 0% 0% 0% F NA 5800 G																
	To: Caroline St																
Bus 	From: Caroline St																
	Caroline St	City of Fredericksburg	0.24	2500	G	97%	0%	2%	1%	0%	0%	C	0.086	F		2700	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: 5400 G 96% 1% 2% 0% 0% 0% C NA 5900 G																
	To: Lafayette Blvd																
Bus 	From: Lafayette Blvd																
	Caroline St	City of Fredericksburg	0.38	5100	G	97%	1%	2%	0%	0%	0%	F	0.085	F		5600	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: 11000 G 98% 1% 1% 0% 0% 0% F NA 12000 G																
	To: Bus SR 3 William St																

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
Bus 17 1 Caroline St	From: Bus SR 3 William St																
	City of Fredericksburg	0.51	6000	G	97%	1%	2%	0%	0%	0%	C	0.086	F		6500	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			13000	G	98%	1%	1%	0%	0%	0%	C	NA		14000	G		
Bus 17 1 Herndon St	From: Herndon St																
	City of Fredericksburg	0.06	4500	G	97%	1%	2%	0%	0%	0%	F	0.082	F		4900	G	
Bus 17 1 Princess Anne St	From: BUS US 1 Par Princess Anne St																
	City of Fredericksburg	0.70	9700	G	98%	0%	1%	0%	0%	0%	C	0.094	F		10000	G	
Bus 17 1 Jefferson Davis Blvd	From: US 1 Jefferson Davis Highway																
	City of Fredericksburg	0.11	29000	N	98%	0%	1%	0%	1%	0%	N	0.084	N	0.606	32000	N	
Bus 17 2 Princess Anne St	From: NCL Fredericksburg																
	City of Fredericksburg	0.26	2900	G	96%	1%	2%	0%	0%	0%	C	0.112	F		3200	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			5400	G	96%	1%	2%	0%	0%	0%	C	NA		5900	G		
Bus 17 Mills Dr	From: US 17 Poor House Rd																
	Spotsylvania County	0.30	NA									NA			NA		
North 95 Caroline County Line	From: US 1 Jefferson Davis Hwy																
	Spotsylvania County	1.61	48000	G	87%	1%	1%	0%	11%	1%	F	0.063	F		43000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			93000	G	91%	1%	1%	0%	7%	0%	F	NA		81000	G		
North 95 88-606 Mudd Tavern Rd	From: 88-606 Mudd Tavern Rd																
	Spotsylvania County	7.97	48000	A	87%	1%	1%	0%	11%	1%	C	0.102	A		42000	A	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			96000	A	91%	1%	1%	0%	7%	0%	C	0.097	A	0.505	84000	A	
North 95 17 US 1, US 17 Jefferson Davis Hwy	From: US 1, US 17 Jefferson Davis Hwy																
	Spotsylvania County	2.81	61000	F	87%	1%	1%	0%	11%	1%	F	NA		56000	F		
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			124000	F	91%	1%	1%	0%	7%	0%	F	NA		111000	F		
North 95 17 SCL Fredericksburg	From: SCL Fredericksburg																
	City of Fredericksburg (Maint: 88)	0.89	61000	F	87%	1%	1%	0%	11%	1%	F	NA		56000	F		
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			124000	F	91%	1%	1%	0%	7%	0%	F	NA		111000	F		
North 95 17 SR 3 Plank Rd	From: SR 3 Plank Rd																
	City of Fredericksburg (Maint: 88)	2.29	77000	F	87%	1%	1%	0%	11%	1%	F	NA		72000	F		
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			145000	F	91%	1%	1%	0%	8%	0%	F	NA		137000	F		
South 95 Caroline County Line	From: Stafford County Line																
	Spotsylvania County	2.07	45000	F	95%	0%	0%	0%	4%	0%	F	0.07	N		39000	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			93000	G	91%	1%	1%	0%	7%	0%	F	NA		81000	G		
South 95 88-606 Mudd Tavern Rd	From: 88-606 Mudd Tavern Rd																
	Spotsylvania County	2.07	45000	F	95%	0%	0%	0%	4%	0%	F	0.07	N		39000	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			93000	G	91%	1%	1%	0%	7%	0%	F	NA		81000	G		

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
South 95	From: 88-606 Mudd Tavern Rd Spotsylvania County	7.27	48000	A	95%	0%	0%	0%	4%	0%	C	0.098	A	42000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		96000	A	91%	1%	1%	0%	7%	0%	C	0.097	A	84000	A	
South 95 17	From: US 1, US 17 Jefferson Davis Hwy Spotsylvania County	2.90	63000	F	95%	0%	0%	0%	4%	0%	F	NA		56000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		124000	F	91%	1%	1%	0%	7%	0%	F	NA		111000	F	
South 95 17	From: SCL Fredericksburg City of Fredericksburg (Maint: 88)	1.61	63000	F	95%	0%	0%	0%	4%	0%	F	NA		56000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		124000	F	91%	1%	1%	0%	7%	0%	F	NA		111000	F	
South 95 17	From: SR 3 Plank Rd City of Fredericksburg (Maint: 88)	1.76	68000	A	95%	0%	0%	0%	4%	0%	F	0.086	A	65000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		145000	F	91%	1%	1%	0%	8%	0%	F	NA		137000	F	
South 95	From: Exit Welcome Center Parking Lot Fredericksburg Welcome Center Spotsylvania County	0.06	1900	A	95%	0%	0%	0%	4%	0%	F	0.128	A	1700	A	
	To: I-95 South from Welcome Center															
208 Courthouse Rd	From: Louisa County Line Spotsylvania County	3.64	4600	G	98%	0%	1%	1%	1%	0%	F	0.092	F	0.535	4900	G
208 Courthouse Rd	From: 88-601 Lewiston Rd Spotsylvania County	8.85	6200	G	98%	0%	1%	1%	1%	0%	F	0.090	F		6700	G
208 Block House Rd	From: 88-648 Block House Rd Bus SR 208 Courthouse Rd Spotsylvania County	3.03	6300	G	98%	0%	1%	1%	1%	0%	C	0.093	F		6700	G
208	From: 88-608 S. Robert E Lee Dr Spotsylvania County	0.98	NA									NA			NA	
208	From: 88-613 Brock Rd Spotsylvania County	0.87	NA									NA			NA	
208 Courthouse Rd	From: Bus SR 208 Courthouse Rd Bus SR 208 Spotsylvania County	2.25	18000	G								0.084	F		19000	G
208 Courthouse Rd	From: 88-628 Smith Station Rd Spotsylvania County	3.74	36000	G								0.085	F		39000	G
Bus 208 Courthouse Rd	From: SR 208; 88-648 Block House Rd Spotsylvania County	2.43	4700	G	94%	1%	1%	1%	3%	0%	C	0.092	F		5000	G
Bus 208 Courthouse Rd	From: 88-606 Morris Rd; 88-738 Parlow Rd Spotsylvania County	3.41	3700	G	94%	1%	1%	1%	3%	0%	F	0.09	F	0.604	3900	G
	To: 88-608 Massaponax Church Rd															

Virginia Department of Transportation
 Traffic Engineering Division
 2009
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
Bus 208 Courthouse Rd	From: 88-608 Massaponax Church Rd Spotsylvania County	0.54	8000	G	94%	1%	1%	1%	3%	0%	F	0.088	F	8600	G	
Bus 208 Courthouse Rd	To: 88-613 Brock Rd From: Spotsylvania County	0.71	NA									NA		NA		
	To: SR 208															
522 Zachary Taylor Hwy	From: Louisa County Line Spotsylvania County	1.01	2600	G	93%	1%	1%	1%	4%	0%	C	0.098	F	0.502	2700	G
522 Zachary Taylor Hwy	To: 88-612 Monrovia Rd From: Spotsylvania County	0.94	2500	G	93%	1%	1%	1%	4%	0%	F	0.100	F	0.55	2700	G
	To: Orange County Line															

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(F163) Mallard Rd	0.60	NA									NA			NA		
(F163) Mallard Rd	0.62	490	R								NA			NA		04/22/2009
(F164)	0.05	NA									NA			NA		
(F167) Glenwood Dr	0.12	590	R								NA			NA		10/06/2009
(F168) Clark Ct	0.16	40	R								NA			NA		10/06/2009
(F690) Jefferson Davis Hwy Fro	0.38	260	R								NA			NA		11/06/2009
(F690) Loren Dr	1.03	1800	R								NA			NA		10/06/2009
(F690) Jefferson Davis Hwy Fro	0.14	390	R								NA			NA		11/06/2009
(F691) Kershaw St	0.32	740	R								NA			NA		10/06/2009
(F691) Kershaw St	0.58	450	R								NA			NA		04/23/2009
(F691) Wicker St	0.50	190	R								NA			NA		04/23/2009
(F692) Jefferson Davis Hwy Fro	0.20	270	R								NA			NA		10/06/2009
(F693) Gateway Blvd	0.31	5700	R								NA			NA		10/06/2009
(F694) Plank Rd Frontage	0.08	690	R								NA			NA		11/10/2009
(F696) Overview Dr	1.81	130	R								NA			NA		10/06/2009
(F697) Lavue Lane	0.36	NA									NA			NA		
(704/88) Lawyers Rd	0.05	90	R								NA			NA		12/02/2002
(600) Herndon Rd	0.64	640	R								NA			NA		09/10/2002
(600) Herndon Rd	0.66	560	R								NA			NA		08/08/2005
(600) Herndon Rd	0.50	810	R								NA			NA		09/10/2002

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(601) Arritt Rd	1.84	890	G	95%	1%	From: Louisa County Line To: 88-622 N, Fairview Rd				F	0.111	F	0.653	950	G	2009
(601) Lewiston Rd	3.21	970	G	95%	1%	From: 88-614 N, Breaknock Rd To: SR 208 S, Courthouse Rd				C	0.103	F	0.548	1000	G	2009
(601) Lewiston Rd	3.73	1400	G	95%	1%	From: SR 208 N, Courthouse Rd To: 88-721 Grand Brooks Rd				F	0.091	F	0.546	1500	G	2009
(601) Lawyers Rd	1.59	1800	G	98%	1%	From: 88-612 Stubbs Bridge Rd To: 88-653 Powell Rd				C	0.103	F	0.66	1900	G	2009
(601) Lawyers Rd	2.96	1300	G	98%	1%	From: 88-652 Belmont Rd To: 88-651 Tatum Rd				F	0.108	F	0.593	1400	G	2009
(601) Lawyers Rd	0.97	770	R			From: 88-608 Catharpin Rd To: Dead End						NA		NA		10/03/2002
(601) Lawyers Rd	1.92	690	R			From: SR 208 Courthouse Rd To: Caroline County Line						NA		NA		10/07/2002
(601) Lawyers Rd	2.15	730	G	98%	1%	From: 88-605 Marye Rd To: US 1 Jefferson Davis Hwy				F	0.106	F	0.547	780	G	2009
(601) Lawyers Rd	0.94	1500	G	98%	1%	From: 88-605 Marye Rd To: Caroline County Line				F	0.096	F	0.625	1600	G	2009
(602) Massey Rd	1.71	580	R			From: Dead End To: SR 208 Courthouse Rd						NA		NA		10/07/2002
(603) Arcadia Rd	0.70	900	R			From: Caroline County Line To: 88-605 Marye Rd						NA		NA		10/10/2002
(603) Arcadia Rd	0.89	3600	G	97%	1%	From: 88-605 Marye Rd To: US 1 Jefferson Davis Hwy				C	0.089	F	0.770	3800	G	2009
(604) Blanton Rd	1.93	310	R			From: 88-605 Marye Rd To: Caroline County Line						NA		NA		10/10/2002
(605) Swift Rd	1.00	110	R			From: Dead End To: 88-622 E, Fairview Rd						NA		NA		10/24/2005
(605) Wallers Rd	2.42	650	R			From: 88-622 W, Fairview Rd To: 88-738 N, Partlow Rd						NA		NA		10/08/2002
(605) Marye Rd	1.95	720	R			From: 88-738 S, Partlow Rd To: 88-658 Shirleys Hill Rd						NA		NA		10/10/2002
(605) Marye Rd	3.38	1300	G	98%	0%	From: 88-647 Blaydes Corner Rd To: 88-603 Arcadia Rd				F	0.096	F	0.772	1400	G	2009
(605) Marye Rd	3.16	2300	G	98%	0%	From: 88-603 Arcadia Rd To: Caroline County Line				C	0.098	F	0.751	2400	G	2009
(605) Marye Rd	0.26	590	R			From: Caroline County Line To: 88-608 Catharpin Rd						NA		NA		10/10/2002
(606) Post Oak Rd	2.67	870	G	95%	2%	From: 88-612 W, Pamunkey Rd To: 88-612 E, Stubbs Bridge Rd				F	0.096	F	0.526	930	G	2009
(606) Post Oak Rd	0.93	1500	G	95%	2%	From: 88-612 E, Stubbs Bridge Rd To: 88-650 Margo Rd				F	0.093	F	0.625	1600	G	2009
(606) Post Oak Rd	3.80	910	G	95%	2%	From: 88-650 Margo Rd To: SR-208 W, Courthouse Rd				F	0.095	F	0.563	980	G	2009
(606) Post Oak Rd	4.14	1500	G	95%	2%	From: SR-208 W, Courthouse Rd				C	0.094	F	0.785	1600	G	2009

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(606) Morris Rd	3.15	8000	G	95%	0%	1%	1%	3%	0%	C	0.091	F		8600	G	2009
			From: SR 208 Courthouse Rd; 88-738 Parlow Rd													
			To: 88-617 Hams Ford Rd													
(606) Morris Rd	1.41	10000	G	95%	0%	1%	1%	3%	0%	F	0.088	F		11000	G	2009
			From: 88-617 Hams Ford Rd													
			To: US 1 Jefferson Davis Hwy													
(606) Mudd Tavern Rd	0.51	12000	G	94%	0%	1%	1%	4%	0%	C	0.079	F		13000	G	2009
			From: US 1 Jefferson Davis Hwy													
			To: I-95													
(606) Mudd Tavern Rd	1.00	2000	G	91%	0%	1%	4%	3%	0%	C	0.099	F	0.565	2200	G	2009
			From: I-95													
			To: Caroline County Line													
(607) Guinea Station Rd	1.20	1300	R								NA			NA		10/21/2002
			From: US 1 Jefferson Davis Hwy													
			To: 88-633 Church Pond Rd													
(607) Guinea Station Rd	2.30	530	R								NA			NA		10/21/2002
			From: 88-633 Church Pond Rd													
			To: Caroline County Line													
(608) West Catharpin Rd	1.04	1700	G	97%	2%	0%	0%	0%	0%	F	0.095	F	0.614	1800	G	2009
			From: Caroline County Line													
			To: 88-606 Post Oak Rd													
(608) West Catharpin Rd	6.02	1500	G	97%	2%	0%	0%	0%	0%	F	0.086	F	0.894	1600	G	2009
			From: 88-606 Post Oak Rd													
			To: 88-612 W, Pamunkey Rd													
(608) West Catharpin Rd	0.28	2400	G	97%	2%	0%	0%	0%	0%	C	0.086	F	0.887	2600	G	2009
			From: 88-612 W, Pamunkey Rd													
			To: 88-612 E, Catharpin Rd													
(608) Robert E Lee Dr	1.85	1300	R								NA			NA		10/22/2002
			From: 88-612 E, Catharpin Rd													
			To: 88-649 W, Seays Rd													
(608) Robert E Lee Dr	2.01	1900	R								NA			NA		10/22/2002
			From: 88-649 W, Seays Rd													
			To: 88-693 Gladly Fork Rd													
(608) Robert E Lee Dr	1.65	2100	R								NA			NA		10/22/2002
			From: 88-693 Gladly Fork Rd													
			To: 88-747 Old Mill Lane													
(608) Robert E Lee Dr	0.36	2800	R								NA			NA		10/22/2002
			From: 88-747 Old Mill Lane													
			To: 88-648 Block House Rd													
(608) Robert E Lee Dr	0.22	NA									NA			NA		
			From: 88-648 Block House Rd													
			To: SR 208 S, Block House Rd													
(608) Robert E Lee Dr	0.46	810	G	98%	1%	0%	0%	0%	0%	C	0.102	F		870	G	2009
			From: SR 208 S, Block House Rd													
			To: SR 208 N, Block House Rd													
(608) Massaponax Church Rd	3.90	2500	G	95%	1%	1%	2%	1%	0%	F	0.109	F	0.706	2600	G	2009
			From: SR 208 N, Block House Rd													
			To: 88-613 Brock Rd													
(608) Massaponax Church Rd	0.95	6600	G	95%	1%	1%	2%	1%	0%	C	0.1	F		7000	G	2009
			From: 88-613 Brock Rd													
			To: Bus SR 208 Courthouse Rd													
(608) Massaponax Church Rd	2.56	4400	G	96%	1%	1%	2%	1%	0%	C	0.097	F		4700	G	2009
			From: Bus SR 208 Courthouse Rd													
			To: 88-639 Leavells Rd													
(608) Massaponax Church Rd	1.97	2500	G	96%	1%	1%	2%	1%	0%	F	0.096	F	0.596	2700	G	2009
			From: 88-639 Leavells Rd													
			To: US 1 Jefferson Davis Hwy													
(608) Benchmark Rd	2.65	4300	G	96%	1%	1%	2%	1%	0%	F	0.097	F	0.643	4600	G	2009
			From: US 1 Jefferson Davis Hwy													
			To: 88-668													
(609) Thornton Rolling Rd	1.86	1900	R								NA			NA		10/21/2002
			From: 88-668													
			To: US-17 W, Mills Dr													
(609) Jim Morris Rd	1.51	1600	R								NA			NA		10/21/2002
			From: US-17 W, Mills Dr													
			To: US-17 E, Mills Dr													
(610) Elys Ford Rd	3.90	2100	G	98%	1%	1%	1%	0%	0%	C	0.081	F	0.667	2300	G	2009
			From: US-17 E, Mills Dr													
			To: US 17 Bus; SR 2 Tidewater Trail													
(610) Elys Ford Rd																
			From: US 17 Bus; SR 2 Tidewater Trail													
			To: Culpeper County Line													
(610) Elys Ford Rd																
			From: Culpeper County Line													
			To: 88-616 US Ford Rd													

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(610) Elys Ford Rd	0.98	4400	G	98%	1%	1%	1%	0%	0%	F	0.075	F		4800	G	2009
						From: 88-616 US Ford Rd										
(610) Old Plank Rd	1.85	2700	G	99%	0%	0%	0%	0%	0%	F	0.112	F	0.617	2900	G	2009
						From: SR-3 W, Plank Rd										
(610) Old Plank Rd	2.85	11000	G	99%	0%	0%	0%	0%	0%	C	0.085	F		11000	G	2009
						From: 88-612 Catharpin Rd										
(610) Old Plank Rd	0.21	3600	G	99%	0%	0%	0%	0%	0%	F	0.091	F		3900	G	2009
						From: 88-620 E, Harrison Rd										
(610) Old Plank Rd	0.51	5500	G	99%	0%	0%	0%	0%	0%	F	0.085	F		6000	G	2009
						From: 88-627 Gordon Rd										
						To: SR-3 E, Plank Rd										
(611) Windy Acres Lane	0.35	170	R								NA			NA		09/10/2002
						From: Dead End										
(611) Windy Acres Lane	0.20	200	R								NA			NA		08/08/2005
						From: 88-682 Parker Lane										
(611) Windy Acres Lane	1.10	310	R								NA			NA		08/08/2005
						From: 88-621 Orange Plank Rd										
						To: Orange County Line										
(612) Monrovia Rd	1.46	620	R								NA			NA		10/03/2002
						From: Orange County Line										
(612) Monrovia Rd	2.53	480	G	96%	0%	1%	2%	1%	0%	F	0.107	F	0.514	510	G	2009
						From: US 522 Zachary Taylor Hwy										
(612) Stubbs Bridge Rd	0.38	1100	G	96%	0%	1%	2%	1%	0%	C	0.085	F	0.594	1100	G	2009
						From: 88-719 W, Days Bridge Rd										
(612) Stubbs Bridge Rd	3.87	910	G	96%	0%	1%	2%	1%	0%	F	0.090	F	0.661	970	G	2009
						From: 88-719 E, Days Bridge Rd										
(612) Stubbs Bridge Rd	3.18	900	G	96%	0%	1%	2%	1%	0%	F	0.109	F	0.681	960	G	2009
						From: 88-663 Comfort Lane										
(612) Pamunkey Rd	4.14	900	G	96%	2%	1%	0%	0%	0%	F	0.105	F	0.758	970	G	2009
						From: 88-601 Lawyers Rd										
(612) Catharpin Rd	3.24	1900	G	96%	2%	1%	0%	0%	0%	F	0.085	F	0.73	2000	G	2009
						From: 88-606 W, Post Oak Rd										
(612) Catharpin Rd	4.30	3100	G	96%	2%	1%	0%	0%	0%	C	0.094	F	0.662	3400	G	2009
						From: 88-606 E, Post Oak Rd										
						From: 88-608 W, Catharpin Rd										
(613) Brock Rd	1.63	4100	G	97%	0%	1%	2%	0%	0%	C	0.103	F		4300	G	2009
						From: 88-608 E, Robert E Lee Dr										
(613) Brock Rd	3.97	3500	G	97%	0%	1%	2%	0%	0%	F	0.103	F	0.565	3800	G	2009
						From: 88-613 Brock Rd										
(613) Brock Rd	4.78	2500	G	97%	0%	1%	2%	0%	0%	F	0.105	F	0.516	2700	G	2009
						From: 88-648 Block House Rd										
(613) Brock Rd	1.52	3600	G	97%	0%	1%	2%	0%	0%	F	0.093	F	0.632	3800	G	2009
						From: 88-612 S, Catharpin Rd										
						To: SR 3 Plank Rd										
(614) Breaknock Rd	0.20	8	R								NA			NA		10/08/2002
						From: Dead End										
(614) Breaknock Rd	1.30	230	R								NA			NA		10/08/2002
						From: 88-1520 Billman Dr										
(614) Dickerson Rd	1.60	450	R								NA			NA		10/08/2002
						From: 88-601 N, Lewiston Rd										
						To: 88-601 S, Lewiston Rd										
						From: 88-657 Edenton Rd										

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(614) Dickerson Rd	1.57	470	R													10/31/2005
(614) Dickerson Rd	0.20	680	R													10/31/2005
(614) Dickerson Rd	0.43	830	R													10/31/2005
(614) Duerson Lane	1.95	790	R													10/08/2002
(615) Rapidan Dr	0.45	740	R													09/04/2002
(615) Rapidan Dr	0.47	550	R													09/04/2002
(615) Rapidan Dr	1.10	310	R													09/04/2002
(616) US Ford Rd	2.29	1800	R													09/04/2002
(617) Hams Ford Rd	1.80	130	R													11/02/2005
(617) Hams Ford Rd	1.20	1000	R													10/10/2002
(618) River Rd	0.76	1100	R													10/17/2002
(618) River Rd	0.14	1400	R													10/17/2002
(618) River Rd	0.04	2600	R													10/30/2005
(618) River Rd	0.39	2500	R													10/03/2005
(618) River Rd	0.82	2400	R													10/03/2005
(618) River Rd	1.47	1600	R													10/17/2002
(618) River Rd	0.67	2000	R													10/17/2002
(618) River Rd	1.14	2100	R													10/17/2002
(618) River Rd	1.33	2200	R													10/17/2002
(618) River Rd	0.91	2500	R													10/17/2002
(619) Mill Rd	1.25	710	R													10/22/2002
(619) Mill Rd	0.30	130	R													10/22/2002
(620) Spotswood Furnace Rd	1.24	810	R													09/04/2002

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(620) Spotswood Furnace Rd	0.74	180	R								NA			NA		09/04/2002
						From: 88-1733 Antler Rd										
(620) Spotswood Furnace Rd	1.80	260	R								NA			NA		10/03/2005
						From: 0.74 ME 88-1733										
(620) Spotswood Furnace Rd	1.92	240	R								NA			NA		10/03/2005
						From: 88-616 US Ford Rd										
(620) Spotswood Furnace Rd	2.65	970	R								NA			NA		10/17/2002
						From: 88-618 River Rd										
(620) Harrison Rd	0.49	7100	G	99%	0%	0%	0%	0%	0%	F	0.091	F		7800	G	2009
						From: SR 3 W, Plank Rd										
(620) Harrison Rd	0.59	14000	G	99%	0%	0%	0%	0%	0%	F	NA			15000	G	2009
						From: SR 3 E, Plank Rd										
(620) Harrison Rd	1.29	16000	G	99%	0%	0%	0%	0%	0%	F	NA			18000	G	2009
						From: 88-627 Gordon Rd										
(620) Harrison Rd	1.53	13000	G	99%	0%	0%	0%	0%	0%	C	0.107	F		14000	G	2009
						From: 88-706 Cherry Rd										
(620) Harrison Rd	0.92	14000	G	99%	0%	0%	0%	0%	0%	F	0.105	F		15000	G	2009
						From: 88-639 W, Salem Church Rd; Leavells Rd										
(620) Harrison Rd	0.18	5900	G	99%	0%	1%	0%	0%	0%	C	0.093	F		6400	G	2009
						From: US 1 Jefferson Davis Hwy										
						To: Bus US 1 Lafayette Blvd										
(621) Orange Plank Rd	1.60	1700	R								NA			NA		09/10/2002
						From: Orange County Line										
(621) Orange Plank Rd	3.30	3400	G	96%	1%	1%	1%	1%	0%	C	0.085	F		3600	G	2009
						From: 88-611 Windy Acres Lane										
(621) Orange Plank Rd	2.10	6100	R								NA			NA		09/10/2002
						From: 88-613 Brock Rd										
						To: SR 3 Plank Rd										
(622) Lucks Rd	0.95	160	R								NA			NA		10/08/2002
						From: Dead End										
(622) Fairview Rd	1.20	1300	R								NA			NA		10/08/2002
						From: 88-601 S, Arritt Rd										
						To: 88-601 Lewiston Rd; Arritt Rd										
(622) Fairview Rd	1.60	840	R								NA			NA		10/10/2002
						From: 88-605 W; Wallers Rd										
						To: 88-605 W, Wallers Rd										
(623) Stewart Rd	0.90	120	R								NA			NA		10/17/2005
						From: 88-738 Partlow Rd										
						To: 88-613 Brock Rd										
(624) Piney Branch Rd	2.10	900	R								NA			NA		10/22/2002
						From: 88-612 Catharpin Rd										
(625) Ashby Dr	0.50	1000	R								NA			NA		09/12/2002
						From: Dead End										
(625) Ashby Dr	1.00	2000	R								NA			NA		09/12/2002
						From: 88-714 Cloverdale St										
						To: 88-674 Chancellor Rd										
(626) Andora Dr	0.41	8200	R								NA			NA		09/12/2002
						From: 88-610 Old Plank Rd										
						To: SR 3 Plank Rd										
(627) Gordon Rd	1.45	3700	G	99%	0%	0%	0%	0%	0%	F	0.092	F	0.664	4000	G	2009
						From: 88-613 Brock Rd										
						To: 88-732 Mallard Point Lane										

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(627) Gordon Rd	2.07	4700	G	99%	0%	0%	0%	0%	0%	F	0.090	F	0.651	5000	G	2009
						From: 88-732 Mallard Point Lane										
(627) Gordon Rd	0.91	11000	G	99%	0%	0%	0%	0%	0%	F	0.098	F		12000	G	2009
						From: 88-628 Smith Station Rd										
(627) Gordon Rd	1.42	16000	G	99%	0%	0%	0%	0%	0%	C	0.086	F		17000	G	2009
						From: 88-674 Chancellor Rd										
(627) Gordon Rd	0.12	12000	G	99%	0%	0%	0%	0%	0%	F	0.083	F		13000	G	2009
						From: 88-620 Harrison Rd										
(627) Gordon Rd	0.22	NA												NA		
						From: 88-610 Old Plank Rd										
						To: SR 3 Plank Rd										
(628) Smith Station Rd	2.10	6500	R								NA			NA		09/16/2002
						From: US 1 Jefferson Davis Hwy										
(628) Smith Station Rd	1.67	7700	R								NA			NA		09/16/2002
						From: 88-639 Leavells Rd										
(628) Smith Station Rd	1.60	9100	G	99%	0%	0%	0%	0%	0%	C	0.093	F		9900	G	2009
						From: SR 208 Courthouse Rd										
(628) Smith Station Rd	0.91	6000	G	99%	0%	0%	0%	0%	0%	F	0.1	F	0.578	6500	G	2009
						From: 88-1157 Elk Dr										
						To: 88-627 Gordon Rd										
(629) Foster Rd	0.56	5000	R								NA			NA		11/19/2005
						From: 88-628 Smith Station Rd										
						To: SR 208 Courthouse Rd										
(630) Corene Rd	0.38	20	R								NA			NA		10/24/2005
						From: 88-655 Ridge Rd										
						To: SR 208 Courthouse Rd										
(631) American Legion Dr	0.21	810	R								NA			NA		08/03/2005
						From: SR 208 Courthouse Rd										
						To: SR 208 Courthouse Rd										
(632) Roxbury Mill Rd South	1.00	490	R								NA			NA		10/21/2002
						From: US 1 S, Jefferson Davis Hwy										
(632) Roxbury Mill Rd South	0.12	70	R								NA			NA		10/31/2005
						From: 1.00 MN US 1										
(632) Roxbury Mill Rd North	0.96	1300	R								NA			NA		11/02/2005
						From: Dead End; Gap										
(632) Hickory Ridge Rd	3.40	950	R								NA			NA		10/21/2002
						From: US 1 MID, Jefferson Davis Hwy										
						To: US 1 N, Jefferson Davis Hwy										
(633) Church Pond Rd	1.40	1000	R								NA			NA		10/21/2002
						From: 88-608 Massaponax Church Rd										
						To: 88-607 Guinea Station Rd										
(634) Flippo Dr	2.60	150	R								NA			NA		10/21/2002
						From: 88-607 Guinea Station Rd										
						To: 88-608 Massaponax Church Rd										
(635) Lee Hill School Dr	2.53	3600	R								NA			NA		09/09/2002
						From: US 17 Mills Dr										
						To: 88-736 Eagle Dr										
(636) Ewell Rd	0.09	1600	R								NA			NA		11/14/2005
						From: SR 208 E, Courthouse Rd										
(636) Ewell Rd	0.30	1400	R								NA			NA		11/14/2005
						From: 88-1209 Pegram Lane										
(636) Hood Dr	0.44	13000	R								NA			NA		11/14/2005
						From: SR 208 W, Courthouse Rd										
						To: US 1 Jefferson Davis Hwy										

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(636) Mine Rd	1.47	14000	G	98%	0%	US 1 Jefferson Davis Hwy				C	0.086	F		15000	G	2009
(636) Mine Rd	2.30	5500	G	98%	0%	88-638 Lansdowne Rd				F	0.088	F		5800	G	2009
(637)	0.09	40	R			88-608 Benchmark Rd								NA		09/25/2002
(637)						Dead End								NA		
(637)						88-636 Hood Dr								NA		
(638) Lansdowne Rd	1.92	7100	G	97%	0%	88-636 Mine Rd				C	0.091	F		7700	G	2009
(638)						SCL Fredericksburg; 111-3952										
(639) Leavells Rd	1.69	3000	N			88-608 Massaponax Church Rd								NA		08/26/2002
(639) Leavells Rd	1.38	3000	R			88-628 Smith Station Rd								NA		08/26/2002
(639) Leavells Rd	0.43	6600	R			88-748								NA		08/26/2002
(639) Leavells Rd	0.69	8900	R			88-1290								NA		08/26/2002
(639) Leavells Rd	2.09	23000	G	99%	0%	SR 208 Courthouse Rd				F	0.087	F		24000	G	2009
(639) Salem Church Rd	1.45	24000	G	99%	0%	88-620 W, Harrison Rd				C	NA			26000	G	2009
(639) Salem Church Rd						88-620 E, Harrison Rd										
(639) Bragg Rd	0.91	14000	G	99%	0%	SR 3 W, Plank Rd				C	0.091	F		15000	G	2009
(639) Bragg Rd						SR 3 E, Plank Rd										
(639) Bragg Rd						88-618 River Rd										
(640) Black Meadow Rd	1.60	830	R			SR 3 Plank Rd								NA		10/03/2005
(640) Black Meadow Rd						Dead End										
(641) Gatewood Rd	0.20	170	R			88-738 Partlow Rd								NA		10/08/2002
(641) Gatewood Rd						88-657 Edenton Rd										
(642) Woolfolk Rd	0.80	150	R			Dead End								NA		09/26/2005
(642) Woolfolk Rd						88-612 Stubbs Bridge Rd										
(643) Haleys Mill Rd	2.50	190	R			88-655 Ridge Rd								NA		10/24/2005
(643) Williams Lane	0.96	100	R			88-601 Lawyers Rd								NA		10/24/2005
(643) Williams Lane						Dead End										
(644) Village Dr	0.09	120	R			Bus US 1 Lafayette Blvd								NA		08/27/2002
(644) Marshall Dr	0.07	70	R			0.09 ME US 1 Bus								NA		08/27/2002
(644) Marshall Dr						Dead End										
(645) Sunset Rd	1.20	550	R			88-606 Morris Rd								NA		10/10/2002
(645) Sunset Rd	0.85	660	R			88-646 Stanfield Rd								NA		10/10/2002
(645) Sunset Rd	0.25	840	R			0.85 MS 88-646								NA		10/31/2005
(645) Sunset Rd						88-617 Hams Ford Rd										

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(646) Stanfield Rd	3.48	270	R				From: 88-605 Marye Rd					NA		NA		10/10/2002
							To: 88-645 Sunset Rd									
(647) Twilight Lane	0.10	90	R				From: Dead End					NA		NA		11/02/2005
							To: 88-605 Marye Rd									
(647) Blaydes Corner Rd	3.80	450	R				From: 88-605 Marye Rd					NA		NA		10/10/2002
							To: 88-738 Partlow Rd									
(648) Block House Rd	2.26	830	R				From: 88-738 Partlow Rd					NA		NA		10/31/2005
							To: 2.26 MN 88-738									
(648) Block House Rd	1.15	1000	R				From: SR 208 Courthouse Rd					NA		NA		10/31/2005
							To: 88-606 Post Oak Rd									
(649) Seays Rd	1.10	750	R				From: 88-606 Post Oak Rd					NA		NA		10/22/2002
							To: 88-703 Mastin Lane									
(649) Seays Rd	1.20	860	R				From: 88-703 Mastin Lane					NA		NA		10/22/2002
							To: 88-608 W, Robert E Lee Dr									
							From: 88-608 E, Robert E Lee Dr					NA		NA		10/22/2002
(649) Mill Pond Rd	2.30	480	R				From: 88-612 Catharpin Rd					NA		NA		10/22/2002
							To: 88-733 Brockenburg Rd									
(650) Margo Rd	1.30	430	R				From: 88-733 Brockenburg Rd					NA		NA		10/07/2002
							To: 88-606 Post Oak Rd									
(651) Tatum Rd	0.10	390	R				From: Orange County Line					NA		NA		10/07/2002
							To: 88-601 Lawyers Rd									
(651) Houston Lane	0.25	40	R				From: 88-601 Lawyers Rd					NA		NA		09/27/2005
							To: Dead End									
(652) Belmont Rd	1.00	460	R				From: 88-719 Days Bridge Rd					NA		NA		10/03/2002
							To: 88-653 S, Jones Powell Rd									
(652) Belmont Rd	2.10	420	R				From: 88-653 S, Jones Powell Rd					NA		NA		10/03/2002
							To: 88-601 Lawyers Rd									
(653) Orange Springs Rd	1.90	200	R				From: Orange County Line					NA		NA		10/03/2002
							To: 88-652 N, Belmont Rd									
							From: 88-652 S, Belmont Rd					NA		NA		10/03/2002
(653) Jones Powell Rd	1.70	310	R				From: 88-652 S, Belmont Rd					NA		NA		10/03/2002
							To: 88-601 Lawyers Rd									
(654) Windway Dr	0.55	120	R				From: 88-612 Monrovia Rd					NA		NA		09/26/2005
							To: 88-1545 Windway Dr									
(654) Windway Dr	0.03	2	R				From: 88-1545 Windway Dr					NA		NA		09/26/2005
							To: Dead End									
(655) Ridge Rd	1.78	260	R				From: SR 208 Courthouse Rd					NA		NA		10/07/2002
							To: 88-643 Haleys Mill Rd									
(655) Ridge Rd	1.45	250	R				From: 88-643 Haleys Mill Rd					NA		NA		10/07/2002
							To: 88-601 Lawyers Rd									
(656) Towles Mill Rd	2.77	390	R				From: 88-614 Dickerson Rd					NA		NA		10/31/2005
							To: 2.77 MN 88-614									
(656) Towles Mill Rd	0.13	700	R				From: 2.77 MN 88-614					NA		NA		10/31/2005
							To: 88-691 Block Rock Dr									

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(656) Towles Mill Rd	2.30	590	R									NA		NA		10/07/2002
(657) Edenton Rd	3.40	210	R									NA		NA		10/08/2002
(658) Mount Olive Rd	3.10	500	R									NA		NA		10/10/2002
(658) Shirleys Hill Rd	2.00	410	G	99%	0%	0%	0%	0%	0%	C	0.123	F	0.558	440	G	2009
(659) Lanes Corner Rd	2.80	130	R									NA		NA		10/24/2005
(660) Len Hart Lane	0.70	90	R									NA		NA		11/02/2005
(661) Hudgins Rd	0.30	1800	R									NA		NA		11/09/2005
(661) Hudgins Rd	0.31	1400	R									NA		NA		11/09/2005
(662) Log Cabin Rd	1.92	70	R									NA		NA		11/02/2005
(663)	0.97	280	R									NA		NA		10/03/2002
(664) Granite Springs Rd	1.10	130	R									NA		NA		09/27/2005
(665) Belfonte Rd	0.60	370	R									NA		NA		10/08/2002
(665) Belfonte Rd	1.40	270	R									NA		NA		10/24/2005
(666) Tribble Rd	0.57	70	R									NA		NA		11/02/2005
(667) Robinson Rd	0.80	170	R									NA		NA		10/24/2005
(667) Robinson Rd	0.41	20	R									NA		NA		10/07/2002
(668)	2.84	300	R									NA		NA		10/21/2002
(669)	0.27	110	R									NA		NA		10/10/2002
(669) Trivette Rd	0.33	60	R									NA		NA		11/02/2005
(669) Butler Rd	1.39	100	R									NA		NA		11/02/2005

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(669) Butler Rd	0.81	200	R			From: 1.39 MN 88-662					NA			NA		11/02/2005
						To: 88-738 S, Partlow Rd										
(669) Smith Rd	1.15	40	R			From: 88-738 N, Partlow Rd					NA			NA		11/02/2005
						To: Caroline County Line										
(670) Winding Rd	1.65	420	R			From: 88-738 Partlow Rd					NA			NA		10/10/2002
						To: 88-605 Marye Rd										
(671)	0.41	510	R			From: SR 208 Courthouse Rd					NA			NA		09/25/2002
						To: 88-1031										
(672)	0.44	240	R			From: 88-608 Massaponax Church Rd					NA			NA		10/21/2002
						To: Dead End										
(673) Piedmont Dr	0.30	4900	R			From: 88-628 Smith Station Rd					NA			NA		08/29/2005
						To: 88-1154 Fawn Circle										
(673) Piedmont Dr	0.68	5900	R			From: 88-1100 Deerskin Dr					NA			NA		09/12/2005
						To: 88-620 Harrison Rd										
(673) Piedmont Dr	1.20	8100	R			From: 88-610 Old Plank Rd					NA			NA		09/14/2005
						To: 88-610 Old Plank Rd										
(674) Chancellor Rd	0.50	3700	R			From: 88-625 Ashby Dr					NA			NA		09/17/2002
						To: 88-625 Ashby Dr										
(674) Chancellor Rd	0.60	3500	R			From: 0.60 M SE 88-625					NA			NA		09/18/2002
						To: 88-627 Gordon Rd										
(674) Chancellor Rd	0.90	5200	R			From: 88-627 Gordon Rd					NA			NA		09/18/2002
						To: 88-627 Gordon Rd										
(675) Five Mile Rd	1.08	860	R			From: SR 3 Plank Rd					NA			NA		09/20/2005
						To: Dead End										
(676) Cookstown Rd	0.90	140	R			From: 88-613 Brock Rd					NA			NA		08/08/2005
						To: Dead End										
(677)	0.23	620	R			From: Dead End					NA			NA		09/25/2002
						To: US 1 Jefferson Davis Hwy										
(678) Shepherds Rd	3.03	610	R			From: 88-605 Marye Rd					NA			NA		11/02/2005
						To: Dead End										
(679)	1.10	310	R			From: Caroline County Line					NA			NA		10/10/2002
						To: 88-738 Partlow Rd										
(680) Granite Springs Rd	1.20	280	R			From: 88-664 Granite Springs Rd					NA			NA		09/27/2005
						To: 1.20 MN 88-664										
(680) Granite Springs Rd	1.00	350	R			From: 88-601 Lawyers Rd					NA			NA		09/27/2005
						To: 88-601 Lawyers Rd										
(681) Lorraine Ave	0.12	930	R			From: US 1 Bus; Lafayette Blvd					NA			NA		08/18/2005
						To: 88-1201 Madeline Ave										
(681) Lorraine Ave	0.12	850	R			From: 88-1201 Madeline Ave					NA			NA		08/18/2005
						To: 88-1204 Laurel Ave; 88-1219										
(681) Lorraine Ave	0.13	780	R			From: 88-1204 Laurel Ave; 88-1219					NA			NA		08/18/2005
						To: 88-1222 Lorraine Ct										

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(681) Lorraine Ave	0.09	690	R				From: 88-1222 Lorraine Ct				NA			NA		08/18/2005
(681) Lorraine Ave	0.08	430	R				To: 88-9393 Spotswood Elementary School				NA			NA		08/18/2005
							From: 88-1370 Ann Davis Dr									
(682) Parker Lane	0.95	60	R				To: 88-611 Windy Acres Lane				NA			NA		08/08/2005
							From: Dead End									
(683) Bartlett Lane	0.17	30	R				To: Dead End				NA			NA		10/05/2005
(683) Bartlett Lane	0.30	40	R				From: 88-698 Harry Lee Dr				NA			NA		10/05/2005
							To: Dead End									
(684) Craigs Church Lane	0.65	280	R				From: 88-608 Catharpin Rd				NA			NA		09/27/2005
(684) Craigs Church Lane	0.95	150	R				To: 88-754 Hayden Rd				NA			NA		09/27/2005
							From: Dead End									
(685) Pritchett Rd	0.45	150	R				To: 88-648 Block House Rd				NA			NA		10/22/2002
(686)	0.16	140	R				From: US 1 Jefferson Davis Hwy				NA			NA		08/05/2002
							To: US 1 Bus									
(687) Shirley Rd	1.20	70	R				From: 88-653 Orange Springs Rd				NA			NA		09/27/2005
							To: Orange County Line									
(688) Single Oak Rd	1.17	440	R				From: SR 3 Plank Rd				NA			NA		09/03/2002
							To: 88-675 Five Mile Rd									
(689) Gentry Lane	0.30	60	R				From: 88-601 Lewiston Rd				NA			NA		10/24/2005
							To: Dead End									
(690) Peppertree Rd	0.40	20	R				From: Dead End				NA			NA		08/08/2005
(690) Peppertree Rd	0.60	120	R				To: 0.40 MN Dead End				NA			NA		08/08/2005
							From: 88-600 Herndon Rd									
(691) Black Rock Dr	1.51	170	R				To: 88-656 Towles Rd				NA			NA		10/07/2002
							From: SR 208 Courthouse Rd									
(692) Sunnybrook Farm Rd	0.75	70	R				To: Dead End				NA			NA		10/31/2005
							From: 88-608 Robert E Lee Dr									
(693) Gladly Fork Rd	0.40	40	R				To: 88-608 Robert E Lee Dr				NA			NA		10/31/2005
							From: Dead End									
(694) Heatherstone Dr	0.35	3400	R				To: SR 3 Plank Rd				NA			NA		02/02/2005
(694) Heatherstone Dr	0.13	1900	R				From: 88-745				NA			NA		02/02/2005
(694) Heatherstone Dr	0.37	360	R				To: 88-1160 Duke of Gloucester St				NA			NA		02/02/2005
							From: Dead End									

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(695)	0.16	750	R											NA		08/05/2002
(696)	Sullivan Rd	1.10	70	R										NA		09/27/2005
(697)	Red Hill Rd	0.50	480	R										NA		10/22/2002
(698)	Harry Lee Dr	0.10	110	R										NA		10/05/2005
(699)	French Acors Rd	0.96	270	R										NA		10/10/2002
(700)		0.20	660	R										NA		10/29/2002
(701)	Rumsey Lane	0.70	40	R										NA		10/31/2005
(702)	Curtis Lane	0.90	150	R										NA		10/31/2005
(703)	Mastin Lane	0.20	110	R										NA		10/31/2005
(704)	Hadamard Rd	1.05	160	R										NA		11/02/2005
(705)	Jennings Lane	0.50	150	R										NA		10/31/2005
(706)	Cherry Rd	0.65	1900	G	99%	0%	0%	0%	0%	C	0.098	F	0.505	2100	G	2009
(707)	Chewing Lane	0.40	230	R										NA		09/03/2002
(707)	Chewing Lane	0.06	350	R										NA		09/20/2005
(708)	Bernstein Rd	0.18	120	R										NA		09/03/2002
(709)	Alsop Town Rd	0.54	240	R										NA		10/31/2005
(710)	Taskforce Dr	0.16	3900	R										NA		09/14/2005
(710)	Maple Grove Dr	0.16	4400	R										NA		09/20/2005
(710)	Bragg Rd	0.27	2000	R										NA		09/20/2005
(710)	Bragg Rd	0.11	950	R										NA		09/20/2005

Virginia Department of Transportation
 Traffic Engineering Division
 2009
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(711) Southpoint Pkwy	1.14	20000	R				US 1					NA		NA		12/09/2008
(711) Southpoint Pkwy	0.11	13000	R				88-1590 Ballantraye Dr					NA		NA		08/15/2005
(711) Rollingwood Dr	0.31	580	R				SR 208 Courthouse Rd					NA		NA		08/15/2005
(711) Rollingwood Dr	0.27	230	R				88-746					NA		NA		08/15/2005
							Dead End									
(712) Bradley Lane	0.40	150	R				SR 208 Courthouse Rd					NA		NA		10/24/2005
							Dead End									
(713)	1.41	160	R				Dead End					NA		NA		10/08/2002
							88-601 Lewiston Rd									
(714) Cloverdale St	0.36	48	R				Dead End					NA		NA		09/29/2005
(714) Cloverdale St	0.34	530	R				0.36 MN Dead End					NA		NA		09/29/2005
							88-625 Ashby Dr									
(715) Camp Town Rd	0.50	320	R				88-648 Block House Rd					NA		NA		10/31/2002
							Dead End									
(716) Southgate Ave	0.28	320	R				Bus US 1 Lafayette Blvd					NA		NA		08/27/2002
(716) Southgate Ave	0.05	110	R				88-1219 Bancroft Rd					NA		NA		08/27/2002
							88-1203 End Dr									
(718) Hebron Church Rd	0.60	180	R				Dead End					NA		NA		10/31/2005
							SR 208 Courthouse Rd									
(719) Days Bridge Rd	2.83	260	R				Orange County Line					NA		NA		10/03/2002
(719) Days Bridge Rd	1.83	750	R				88-652 Belmont Rd					NA		NA		10/13/2002
(719) Days Bridge Rd	1.18	1100	R				88-612 E, Stubbs Bridge Rd					NA		NA		10/03/2002
							Louisa County Line									
(720) Confederate Cemetery	0.25	20	R				Dead End					NA		NA		08/01/2005
							SR 208 Courthouse Rd									
(721) Grand Brooks Rd	4.01	200	R				88-601 Lawyers Rd					NA		NA		10/24/2005
							88-612 Stubbs Bridge Rd									
(722) Tanglewood Rd	0.82	500	R				88-606 Morris Rd					NA		NA		09/16/2002
(722) Tanglewood Rd	0.08	60	R				88-1430					NA		NA		10/31/2005
							Dead End									
(723) Dovey Rd	0.92	120	R				Dead End					NA		NA		10/03/2002
							88-612 Stubbs Bridge Rd									
(724) Wigglesworth Rd	0.50	20	R				Dead End					NA		NA		11/02/2005
							88-658 Mount Olive Rd									

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(725) Talley Rd	0.70	120	R											NA		10/17/2005
(726) Ryland Payne Rd	0.65	100	R											NA		10/24/2005
(727) Rosser St	0.20	60	R											NA		10/05/2005
(728) Wheeler Rd	0.65	210	R											NA		10/31/2005
(729)	0.19	830	R											NA		08/05/2002
(730)	0.16	110	R											NA		08/05/2002
(732) Mallard Point Rd	0.30	40	R											NA		08/03/2005
(733) Brockenburg Rd	0.68	360	R											NA		10/07/2002
(734)	0.80	340	R											NA		10/22/2002
(735)	0.09	400	R											NA		10/22/2002
(736) Eagle Dr	0.05	2000	R											NA		10/22/2002
(736)	0.36	70	R											NA		10/21/2002
(738) Partlow Rd	1.98	1500	G	96%	1%	1%	0%	2%	0%	F	0.096	F	0.633	1600	G	2009
(738) Partlow Rd	2.97	1600	G	96%	1%	1%	0%	2%	0%	C	0.09	F	0.602	1700	G	2009
(738) Partlow Rd	3.83	2300	G	96%	1%	1%	0%	2%	0%	F	0.097	F	0.688	2500	G	2009
(738) Partlow Rd	1.74	3200	G	96%	1%	1%	0%	2%	0%	F	0.091	F		3400	G	2009
(738) Partlow Rd	2.01	3600	G	96%	1%	1%	0%	2%	0%	F	0.09	F	0.749	3800	G	2009
(739) Dickenson Dr	0.03	360	R											NA		07/31/2002
(739) Dickenson Dr	0.31	290	R											NA		07/31/2002
(740) Wrights Lane	0.05	930	R											NA		09/03/2002

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(740) Wrights Lane	0.04	20	R				88-741				NA			NA		09/03/2002
							SR 3 Plank Rd									
(741)	0.02	1100	R				88-740 Wrights Lane				NA			NA		09/03/2002
							SR 3 Plank Rd									
(742) Timberbrook Lane	0.54	100	R				88-667 Robinson Rd				NA			NA		10/24/2005
							Cul-de-Sac									
(743) Lewis Thorburn Rd	0.79	1800	R				Dead End				NA			NA		09/17/2002
							88-610 Old Plank Rd									
(744) Dogwood Ave	0.26	140	R				88-620 Harrison Rd				NA			NA		07/31/2002
							88-610 Old Plank Rd									
(745)	0.13	70	R				Dead End				NA			NA		09/03/2002
							88-1172									
(745)	0.18	490	R				88-694 Heatherstone Dr				NA			NA		09/03/2002
							Dead End									
(746)	0.05	120	R				Dead End				NA			NA		09/23/2002
							88-711 Rollingwood Dr									
(747) Old Mill Lane	1.54	180	R				88-1726 Millwood Dr				NA			NA		10/31/2005
							88-1725 Millstream Dr									
(747) Old Mill Lane	0.35	630	R				88-608 Robert E Lee Dr				NA			NA		10/31/2005
							Cul-de-Sac									
(748) Three Cedars Lane	0.12	80	R				88-1929 Elm St				NA			NA		08/31/2005
							88-639 Leavells Rd									
(748)	0.91	2900	R				Dead End				NA			NA		08/07/2002
							US 1 Jefferson Davis Hwy									
(749) Old Telegraph Rd	0.44	100	R				88-636 Mine Rd				NA			NA		10/31/2005
							Battlefield Rd									
(750) Lee Dr	0.30	60	R				88-601 Lawyers Rd				NA			NA		09/12/2002
							SR 208 Courthouse Rd									
(752) Fenton Rd	0.49	90	R				88-615 Rapidan Dr				NA			NA		10/24/2005
							Dead End									
(753) Rapidan Rd	0.45	230	R				88-684 Craigs Church Lane				NA			NA		10/03/2005
							Dead End									
(754) Hayden Rd	0.30	40	R				Dead End				NA			NA		09/27/2005
							Dead End									
(756)	0.41	2800	R				Dead End				NA			NA		03/14/2002
							US 17 Bus									
(756)	0.43	1800	R				Dead End				NA			NA		03/14/2002
							Dead End									
(757) Moss Lane	0.27	6	R				Dead End				NA			NA		10/24/2005
							88-601 Lewiston Rd									

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(758) Lee Hill Park Rd	0.20	980	R			From: 88-635 Lee Hill School Dr					NA		NA			10/19/2005
						To: Dead End										
(759) Orrock Lane	0.73	20	R			From: FR-163 Mallard Rd					NA		NA			10/31/2005
						To: Caroline County Line										
(760) Willow Oaks Dr	0.20	1500	R			From: SR 3 Plank Rd					NA		NA			09/08/2005
(760) Corter Ave	0.11	1000	R			From: 88-1755 S, McClain St					NA		NA			09/08/2005
(760) Corter Ave	0.06	960	R			From: 88-1755 N, McClain St					NA		NA			09/08/2005
(760) Corter Ave	0.05	800	R			From: 88-1756 Willow Woods Dr					NA		NA			09/08/2005
(760) Corter Ave	0.11	670	R			From: 88-1757 Drew Lane					NA		NA			09/08/2005
						To: 88-1758 Middleton Dr										
(762) White Shop Rd	0.30	30	R			From: Dead End					NA		NA			09/26/2005
						To: 88-719 Days Bridge Rd										
(763) Don Rd	0.60	60	R			From: 88-719 Days Bridge Rd					NA		NA			09/26/2005
						To: Dead End										
(764)	0.53	390	R			From: 88-639 Leavells Rd					NA		NA			08/07/2002
						To: 88-1292										
(765) Crossroads Pkwy	0.47	110	R			From: Dead End					NA		NA			10/21/2002
						To: Bus US 17 Mills Dr										
(766) Nyland Rd	0.61	110	R			From: Cul-de-Sac					NA		NA			11/02/2005
						To: 88-634 Flippo Dr										
(767) Wildwood Court	0.11	49	R			From: Dead End					NA		NA			08/11/2005
						To: 88-635 Lee Hill School Dr										
(768) Blount Dr	1.28	90	R			From: Dead End					NA		NA			10/24/2005
						To: 88-601 Lewistown Rd										
(770) Northeast Dr	0.64	1300	R			From: Dead End					NA		NA			08/11/2005
						To: FR-696 Overview Dr										
(771) Cosner Dr	0.31	1300	R			From: Dead End					NA		NA			08/11/2005
(771) Cosner Dr	0.03	4200	R			From: FR-696 Overview Dr					NA		NA			08/11/2005
						To: US 17; 88-1035										
(775)	0.06	3100	R			From: 88-639 Salem Church Rd					NA		NA			1999
						To: 88-776										
(776)	0.09	90	R			From: Cul-de-Sac					NA		NA			1999
(776)	0.17	3100	R			From: 88-775					NA		NA			1999
						To: 88-1118 Norris Dr										

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(777) Round Hill Rd	0.16	90	R								NA			NA		10/17/2005
(778) Landon Lane	0.07	30	R								NA			NA		10/17/2005
(780) Corridor Dr	0.58	650	R								NA			NA		08/03/2005
(785) Hunters Lodge Dr	0.45	250	R								NA			NA		04/22/2009
(790)	0.07	240	R								NA			NA		10/29/2002
(791)	0.43	NA									NA			NA		
(795)	0.61	NA									NA			NA		
(796)	0.20	NA									NA			NA		
(950) Trench Hill Lane	0.65	200	R								NA			NA		10/14/2009
(951) Block House Rd	0.39	NA									NA			NA		
(951) Block House Rd	1.12	1900	G	98%	0%	1%	1%	1%	0%	F	0.096	F	0.556	2100	G	2009
(990)	0.85	170	R								NA			NA		10/28/2002
(991)	0.15	40	R								NA			NA		10/28/2002
(992)	0.39	100	R								NA			NA		10/28/2002
(999) Greentree Dr	0.16	110	R								NA			NA		11/07/2005
(1000) Cedar Brook Dr	0.15	680	R								NA			NA		11/07/2005
(1001) Kemper Dr	0.07	60	R								NA			NA		11/07/2005
(1002) Bent Tree Dr	0.79	160	R								NA			NA		11/07/2005
(1004) Briarbend Ct	0.21	120	R								NA			NA		11/07/2005

Virginia Department of Transportation
 Traffic Engineering Division
 2009
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
1005 Leavels Crossing Dr	0.76	320	R								NA		NA			11/07/2005
1006 Rainwood Dr	0.46	220	R								NA		NA			11/07/2005
1007 Priest Ct	0.05	40	R								NA		NA			11/07/2005
1008 Jamie Ct	0.16	170	R								NA		NA			11/07/2005
1009 Lotus Ct	0.05	40	R								NA		NA			11/07/2005
1010	0.46	170	R								NA		NA			10/03/2002
1013	0.09	50	R								NA		NA			10/02/2002
1014 Cowger Ct	0.09	120	R								NA		NA			11/07/2005
1015	0.05	30	R								NA		NA			09/25/2002
1016	0.80	210	R								NA		NA			09/25/2002
1017	0.18	200	R								NA		NA			10/02/2002
1018 State Place	0.04	40	R								NA		NA			08/11/2005
1019 Harvard St	0.06	210	R								NA		NA			08/11/2005
1019 Harvard St	0.06	130	R								NA		NA			08/11/2005
1020 Chatham Court	0.09	80	R								NA		NA			08/11/2005
1021 Fullerton Court	0.10	280	R								NA		NA			08/11/2005
1021 Fullerton Court	0.07	100	R								NA		NA			08/11/2005
1022 Crossgate Dr	0.14	130	R								NA		NA			08/11/2005
1022 Crossgate Dr	0.06	70	R								NA		NA			08/11/2005

Virginia Department of Transportation
 Traffic Engineering Division
 2009
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1023) Westover Court	0.05	48	R											NA		08/11/2005
(1024) Colechester St	0.12	130	R											NA		08/11/2005
(1024) Colechester St	0.23	110	R											NA		08/11/2005
(1024) Colechester St	0.18	500	R											NA		08/11/2005
(1024) Colechester St	0.08	620	R											NA		08/11/2005
(1024) Colechester St	0.07	680	R											NA		08/11/2005
(1025)	0.04	70	R											NA		09/09/2002
(1026)	0.03	40	R											NA		09/09/2002
(1027) Bazzanella Dr	0.88	80	R											NA		10/06/2009
(1027)	0.06	150	R											NA		09/09/2002
(1028)	1.33	80	R											NA		10/03/2002
(1028)	0.11	90	R											NA		10/03/2002
(1029)	0.42	4500	R											NA		10/29/2002
(1030) Debon Lane	0.07	70	R											NA		11/19/2005
(1031)	0.06	46	R											NA		09/25/2002
(1032) Gobbler Court	0.09	40	R											NA		09/20/2005
(1033)	0.75	170	R											NA		10/22/2002
(1034) Gunston Hall Rd	0.58	530	R											NA		08/10/2005
(1035)	1.04	4400	R											NA		09/09/2002
(1036)	0.22	910	R											NA		09/09/2002

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1037) Monticello St	0.15	1900	R				88-1035				NA			NA		09/09/2002
(1037) Monticello St	0.33	1200	R				88-1045 Avalon Way				NA			NA		08/11/2005
(1037) Monticello St	0.15	1000	R				88-1061 Fendale Lane				NA			NA		08/11/2005
(1037) Monticello St	0.37	1000	R				88-1063 Oatlands Place				NA			NA		10/29/2002
(1038) Wickham Ct	0.05	40	R				88-1034 Gunston Hall Rd				NA			NA		08/10/2005
(1039) Murven Park Lane	0.13	60	R				Cul-de-Sac				NA			NA		08/10/2005
(1039) Murven Park Lane	0.05	50	R				88-1034 Gunston Hall Rd				NA			NA		08/10/2005
(1040)	0.02	40	R				Cul-de-Sac				NA			NA		07/31/2002
(1041)	0.02	60	R				88-1196				NA			NA		07/31/2002
(1042)	0.02	40	R				Cul-de-Sac				NA			NA		07/31/2002
(1043)	0.02	40	R				88-1196				NA			NA		07/31/2002
(1044)	0.12	60	R				Dead End				NA			NA		11/07/2002
(1045) Avalon Way	0.08	80	R				88-1046 Oakhill Rd				NA			NA		08/15/2005
(1045) Avalon Way	0.04	250	R				88-1037 Monticello St				NA			NA		08/15/2005
(1045) Avalon Way	0.06	260	R				88-1048 Mount Vernon Place				NA			NA		08/15/2005
(1045) Avalon Way	0.17	110	R				88-1049 Prestwoud Ct				NA			NA		08/15/2005
(1046) Oakhill Rd	0.05	160	R				Cul-de-Sac				NA			NA		08/15/2005
(1046) Oakhill Rd	0.08	80	R				88-1047 Kenmore Ct				NA			NA		08/15/2005
(1047) Kenmore Ct	0.07	48	R				Cul-de-Sac				NA			NA		08/15/2005
(1048) Mount Vernon Place	0.11	110	R				88-1046 Oakhill Rd				NA			NA		08/15/2005
							Cul-de-Sac				NA			NA		08/15/2005
							88-1045 Avalon Way				NA			NA		08/15/2005

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1048) Mount Vernon Place	0.10	47	R				From: 88-1045 Avalon Way				NA			NA		08/15/2005
							To: Cul-de-Sac									
(1049) Prestwoud Ct	0.09	70	R				From: Cul-de-Sac				NA			NA		08/15/2005
							To: 88-1045 Avalon Way									
(1050)	0.04	80	R				From: 88-1118 Norris Dr				NA			NA		1995
							To: Cul-de-Sac									
(1051)	0.20	160	R				From: 88-1044				NA			NA		11/07/2002
							To: Cul-de-Sac									
(1052)	0.32	170	R				From: 88-1205 Artillery Ridge Rd				NA			NA		10/17/2002
							To: 88-1053									
(1053)	0.13	90	R				From: 88-1205 Artillery Ridge Rd				NA			NA		10/17/2002
							To: 88-1052									
(1054)	0.79	170	R				From: Cul-de-Sac				NA			NA		10/03/2002
							To: 88-612 Monrovia Rd									
(1055) Venison Dr	0.31	370	R				From: 88-1059 Antelope Trl				NA			NA		11/09/2005
							To: 88-673 Piedmont Dr									
(1056) Doeskin Dr	0.16	80	R				From: 88-1055 Venison Dr				NA			NA		11/09/2005
							To: 88-1100 Deerskin Dr									
(1057) Buckskin Lane	0.16	150	R				From: 88-1055 Venison Dr				NA			NA		11/09/2005
							To: 88-1100 Deerskin Dr									
(1058) Deer Dr	0.17	210	R				From: 88-1055 Venison Dr				NA			NA		11/09/2005
							To: 88-1100 Deerskin Dr									
(1059) Antelope Trl	0.19	150	R				From: 88-1055 Venison Dr				NA			NA		11/09/2005
							To: 88-1100 Deerskin Dr									
(1060) Minuteman Ct	0.19	140	R				From: 88-1044				NA			NA		08/10/2005
							To: Cul-de-Sac									
(1061) Fendale Lane	0.05	230	R				From: 88-1037 Monticello St				NA			NA		08/16/2005
(1061)	0.16	160	R				From: 88-1062 Weston Court				NA			NA		08/15/2005
							To: Cul-de-Sac									
(1062) Weston Court	0.06	50	R				From: 88-1061 Fendale Lane				NA			NA		08/15/2005
							To: Cul-de-Sac									
(1063) Oatlands Place	0.05	250	R				From: 88-1037 Monticello St				NA			NA		08/15/2005
(1063) Oatlands Place	0.11	120	R				From: 88-1064 Ramsay Dr				NA			NA		08/15/2005
							To: Cul-de-Sac									
(1064) Ramsay Dr	0.16	80	R				From: 88-1063 Oatlands Place				NA			NA		08/15/2005
							To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1065)	0.20	110	R				From: 88-673 Piedmont Dr				NA			NA		1995
							To: Cul-de-Sac									
(1066)	0.46	70	R				From: Dead End				NA			NA		1995
							To: 88-1065 EAST									
(1067)	0.14	70	R				From: Dead End				NA			NA		1995
							To: Cul-de-Sac									
(1068)	0.19	250	R				From: Cul-de-Sac				NA			NA		10/31/2002
							To: 88-1091 Lancaster Ring Rd									
(1069) Saltburn Ct	0.10	100	R				From: Cul-de-Sac				NA			NA		10/26/2005
							To: 88-1068									
(1069) Saltburn Ct	0.06	90	R				From: Cul-de-Sac				NA			NA		10/31/2002
							To: Cul-de-Sac									
(1070) Juniper Ct	0.07	60	R				From: 88-1237 Butternut Dr				NA			NA		11/16/2005
							To: Cul-de-Sac									
(1071) Kerrydale Cir	0.23	80	R				From: 88-1237 W, Butternut Dr				NA			NA		11/16/2005
							To: 88-1237 E, Butternut Dr									
(1072) Dairy jDr	0.30	90	R				From: Cul-de-Sac				NA			NA		09/26/2005
							To: US 522 Zachary Taylor Hwy									
(1073) Springfield Farm Lane	0.30	40	R				From: Cul-de-Sac				NA			NA		09/26/2005
							To: 88-1010; 88-1074									
(1074) Derrick Circle	0.05	10	R				From: 88-1010; 88-1074				NA			NA		09/26/2005
							To: Cul-de-Sac									
(1075)	0.48	60	R				From: Cul-de-Sac				NA			NA		10/07/2002
							To: 88-608 Catharpin Rd									
(1076) Danielville Dr	0.14	40	R				From: 88-1075				NA			NA		09/27/2005
							To: Cul-de-Sac									
(1077)	0.09	80	R				From: Cul-de-Sac				NA			NA		10/31/2002
							To: 88-1091 Lancaster Ring Rd									
(1078)	0.80	140	R				From: Cul-de-Sac				NA			NA		10/22/2002
							To: 88-649 Seays Rd									
(1079)	0.18	70	R				From: Cul-de-Sac				NA			NA		10/22/2002
							To: 88-1078									
(1080) Sorrell Ct	0.14	120	R				From: Cul-de-Sac				NA			NA		10/26/2005
							To: 88-1068									
(1081) Hastings Court West	0.10	110	R				From: Cul-de-Sac				NA			NA		10/26/2005
							To: 88-1091 Lancaster Ring Rd									
(1081) Hastings Court East	0.11	NA					From: Cul-de-Sac				NA			NA		
							To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1082)	0.04	50	R								NA		NA			08/29/2002
(1083)	0.03	90	R								NA		NA			08/19/2002
(1084)	0.04	40	R								NA		NA			08/19/2002
(1085) Shamrock Dr	0.33	460	R								NA		NA			11/09/2005
(1086) Gallagher Dr	0.15	110	R								NA		NA			11/09/2005
(1087) Kildare Ct	0.03	40	R								NA		NA			11/09/2005
(1088) Dublin Ct	0.04	60	R								NA		NA			11/09/2005
(1088) Larry Lane	0.05	90	R								NA		NA			11/09/2005
(1089)	0.13	640	R								NA		NA			10/31/2002
(1090)	0.49	3500	R								NA		NA			10/31/2002
(1091) Lancaster Ring Rd	0.09	1600	R								NA		NA			10/31/2002
(1091) Lancaster Ring Rd	0.55	1100	R								NA		NA			10/31/2002
(1091) Lancaster Ring Rd	0.56	430	R								NA		NA			10/26/2005
(1091) Lancaster Ring Rd	0.60	480	R								NA		NA			10/26/2005
(1092)	0.23	70	R								NA		NA			10/31/2002
(1093)	0.34	110	R								NA		NA			10/31/2002
(1094) Witneys Ct	0.12	300	R								NA		NA			10/26/2005
(1094) Witneys Ct	0.07	310	R								NA		NA			10/31/2002
(1095)	0.34	260	R								NA		NA			09/17/2002
(1096)	0.15	130	R								NA		NA			09/17/2002

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1097) Banbury Ct	0.06	40	R								NA			NA		09/17/2002
(1098)	0.16	380	R								NA			NA		10/31/2002
(1099) Manette Dr	0.06	180	R								NA			NA		10/26/2005
(1099) Manette Dr	0.11	340	R								NA			NA		10/31/2002
(1100) Deerskin Dr	0.22	420	R								NA			NA		09/14/2005
(1100) Deerskin Dr	0.10	670	R								NA			NA		09/14/2005
(1101)	0.13	390	R								NA			NA		1999
(1101)	0.07	450	R								NA			NA		1999
(1101)	0.04	580	R								NA			NA		1999
(1101)	0.06	610	R								NA			NA		1999
(1102)	0.20	130	R								NA			NA		1999
(1103)	0.03	20	R								NA			NA		1999
(1103)	0.07	170	R								NA			NA		1999
(1104)	0.12	390	R								NA			NA		1999
(1104)	0.05	490	R								NA			NA		1999
(1104)	0.03	710	R								NA			NA		1999
(1105)	0.03	47	R								NA			NA		1999
(1106)	0.02	30	R								NA			NA		08/19/2002
(1106)	0.08	80	R								NA			NA		08/19/2002
(1106)	0.04	350	R								NA			NA		08/19/2002
(1106)	0.06	320	R								NA			NA		08/19/2002
(1106)	0.07	680	R								NA			NA		08/29/2002

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1106)	0.06	450	R											NA		08/29/2002
(1106)	0.05	570	R											NA		08/29/2002
(1106)	0.19	280	R											NA		08/29/2002
(1106)	0.10	240	R											NA		08/29/2002
(1106)	0.03	360	R											NA		08/29/2002
(1107)	0.14	40	R											NA		1999
(1108)	0.12	540	R											NA		1999
(1108)	0.17	660	R											NA		1999
(1109)	0.11	110	R											NA		08/29/2002
(1110)	0.28	190	R											NA		09/09/2002
(1111)	0.20	340	R											NA		09/09/2002
(1111)	0.12	NA												NA		NA
(1112)	0.18	480	R											NA		08/29/2002
(1112)	0.16	380	R											NA		08/29/2002
(1112)	0.26	670	R											NA		08/29/2002
(1112)	0.07	840	R											NA		08/29/2002
(1112)	0.06	1100	R											NA		08/29/2002
(1112)	0.19	1300	R											NA		08/29/2002
(1112)	0.10	1700	R											NA		08/29/2002
(1113)	0.11	180	R											NA		08/29/2002
(1113)	0.10	380	R											NA		08/29/2002
(1114) Kennedy Lane	0.05	2000	R											NA		09/14/2005

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1114) Kennedy Lane	0.09	1600	R													09/14/2005
(1114) Kennedy Lane	0.19	1500	R													09/14/2005
(1114) Kennedy Lane	0.07	1700	R													09/14/2005
(1114) Kennedy Lane	0.07	1900	R													09/14/2005
(1114) Kennedy Lane	0.06	1900	R													09/14/2005
(1114) Kennedy Lane	0.28	1700	R													09/14/2005
(1115) Maple Grove Dr	0.32	2000	R													09/20/2005
(1115) Maple Grove Dr	0.06	3000	R													09/20/2005
(1115) Maple Grove Dr	0.29	5600	R													09/20/2005
(1116) Blake Dr	0.12	560	R													09/09/2002
(1116) Blake Dr	0.07	1400	R													09/09/2002
(1116) Blake Dr	0.14	2300	G										2300	G	2009	
(1117) Glazebrook Dr	0.06	490	R													09/09/2002
(1117) Glazebrook Dr	0.07	310	R													09/09/2002
(1117) Glazebrook Dr	0.05	220	R													09/09/2002
(1117) Glazebrook Dr	0.04	220	R													09/09/2002
(1117) Glazebrook Dr	0.11	320	R													09/09/2002
(1117) Glazebrook Dr	0.06	510	R													09/09/2002
(1117) Glazebrook Dr	0.02	570	R													09/09/2002
(1117) Glazebrook Dr	0.06	600	R													09/09/2002
(1117) Glazebrook Dr	0.06	630	R													09/09/2002
(1118) Norris Dr	0.07	2000	G										2000	G	2009	
(1118) Norris Dr	0.12	2400	R													09/20/2005
(1118) Norris Dr	0.05	2500	R													09/20/2005

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1118) Norris Dr	0.11	110	R				From: 88-1119 Rick Court							NA		09/20/2005
							To: Cul-de-Sac									
(1119) Rick Court	0.04	40	R				From: Cul-de-Sac							NA		09/20/2005
							To: 88-1116									
(1119) Rick Court	0.05	2500	R				From: 88-1118 Norris Dr							NA		09/20/2005
							To: 88-1117									
(1120) Arnall Ct	0.04	40	R				From: Cul-de-Sac							NA		09/09/2002
							To: Cul-de-Sac									
(1121)	0.06	60	R				From: Cul-de-Sac							NA		09/09/2002
							To: 88-1117									
(1122)	0.11	80	R				From: 88-1117							NA		09/09/2002
							To: 88-1116									
(1123)	0.06	90	R				From: 88-1117							NA		09/09/2002
							To: 88-1124									
(1123)	0.10	190	R				From: 88-1117							NA		09/09/2002
							To: Cul-de-Sac									
(1124)	0.03	47	R				From: Cul-de-Sac							NA		09/09/2002
							To: 88-1123									
(1125)	0.10	70	R				From: 88-1133							NA		1999
							To: Cul-de-Sac									
(1126)	0.05	48	R				From: 88-1133							NA		1999
							To: Cul-de-Sac									
(1127)	0.05	50	R				From: 88-1133							NA		1999
							To: Cul-de-Sac									
(1128)	0.09	160	R				From: 88-1146 Lavelle Dr							NA		08/28/2002
							To: Cul-de-Sac									
(1129)	0.03	45	R				From: 88-1141							NA		08/29/2002
							To: Cul-de-Sac									
(1130)	0.09	1100	R				From: 88-1131							NA		1999
							To: 88-710 Bragg Rd; Maple Grove Dr									
(1131)	0.09	220	R				From: 88-1133							NA		1999
							To: 88-1139									
(1131)	0.04	240	R				From: 88-1138							NA		1999
							To: 88-1130									
(1131)	0.31	470	R				From: 88-1137							NA		1999
							To: 88-1135									

Virginia Department of Transportation
 Traffic Engineering Division
 2009
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1131)	0.05	380	R				88-1135				NA			NA		1999
(1131)	0.06	440	R				88-1134				NA			NA		1999
(1131)	0.07	210	R				88-1133				NA			NA		1999
(1132)	Barkley Dr	0.04	60	R			88-1132 Barkley Dr				NA			NA		1999
(1132)	Barkley Dr	0.16	190	R			Cul-de-Sac				NA			NA		1999
(1133)		0.08	60	R			88-1136				NA			NA		1999
(1133)		0.07	160	R			88-1131				NA			NA		1999
(1133)		0.06	140	R			88-1127				NA			NA		1999
(1133)		0.07	120	R			88-1126				NA			NA		1999
(1133)		0.06	220	R			88-1135				NA			NA		1999
(1133)		0.04	240	R			88-1134				NA			NA		1999
(1133)		0.16	350	R			88-1125				NA			NA		1999
(1133)		0.16	410	R			88-1136				NA			NA		1999
(1133)		0.04	1200	R			88-1131				NA			NA		1999
(1134)		0.15	60	R			88-710 Bragg Rd				NA			NA		1999
(1134)		0.16	190	R			88-1133				NA			NA		1999
(1135)		0.10	60	R			88-1136				NA			NA		1999
(1135)		0.06	150	R			88-1131				NA			NA		1999
(1135)		0.20	200	R			88-1138				NA			NA		1999
(1136)		0.06	80	R			88-1136				NA			NA		1999
(1136)		0.07	110	R			88-1135				NA			NA		1999
(1136)		0.07	60	R			88-1134				NA			NA		1999
(1137)		0.26	240	R			88-1133				NA			NA		1999
							88-1132 Barkley Dr									
							88-1138									
							88-1131									

Virginia Department of Transportation
 Traffic Engineering Division
 2009
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1138)	0.09	20	R				From: 88-1131							NA	NA	1999
(1138)	0.09	49	R				To: 88-1137							NA	NA	1999
							From: 88-1135									
(1139)	0.08	50	R				From: Cul-de-Sac							NA	NA	1999
							To: 88-1131									
(1140)	0.03	110	R				From: Dead End							NA	NA	08/19/2002
(1140)	0.04	2400	R				To: 88-1145 Tara Dr							NA	NA	08/19/2002
(1140)	0.07	2500	R				From: 88-1149							NA	NA	08/29/2002
(1140)	0.08	2600	R				To: 88-1143							NA	NA	08/29/2002
(1140)	0.21	3800	R				From: 88-1141							NA	NA	08/29/2002
(1140)	0.21	4000	R				To: 88-1178 St Patrick St							NA	NA	08/29/2002
							From: SR 3 Plank Rd									
(1141)	0.09	170	R				To: 88-1145 Tara Dr							NA	NA	08/29/2002
(1141)	0.09	610	R				From: 88-1129							NA	NA	08/29/2002
(1141)	0.14	1000	R				To: 88-1146 Lavelle Dr							NA	NA	08/29/2002
(1141)	0.13	490	R				From: 88-1140							NA	NA	08/29/2002
(1141)	0.08	380	R				To: 88-1142							NA	NA	08/29/2002
							From: 88-706 Cherry Rd									
(1142)	0.03	47	R				To: Cul-de-Sac							NA	NA	08/29/2002
(1142)	0.13	130	R				From: 88-1143							NA	NA	08/29/2002
(1142)	0.05	200	R				To: 88-1144							NA	NA	08/29/2002
							From: 88-1141									
(1143)	0.05	170	R				To: 88-1142							NA	NA	08/29/2002
(1143)	0.12	130	R				From: 88-1140							NA	NA	08/29/2002
							To: 88-1145 Tara Dr									
(1144)	0.03	40	R				From: 88-1142							NA	NA	08/29/2002
							To: Cul-de-Sac									
(1145) Tara Dr	0.10	2900	R				From: 88-706 Cherry Rd							NA	NA	09/13/2005
(1145) Tara Dr	0.15	890	R				To: 88-1140							NA	NA	09/13/2005
(1145) Tara Dr	0.13	360	R				From: 88-1085 Shamrock Dr							NA	NA	09/13/2005
							To: 88-1146 Lavelle Dr									

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1145) Tara Dr	0.10	160	R									NA		NA		09/13/2005
(1145) Tara Dr	0.03	60	R									NA		NA		09/13/2005
(1146) Lavelle Dr	0.08	330	R									NA		NA		09/13/2005
(1146) Lavelle Dr	0.10	320	R									NA		NA		09/13/2005
(1146) Lavelle Dr	0.12	120	R									NA		NA		09/13/2005
(1146) Lavelle Dr	0.06	60	R									NA		NA		09/13/2005
(1147)	0.05	750	R									NA		NA		08/19/2002
(1147)	0.11	1200	R									NA		NA		08/19/2002
(1147)	0.18	1900	R									NA		NA		08/19/2002
(1147)	0.11	2300	R									NA		NA		08/19/2002
(1147)	0.04	2600	R									NA		NA		08/19/2002
(1147)	0.06	3100	R									NA		NA		08/19/2002
(1148)	0.19	60	R									NA		NA		08/19/2002
(1149)	0.06	80	R									NA		NA		11/07/2002
(1150)	0.20	200	R									NA		NA		1999
(1150)	0.09	240	R									NA		NA		1999
(1150)	0.13	250	R									NA		NA		1999
(1150)	0.03	490	R									NA		NA		1999
(1151) Doe Circle	0.20	210	R									NA		NA		09/12/2005
(1152) Buck Lane	0.34	830	R									NA		NA		09/12/2005
(1153) Bambi Ct	0.03	50	R									NA		NA		09/12/2005
(1154) Fawn Circle	0.08	70	R									NA		NA		08/29/2005

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1154) Fawn Circle	0.03	260	R				88-1150				NA			NA		08/29/2005
							88-673 Piedmont Dr									
(1155)	0.09	130	R				88-673 Piedmont Dr				NA			NA		08/26/2002
							Cul-de-Sac									
(1156)	0.13	180	R				88-673 Piedmont Dr				NA			NA		08/26/2002
							Cul-de-Sac									
(1157) Elk Dr	0.15	240	R				88-628 Smith Station Rd				NA			NA		08/29/2005
							88-1158									
(1157) Elk Dr	0.16	120	R				88-1158				NA			NA		08/29/2005
							Dead End									
(1158)	0.17	190	R				88-1157 Elk Dr				NA			NA		08/26/2002
							88-1159 Ashton Cir									
(1159) Ashton Cir	0.02	49	R				Cul-de-Sac				NA			NA		08/29/2005
							88-1158									
(1159) Ashton Cir	0.09	280	R				88-1158				NA			NA		08/29/2005
							88-673 Piedmont Dr									
(1160) Duke of Gloucester St	0.06	190	R				88-1163 Candlewood St				NA			NA		10/17/2005
							88-1162 Buxley Ct									
(1160) Duke of Gloucester St	0.06	270	R				88-1162 Buxley Ct				NA			NA		10/17/2005
							88-1161 Belle Meade									
(1160) Duke of Gloucester St	0.10	330	R				88-1161 Belle Meade				NA			NA		10/17/2005
							88-694 Heatherstone Dr									
(1161) Belle Meade	0.06	80	R				Cul-de-Sac				NA			NA		10/17/2005
							88-1160 Duke of Gloucester St									
(1162) Buxley Ct	0.06	60	R				Cul-de-Sac				NA			NA		10/17/2005
							88-1160 Duke of Gloucester St									
(1163) Candlewood St	0.09	110	R				Dead End				NA			NA		10/17/2005
							88-1160 Duke of Gloucester St									
(1163) Candlewood St	0.08	80	R				88-1160 Duke of Gloucester St				NA			NA		10/17/2005
							Dead End									
(1164)	0.05	70	R				88-1100 Deerskin Dr				NA			NA		08/26/2002
							Cul-de-Sac									
(1165)	0.05	530	R				88-638 Lansdowne Rd				NA			NA		09/30/2002
							88-1167									
(1165)	0.06	400	R				88-1167				NA			NA		09/30/2002
							88-1168									
(1165)	0.15	260	R				88-1168				NA			NA		09/30/2002
							88-1170									
(1165)	0.06	140	R				88-1170				NA			NA		09/30/2002
							88-1171									
(1166)	0.11	150	R				Dead End				NA			NA		09/30/2002
							88-1169									

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1166)	0.08	380	R											NA	NA	09/30/2002
(1166)	0.03	450	R											NA	NA	09/30/2002
(1167)	0.17	80	R											NA	NA	09/30/2002
(1168)	0.14	110	R											NA	NA	09/30/2002
(1168)	0.07	150	R											NA	NA	09/30/2002
(1169)	0.09	250	R											NA	NA	09/30/2002
(1169)	0.08	120	R											NA	NA	09/30/2002
(1169)	0.03	60	R											NA	NA	09/30/2002
(1170)	0.13	140	R											NA	NA	09/30/2002
(1171)	0.11	90	R											NA	NA	09/30/2002
(1172)	0.13	230	R											NA	NA	09/13/2002
(1173)	0.18	520	R											NA	NA	09/03/2002
(1173)	0.10	50	R											NA	NA	09/03/2002
(1174)	0.15	60	R											NA	NA	09/03/2002
(1174)	0.06	40	R											NA	NA	09/03/2002
(1175) Albany St	0.38	280	R											NA	NA	09/20/2005
(1175) Albany St	0.13	610	R											NA	NA	09/20/2005
(1175) Albany St	0.27	830	R											NA	NA	09/20/2005
(1175) Albany St	0.21	150	R											NA	NA	09/20/2005
(1176) Oak Ridge Ct	0.03	47	R											NA	NA	09/20/2005
(1177) Burlington Dr	0.06	80	R											NA	NA	09/20/2005

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1177) Burlington Dr	0.14	200	R								NA		NA			09/20/2005
(1178) St Patrick St	0.06	30	R								NA		NA			09/13/2005
(1178) St Patrick St	0.04	130	R								NA		NA			09/13/2005
(1178) St Patrick St	0.05	70	R								NA		NA			09/13/2005
(1179) Murphy Ct	0.04	46	R								NA		NA			09/13/2005
(1180) Harvestdale Dr	0.05	1100	R								NA		NA			09/08/2005
(1180) Harvestdale Dr	0.16	640	R								NA		NA			09/08/2005
(1180) Harvestdale Dr	0.27	180	R								NA		NA			09/08/2005
(1181) Silverleaf Lane	0.11	250	R								NA		NA			09/08/2005
(1181) Silverleaf Lane	0.21	240	R								NA		NA			09/08/2005
(1181) Silverleaf Lane	0.17	240	R								NA		NA			09/08/2005
(1181) Silverleaf Lane	0.11	110	R								NA		NA			09/08/2005
(1182) Harvest Lane	0.06	60	R								NA		NA			09/08/2005
(1182) Harvest Lane	0.06	270	R								NA		NA			09/08/2005
(1182) Harvest Lane	0.11	200	R								NA		NA			09/08/2005
(1182) Harvest Lane	0.18	60	R								NA		NA			09/12/2002
(1183)	0.05	50	R								NA		NA			1999
(1183)	0.11	230	R								NA		NA			1999
(1183)	0.11	420	R								NA		NA			1999
(1184)	0.09	60	R								NA		NA			1999
(1184)	0.22	330	R								NA		NA			1999
(1185) Buchanan Ct	0.09	110	R								NA		NA			09/14/2005

Virginia Department of Transportation
 Traffic Engineering Division
 2009
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1186) Truman Circle	0.03	40	R			From: 88-1106						NA		NA		09/14/2005
						To: Cul-de-Sac										
(1187) Breezewood Dr	0.06	170	R			From: 88-1183						NA		NA		08/22/2005
						To: 88-1199										
(1187) Breezewood Dr	0.05	300	R			From: 88-1184						NA		NA		08/22/2005
						To: 88-639 Leavells Rd										
(1187) Breezewood Dr	0.11	1200	R			From: 88-1188 Stoney Creek Dr						NA		NA		08/22/2005
						To: 88-1189										
(1187) Breezewood Dr	0.04	1700	R			From: 88-1254 Foxhall Circle; Fairfield Circle						NA		NA		08/22/2005
						To: Glenside Circle										
(1187) Breezewood Dr	0.05	1800	R			From: 88-1359 Bainbridge Lane						NA		NA		08/22/2005
						To: 88-1358 Bradbury Circle										
(1187) Breezewood Dr	0.11	2000	R			From: 88-1356 Mayfair Dr						NA		NA		08/22/2005
						To: 88-1355; 88-1360										
(1187) Breezewood Dr	0.09	2400	R			From: SR 208; 88-1223						NA		NA		08/22/2005
						To: 88-1187 Breezewood Dr										
(1188) Stoney Creek Dr	0.10	780	R			From: 88-1190						NA		NA		09/06/2005
						To: 88-1192										
(1188) Stoney Creek Dr	0.05	1700	R			From: 88-1189						NA		NA		09/06/2005
						To: 88-1490 Valley View Rd										
(1188) Stoney Creek Dr	0.05	1900	R			From: 88-1361 S, White Lake Dr						NA		NA		09/06/2005
						To: 88-1491 Dapple Grey Court										
(1188) Stoney Creek Dr	0.09	1900	R			From: 88-1492 Inglewood Dr						NA		NA		09/06/2005
						To: 88-1363 Stable Way										
(1188) Stoney Creek Dr	0.08	2300	R			From: 88-1496 Chinaberry Court						NA		NA		09/06/2005
						To: 88-1361 N, White Lake Dr										
(1188) Stoney Creek Dr	0.06	3500	R			From: 88-1590 Ballantrave Dr						NA		NA		09/06/2005
						To:										

Virginia Department of Transportation
 Traffic Engineering Division
 2009
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1188) Stoney Creek Dr	0.10	5600	R				From: 88-1590 Ballantrave Dr					NA		NA		09/06/2005
							To: SR 208 Courthouse Rd									
(1189)	0.14	100	R				From: 88-1188 Stoney Creek Dr					NA		NA		08/26/2002
							To: 88-1190									
(1189)	0.10	270	R				From: 88-1187 Breezewood Dr					NA		NA		08/26/2002
							To: 88-1191									
(1190)	0.05	830	R				From: 88-1194					NA		NA		08/26/2002
							To: 88-1188 Stoney Creek Dr									
(1190)	0.07	790	R				From: 88-1193					NA		NA		08/26/2002
							To: 88-1189									
(1190)	0.06	150	R				From: Cul-de-Sac					NA		NA		08/26/2002
							To: 88-1190									
(1191)	0.09	790	R				From: 88-639 Leavells Rd					NA		NA		08/26/2002
							To: 88-1188 Stoney Creek Dr									
(1192)	0.04	30	R				From: Cul-de-Sac					NA		NA		08/26/2002
							To: 88-1190									
(1193)	0.04	70	R				From: Cul-de-Sac					NA		NA		08/26/2002
							To: 88-1190									
(1194)	0.06	80	R				From: Cul-de-Sac					NA		NA		08/26/2002
							To: Cul-de-Sac									
(1195)	0.11	130	R				From: Cul-de-Sac					NA		NA		1999
							To: 88-1293 Hamway Dr									
(1195)	0.06	630	R				From: 88-1297					NA		NA		1999
							To: 88-1183									
(1195)	0.06	880	R				From: 88-1199					NA		NA		1999
							To: 88-1184									
(1195)	0.05	1700	R				From: 88-639 Leavells Rd					NA		NA		1999
							To: 88-1198									
(1196)	0.28	320	R				From: 88-1197					NA		NA		07/31/2002
							To: 88-620 Harrison Rd									
(1196)	0.07	430	R				From: 88-1196					NA		NA		07/31/2002
							To: Cul-de-Sac									

Virginia Department of Transportation
 Traffic Engineering Division
 2009
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1198)	0.02	50	R				88-1196				NA			NA		07/31/2002
							Cul-de-Sac									
(1199)	0.12	170	R				Cul-de-Sac				NA			NA		1999
							88-1187 Breezewood Dr									
(1199)	0.21	340	R								NA			NA		1999
							88-1195									
(1199)	0.10	2400	R								NA			NA		1999
							SR 208 Courthouse Rd									
							88-739 Dickinson Dr									
(1200) Kendale Lane	0.08	90	R								NA			NA		09/20/2005
							Cul-de-Sac									
							88-1202 Stratford Ave									
(1201) Madeline Ave	0.06	100	R								NA			NA		09/21/2005
							88-681 Lorraine Ave									
							Bus US 1 Lafayette Blvd									
(1202) Stratford Ave	0.13	250	R								NA			NA		08/18/2005
							88-1201 Madeline Ave									
(1202) Stratford Ave	0.12	180	R								NA			NA		08/18/2005
							88-1219 Bancroft Rd									
(1202) Stratford Ave	0.05	90	R								NA			NA		08/18/2005
							88-1203 End Dr									
							88-716 Southgate Ave									
(1203) East Stratford Ave	0.05	48	R								NA			NA		08/18/2005
							88-1202 Stratford Ave									
							Bus US 1 Lafayette Rd									
(1204) Laurel Ave	0.24	1800	R								NA			NA		1999
							88-1231 N, Rosemont Lane									
							88-1231 Rosemont Lane									
(1204) Laurel Ave	0.07	1400	R								NA			NA		1999
							88-1237 W, Butternut Dr									
(1204) Laurel Ave	0.06	810	R								NA			NA		1999
							88-1239 W, Beechnut St									
(1204) Laurel Ave	0.17	820	R								NA			NA		1999
							88-1336 Azalea Dr									
(1204) Laurel Ave	0.05	710	R								NA			NA		1999
							88-1237 Mid, Butternut Dr									
(1204) Laurel Ave	0.12	290	R								NA			NA		1999
							88-1237 S, Butternut Dr									
(1204) Laurel Ave	0.09	750	R								NA			NA		1999
							88-1269 N, Rosewood Dr									
(1204) Laurel Ave	0.22	510	R								NA			NA		1999
							88-1269 S, Rosewood Dr									
(1204) Laurel Ave	0.04	780	R								NA			NA		1999
							88-1220 Lombardy Dr									
(1204) Laurel Ave	0.10	780	R								NA			NA		1999
							88-1221 Laurel Ct									
(1204) Laurel Ave	0.06	880	R								NA			NA		1999
							88-1231 Rosemont Lane									
(1204) Laurel Ave	0.05	1100	R								NA			NA		1999
							88-681 Lorraine Ave									
							88-1235 Clay St									
(1204) Bancroft Rd	0.06	200	R								NA			NA		08/27/2002
							Dead End									

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1205) Artillery Ridge Rd	0.44	350	R				From: 88-1240 Parkview Dr					NA		NA		08/22/2005
(1205) Artillery Ridge Rd	0.24	590	R				To: 88-1208 Gunnery Court					NA		NA		08/22/2005
(1205) Artillery Ridge Rd	0.10	670	R				From: 88-1207 Battery Lane					NA		NA		08/22/2005
(1205) Artillery Ridge Rd	0.24	780	R				To: 88-1206 Caison Way					NA		NA		08/22/2005
(1205) Artillery Ridge Rd							From: 88-638 Lansdowne Rd									
(1206) Caison Way	0.10	80	R				To: 88-1205 Artillery Ridge Rd					NA		NA		08/22/2005
(1207) Battery Lane	0.14	60	R				From: Dead End					NA		NA		08/22/2005
(1208) Gunnery Court	0.08	40	R				To: 88-1205 Artillery Ridge Rd					NA		NA		08/22/2005
(1209) Pegram Lane	0.15	480	R				From: 88-636 Ewell Rd					NA		NA		09/06/2005
(1210)	0.15	360	R				To: Dead End					NA		NA		08/27/2002
(1210)	0.13	290	R				From: US 1 Bus					NA		NA		08/27/2002
(1211) Tignor Lane	0.08	250	R				To: 88-1211					NA		NA		08/27/2002
(1211) Rose Ave	0.06	120	R				From: 88-1212 Alexandria St					NA		NA		08/27/2002
(1211)	0.06	190	R				To: 88-661 Hudgins Rd					NA		NA		08/27/2002
(1211)	0.06	170	R				From: 88-1214 Early St					NA		NA		08/27/2002
(1211)	0.06	40	R				To: 88-1215 East McLaws St					NA		NA		08/27/2002
(1212) Alexandria St	0.04	50	R				From: 88-1210					NA		NA		08/27/2002
(1212) Alexandria St	0.09	200	R				To: 88-1216 Pender St					NA		NA		08/27/2002
(1213) Archer St	0.05	140	R				From: Dead End					NA		NA		09/21/2005
(1214) Early St	0.12	230	R				To: Bus US 1 Lafayette Blvd					NA		NA		09/21/2005
(1214) Early St	0.10	40	R				From: 88-1211 Rose Ave					NA		NA		09/21/2005
(1215) East McLaws St	0.14	170	R				To: Dead End					NA		NA		09/21/2005
							From: Bus US 1 Lafayette Blvd					NA		NA		09/21/2005
							To: 88-1211 Rose Ave									

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1216) Pender St	0.14	630	R			From: US 1 Bus; Lafayette Blvd					NA			NA		09/21/2005
(1216) Pender St	0.10	650	R			To: 88-1211 Rose Ave					NA			NA		09/21/2005
						To: Dead End										
(1217) Rodes St	0.09	90	R			From: US 1 Bus; 88-1227					NA			NA		09/21/2005
						To: Dead End										
(1218)	0.10	90	R			From: Dead End					NA			NA		09/12/2002
						To: 88-636 Mine Rd										
(1219) Bancroft Rd	0.06	1900	R			From: 88-1235 Clay St					NA			NA		08/18/2005
(1219) Bancroft Rd	0.09	1800	R			To: 88-1236 Garfield Ct					NA			NA		08/18/2005
(1219) Bancroft Rd	0.04	1600	R			To: 88-716 Southgate Ave					NA			NA		08/18/2005
(1219) Bancroft Rd	0.06	1500	R			To: 88-1202 Stratford Ave					NA			NA		08/18/2005
						To: 88-681 Lorraine Ave										
(1220) Lombardy Dr	0.11	170	R			From: 88-681 Lorraine Ave					NA			NA		08/22/2005
(1220) Lombardy Dr	0.08	60	R			To: 88-1204 Laurel Ave					NA			NA		08/22/2005
						To: Cul-de-Sac										
(1221) Laurel Ct	0.04	40	R			From: Dead End					NA			NA		08/22/2005
						To: 88-1204 Laurel Ave										
(1222) Lorraine Ct	0.04	60	R			From: 88-681 Lorraine Ave					NA			NA		08/22/2005
						To: Dead End										
(1223)	0.17	1900	R			From: SR 208; 88-1187					NA			NA		09/25/2002
(1223)	0.12	2000	R			To: 88-1224 SOUTH					NA			NA		09/25/2002
(1223)	0.13	2000	R			To: 88-1224 NORTH					NA			NA		09/25/2002
(1223)	0.23	1700	R			To: Dead End; Gap Terminus					NA			NA		09/25/2002
						From: 88-1982 Gap Terminus										
(1223)	0.06	60	R			To: 88-1005 Leavels Crossing Dr					NA			NA		09/25/2002
						To: Dead End										
(1224)	0.21	50	R			From: 88-1223					NA			NA		09/25/2002
						To: 88-1223										
(1225) McGowan Dr	0.06	190	R			From: Dead End					NA			NA		09/06/2005
(1225) McGowan Dr	0.05	280	R			To: 88-1226 N, Wilcox St					NA			NA		09/06/2005
(1225) McGowan Dr	0.05	410	R			To: 88-1226 S, Wilcox St					NA			NA		09/06/2005
						To: 88-636 Hood Dr										

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1226) Wilcox St	0.02	30	R			From: 88-1225 S, McGowan Dr					NA			NA		09/06/2005
(1226) Wilcox St	0.07	40	R			To: 88-1245 Wilcox St					NA			NA		09/06/2005
(1227) Olde Greenwich Dr	0.38	2800	R			From: Bus US 1 Lafayette Blvd					NA			NA		09/21/2005
(1227) Olde Greenwich Dr						To: Dead End										
(1228) Redwood Dr	0.08	770	R			From: Bus US 1 Lafayette Blvd					NA			NA		08/27/2002
(1228) Redwood Dr	0.06	680	R			To: 88-1229 Midway St					NA			NA		08/27/2002
(1228) Redwood Dr	0.06	590	R			From: 88-1230 Redwood Cir					NA			NA		08/27/2002
(1228) Redwood Dr						To: 88-1231 Rosemont Lane										
(1229) Midway St	0.08	110	R			From: 88-1228 Redwood Dr					NA			NA		08/27/2002
(1229) Midway St						To: Cul-de-Sac										
(1230) Redwood Cir	0.07	90	R			From: 88-1228 Redwood Dr					NA			NA		08/27/2002
(1230) Redwood Cir						To: Cul-de-Sac										
(1231) Rosemont Lane	0.05	630	R			From: 88-1204 Laurel Ave					NA			NA		08/18/2005
(1231) Rosemont Lane	0.06	620	R			To: 88-1233 Chestnut Lane					NA			NA		08/18/2005
(1231) Rosemont Lane	0.03	460	R			From: 88-1228 Redwood Dr					NA			NA		08/18/2005
(1231) Rosemont Lane						To: 88-1228 Chestnut Dr										
(1231) Rosemont Lane	0.11	980	R			From: 88-1232 N, Tulip Cir					NA			NA		08/18/2005
(1231) Rosemont Lane						To: 88-1232 S, Tulip Cir										
(1231) Rosemont Lane	0.07	750	R			From: 88-1232 N, Tulip Cir					NA			NA		08/18/2005
(1231) Rosemont Lane						To: 88-1204 Laurel Ave										
(1232) Tulip Cir	0.10	140	R			From: 88-1231 S, Rosemont Lane					NA			NA		08/22/2005
(1232) Tulip Cir	0.11	120	R			To: 88-1244 Tulip Pl					NA			NA		08/22/2005
(1232) Tulip Circle	0.03	40	R			From: 88-1231 N, Rosemont Lane					NA			NA		08/22/2005
(1232) Tulip Circle						To: Cul-de-Sac										
(1233) Chestnut Lane	0.04	50	R			From: Cul-de-Sac					NA			NA		08/22/2005
(1233) Chestnut Lane	0.17	80	R			To: 88-1231 Rosemont Lane					NA			NA		08/22/2005
(1233) Chestnut Lane						From: 88-1204 Laurel Ave										
(1234)	0.29	7600	R			From: US 1 Bus; Lafayette Blvd					NA			NA		11/14/2002
(1234)	0.39	7700	R			To: 88-1235					NA			NA		11/14/2002
(1234)	0.64	5700	R			From: 88-636 Mine Rd					NA			NA		11/14/2002
(1234)						To: Cul-de-Sac										

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1235)	0.10	2100	R				88-1234				NA			NA		08/27/2002
(1235)	0.13	230	R				88-1219 Bancroft Rd				NA			NA		08/27/2002
							Dead End									
(1236)	0.06	140	R				88-1219 Bancroft Rd				NA			NA		08/18/2005
							Cul-de-Sac									
(1237)	0.24	1200	R				US 1 Bus; Lafayette Blvd				NA			NA		10/17/2002
(1237)	0.08	740	R				88-1238 Sycamore Dr				NA			NA		10/17/2002
(1237)	0.05	520	R				88-1204 Laurel Ave				NA			NA		10/16/2002
(1237)	0.32	380	R				88-1336 Azalia Dr				NA			NA		10/16/2002
(1237)	0.07	190	R				88-1337 Mahogany Lane				NA			NA		10/16/2002
(1237)	0.11	220	R				88-1204 Laurel Ave				NA			NA		10/16/2002
(1237)	0.14	480	R				88-1338 Myrtle Ct				NA			NA		10/16/2002
							88-1204 Laurel Ave									
(1238)	0.13	140	R				88-1237 Butternut Dr				NA			NA		10/17/2002
(1238)	0.07	90	R				88-1243 Birch Cir				NA			NA		10/17/2002
(1238)	0.04	50	R				88-1239 Beechnut St				NA			NA		10/17/2002
							Dead End									
(1239)	0.16	210	R				88-1204 Laurel Ave				NA			NA		10/17/2002
							88-1238 Sycamore Dr									
(1240)	0.18	610	R				88-638 Lansdowne Rd				NA			NA		08/22/2005
(1240)	0.12	390	R				88-1241 E, Longwood Dr				NA			NA		08/22/2005
(1240)	0.32	330	R				88-1241 W, Longwood Dr				NA			NA		08/22/2005
							Dead End									
(1241)	0.43	150	R				88-1240 W, Parkview Dr				NA			NA		08/22/2005
							88-1240 E, Parkview Dr									
(1242)	0.29	250	R				88-628 Smith Station Rd				NA			NA		08/31/2005
							Cul-de-Sac									
(1243)	0.03	150	R				88-1238 Sycamore Dr				NA			NA		10/17/2002
							Cul-de-Sac									
(1244)	0.04	80	R				88-1232 Tulip Cir				NA			NA		08/22/2005
							Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1245) Wilcox St	0.03	30	R								NA		NA			09/06/2005
(1246) Industrial Dr	0.45	5800	R								NA		NA			09/21/2005
(1247) Industrial Ct	0.18	1700	R								NA		NA			09/21/2005
(1248)	0.50	2000	R								NA		NA			09/25/2002
(1249)	0.21	210	R								NA		NA			1999
(1249)	0.04	340	R								NA		NA			1999
(1249)	0.03	420	R								NA		NA			1999
(1249)	0.06	1000	R								NA		NA			1999
(1249)	0.09	240	R								NA		NA			1999
(1249)	0.16	90	R								NA		NA			1999
(1250) Tulip Poplar Lane	0.20	80	R								NA		NA			08/15/2005
(1251) Iron Wood Lane	0.08	230	R								NA		NA			08/15/2005
(1251) Iron Wood Lane	0.06	10	R								NA		NA			1999
(1251) Iron Wood Lane	0.12	20	R								NA		NA			1999
(1252)	0.05	270	R								NA		NA			09/16/2002
(1253) Noel Dr	0.30	100	R								NA		NA			10/19/2005
(1254) Fairfield Circle	0.05	60	R								NA		NA			08/22/2005
(1254) Foxhall Circle	0.05	70	R								NA		NA			08/22/2005
(1255)	0.15	140	R								NA		NA			08/05/2002
(1255)	0.06	320	R								NA		NA			08/05/2002
(1255)	0.06	470	R								NA		NA			08/05/2002

Virginia Department of Transportation
 Traffic Engineering Division
 2009
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1255)	0.06	670	R									NA		NA		08/05/2002
(1255)	0.06	840	R									NA		NA		08/05/2002
(1255)	0.06	970	R									NA		NA		08/05/2002
(1255)	0.06	1200	R									NA		NA		08/05/2002
(1255)	0.06	1300	R									NA		NA		08/05/2002
(1255)	0.08	1500	R									NA		NA		08/05/2002
(1256)	0.23	110	R									NA		NA		08/05/2002
(1257)	0.12	190	R									NA		NA		08/05/2002
(1257)	0.06	370	R									NA		NA		08/05/2002
(1257)	0.06	550	R									NA		NA		08/05/2002
(1257)	0.06	750	R									NA		NA		08/05/2002
(1257)	0.06	900	R									NA		NA		08/05/2002
(1257)	0.06	1000	R									NA		NA		08/05/2002
(1257)	0.06	1200	R									NA		NA		08/05/2002
(1257)	0.06	1300	R									NA		NA		08/05/2002
(1257)	0.07	1500	R									NA		NA		08/05/2002
(1258)	0.23	140	R									NA		NA		08/05/2002
(1259)	0.23	190	R									NA		NA		08/05/2002
(1260)	0.24	160	R									NA		NA		08/05/2002
(1261)	0.25	170	R									NA		NA		08/05/2002
(1262)	0.13	160	R									NA		NA		08/05/2002
(1262)	0.13	180	R									NA		NA		08/05/2002

Virginia Department of Transportation
 Traffic Engineering Division
 2009
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1263)	0.14	130	R				88-1255				NA			NA		08/05/2002
(1263)	0.13	130	R				88-1275				NA			NA		08/05/2002
(1264)	0.20	170	R				88-1255				NA			NA		08/05/2002
(1264)	0.08	120	R				88-1276				NA			NA		08/05/2002
(1265) Meadowview Dr	0.24	460	R				88-1266 S, Hillside Lane				NA			NA		08/15/2005
(1265) Meadowview Dr	0.07	1100	R				88-1266 N, Hillside Lane				NA			NA		08/15/2005
(1266) Hillside Lane	0.30	130	R				88-1265 N; Begin Loop				NA			NA		08/15/2005
(1266) Hillside Lane	0.43	310	R				88-1265 S, Meadowview Dr				NA			NA		08/15/2005
(1267) Circle One Dr	0.04	48	R				Cul-de-Sac				NA			NA		08/15/2005
(1268) Fern Ct	0.09	80	R				88-1220 Lombardy Dr				NA			NA		11/14/2005
(1269) Rosewood Dr	0.23	130	R				88-1204 W, Laurel Ave				NA			NA		11/14/2005
(1270) Cambridge Dr	0.77	1000	R				88-1821 NORTH				NA			NA		08/29/2005
(1270) Devonne Dr	0.15	790	R				88-639 Leavells Rd				NA			NA		08/29/2005
(1270) Devonne Dr	0.05	610	R				88-1271 Jamie Court				NA			NA		08/29/2005
(1270) Devonne Dr	0.19	540	R				88-1272 Shawn Dr				NA			NA		08/29/2005
(1271) Jamie Court	0.13	190	R				Cul-de-Sac				NA			NA		08/29/2005
(1272) Shawn Dr	0.10	70	R				88-1274 Lovett Dr				NA			NA		08/29/2005
(1273) Lee White Lane	0.12	130	R				88-1274 Lovett Dr				NA			NA		08/29/2005
(1274) Lovett Dr	0.98	580	R				Cul-de-Sac				NA			NA		08/29/2005
(1275)	0.05	20	R				88-1263				NA			NA		08/05/2002
							88-1262									

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Spotsylvania County																	
(1276)	0.03	70	R											NA	NA	08/05/2002	
(1276)	0.09	80	R											NA	NA	08/05/2002	
(1277)	Quality Dr	0.12	470	R										NA	NA	11/16/2005	
(1278)	Burman Lane	0.26	320	R										NA	NA	09/20/2005	
(1279)	Durham Dr	0.22	290	R										NA	NA	09/20/2005	
(1279)	Durham Dr	0.06	330	R										NA	NA	09/20/2005	
(1279)	Durham Dr	0.07	380	R										NA	NA	09/20/2005	
(1279)	Durham Dr	0.07	460	R										NA	NA	09/20/2005	
(1279)	Durham Dr	0.12	520	R										NA	NA	09/20/2005	
(1279)	Durham Dr	0.16	610	R										NA	NA	09/20/2005	
(1280)	Taft Dr	0.19	70	R										NA	NA	09/14/2005	
(1280)	Taft Dr	0.07	200	R										NA	NA	09/14/2005	
(1281)	Ford Rd	0.06	130	R										NA	NA	09/14/2005	
(1281)	Ford Rd	0.04	90	R										NA	NA	09/14/2005	
(1282)	McKinley Dr	0.04	660	R										NA	NA	09/14/2005	
(1282)	McKinley Dr	0.07	750	R										NA	NA	09/14/2005	
(1282)	McKinley Dr	0.07	60	R										NA	NA	09/14/2005	
(1283)	Madison Ct	0.04	40	R										NA	NA	09/14/2005	
(1284)	Old Leavells Rd	0.12	350	G	98%	1%	1%	0%	0%	0%	F	0.114	F	0.604	390	G	2009
(1284)	Old Leavells Rd	0.24	330	G	98%	1%	1%	0%	0%	0%	C	0.126	F	0.652	360	G	2009
(1285)		0.09	47	R										NA	NA	1999	

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1286)	0.06	390	R											NA	NA	07/31/2002
(1286)	0.06	260	R											NA	NA	07/31/2002
(1286)	0.20	320	R											NA	NA	07/31/2002
(1286)	0.05	480	R											NA	NA	07/31/2002
(1286)	0.12	540	R											NA	NA	07/31/2002
(1286)	0.06	840	R											NA	NA	07/31/2002
(1287)	0.24	190	R											NA	NA	07/31/2002
(1287)	0.13	300	R											NA	NA	07/31/2002
(1288)	0.19	100	R											NA	NA	07/31/2002
(1289)	0.09	90	R											NA	NA	07/31/2002
(1290)	Galaxie Dr	0.05	280	R										NA	NA	09/06/2005
(1290)	Galaxie Dr	0.06	510	R										NA	NA	09/06/2005
(1290)	Galaxie Dr	0.06	840	R										NA	NA	09/06/2005
(1290)	Galaxie Dr	0.04	1100	R										NA	NA	09/06/2005
(1290)	Galaxie Dr	0.05	1600	R										NA	NA	09/06/2005
(1290)	Galaxie Dr	0.25	2300	R										NA	NA	09/06/2005
(1291)	Patterson Ave	0.22	160	R										NA	NA	08/31/2005
(1291)	Patterson Ave	0.17	340	R										NA	NA	08/31/2005
(1291)	Patterson Ave	0.13	160	R										NA	NA	08/31/2005
(1292)		0.06	860	R										NA	NA	08/07/2002
(1292)		0.06	690	R										NA	NA	08/07/2002
(1292)		0.06	450	R										NA	NA	08/07/2002
(1292)		0.06	340	R										NA	NA	08/07/2002

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1292)	0.16	230	R								NA			NA		08/07/2002
(1292)	0.23	260	R								NA			NA		08/07/2002
(1292)	0.07	200	R								NA			NA		08/07/2002
(1292)	0.07	140	R								NA			NA		08/07/2002
(1292)	0.07	160	R								NA			NA		08/07/2002
(1292)	0.07	140	R								NA			NA		08/07/2002
(1292)	0.05	250	R								NA			NA		08/07/2002
(1292)	0.04	60	R								NA			NA		08/07/2002
(1293) Hamway Dr	0.05	60	R								NA			NA		08/29/2005
(1293) Hamway Dr	0.14	260	R								NA			NA		08/29/2005
(1294) Powers St	0.05	100	R								NA			NA		08/29/2005
(1294) Powers St	0.05	110	R								NA			NA		08/29/2005
(1295) Highland Rd	0.06	270	R								NA			NA		07/31/2002
(1295) Highland Rd	0.33	200	R								NA			NA		07/31/2002
(1295) Highland Rd	0.06	20	R								NA			NA		07/31/2002
(1296) Selkirk Dr	0.19	70	R								NA			NA		07/31/2002
(1297)	0.12	110	R								NA			NA		1999
(1298) Shannon Dr	0.64	1900	R								NA			NA		10/05/2005
(1299) Twin Springs Dr	0.55	220	R								NA			NA		09/14/2005
(1300) Wilmington Court	0.05	45	R								NA			NA		09/20/2005
(1301) Bend Farm Rd	0.17	890	R								NA			NA		1999

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1301) Bend Farm Rd	0.17	610	R				88-1306 1st St				NA			NA		1999
(1301) Bend Farm Rd	0.20	430	R				88-1302 2nd St				NA			NA		1999
(1301) Bend Farm Rd	0.05	60	R				88-1304 3rd St				NA			NA		1999
							88-1309 4th St									
(1302) 2nd St	0.05	70	R				88-1303 Mansfield St				NA			NA		1999
							88-1301 Bend Farm Rd									
(1303) Mansfield St	0.18	590	R				SR2, Bus US 17 Tidewater Trail				NA			NA		1999
(1303) Mansfield St	0.17	430	R				88-1306 1st St				NA			NA		1999
(1303) Mansfield St	0.20	210	R				88-1302 2nd St				NA			NA		1999
							88-1304 3rd St									
(1304) 3rd St	0.06	130	R				88-1310 Church St				NA			NA		1999
(1304) 3rd St	0.05	180	R				88-1303 Mansfield St				NA			NA		1999
(1304) 3rd St	0.08	110	R				88-1301 Bend Farm Rd				NA			NA		1999
							Dead End									
(1305) Highland Court	0.14	50	R				Cul-de-Sac				NA			NA		11/07/2005
							88-1295 Highland Rd									
(1306) 1st St	0.06	220	R				88-1310 Church St				NA			NA		1999
(1306) 1st St	0.05	40	R				88-1303 Mansfield St				NA			NA		1999
							88-1301 Bend Farm Rd									
(1307) Brooke Dr	0.02	290	R				SR 2, Bus US 17 Tidewater Trail				NA			NA		10/05/2005
(1307) Brooke Dr	0.28	160	R				88-1308 S, Vance Dr				NA			NA		10/05/2005
(1307) Brooke Dr	0.25	60	R				88-1308 N, Vance Dr				NA			NA		10/05/2005
							Dead End									
(1308) Vance Dr	0.30	70	R				88-1307 Brooke Dr				NA			NA		10/05/2005
							88-1307 Brooke Dr									
(1309) 4th St	0.05	46	R				Dead End				NA			NA		1999
							88-1301 Bend Farm Rd									
(1310) Church St	0.20	1800	R				SR 2, Bus US 17 Tidewater Trail				NA			NA		1999
(1310) Church St	0.37	390	R				88-1306 1st St				NA			NA		1999
							88-1304 3rd St									
(1311) Maden St	0.21	210	R				88-1312 Cleveland Ct				NA			NA		09/20/2005
							88-1147									

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1312) Cleveland Ct	0.10	120	R													09/20/2005
(1312) Cleveland Ct	0.05	100	R													09/20/2005
(1312) Cleveland Ct	0.05	60	R													09/20/2005
(1312) Cleveland Ct	0.06	60	R													08/19/2002
(1313) Dayton Ct	0.03	50	R													09/20/2005
(1314) Columbus Court	0.05	40	R													09/20/2005
(1315)	0.22	110	R													10/21/2002
(1316) Roanoke St	0.12	200	R													11/14/2005
(1317)	0.16	110	R													1999
(1318) One Iron Blvd	0.04	1900	R													10/19/2005
(1319)	0.30	1600	R													10/31/2002
(1319)	0.22	280	R													10/31/2002
(1320)	0.09	470	R													09/04/2002
(1320)	0.34	390	R													09/04/2002
(1321)	0.11	480	R													09/04/2002
(1321)	0.34	370	R													09/04/2002
(1322)	0.15	130	R													09/04/2002
(1322)	0.06	140	R													09/04/2002
(1323)	0.06	60	R													09/04/2002
(1324) Lassen Lane	0.20	1800	R													11/14/2002

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1325) Rebecca Rd	0.09	110	R			From: 88-1326 South Brooks Dr					NA			NA		10/27/2005
						To: 88-1328 Gerber Dr										
(1326) South Brooks Dr	0.28	100	R			From: 88-1340 Vicky Lane					NA			NA		10/27/2005
						To: 88-1327 Brandon Lane										
(1326) South Brooks Dr	0.08	60	R			From: 88-1328 Gerber Dr					NA			NA		10/27/2005
						To: 88-1322										
(1326) South Brooks Dr	0.06	80	R			From: 88-1326 South Brooks Dr					NA			NA		10/27/2005
						To: 88-1328 Gerber Dr										
(1327) Brandon Lane	0.09	100	R			From: US 17 Bus; Tidewater Trail					NA			NA		10/27/2005
						To: 88-1327 Brandon Lane										
(1328) Gerber Dr	0.38	900	R			From: 88-1326 South Brooks Dr					NA			NA		10/27/2005
						To: 88-1326 South Brooks Dr										
(1328) Gerber Dr	0.15	80	R			From: 88-1326 South Brooks Dr					NA			NA		10/27/2005
						To: 88-1328 Gerber Dr										
(1329) Earlene St	0.08	80	R			From: 88-1112					NA			NA		10/27/2005
						To: 88-1114 S, Kennedy Lane										
(1330) Roosevelt Rd	0.13	100	R			From: 88-1114 N, Kennedy Lane					NA			NA		09/14/2005
						To: 88-1280 N, Taft Dr										
(1330) Roosevelt Rd	0.34	190	R			From: 88-1112					NA			NA		09/14/2005
						To: Cul-de-Sac										
(1330) Roosevelt Rd	0.08	130	R			From: 88-1112					NA			NA		09/14/2005
						To: 88-1114 Kennedy Lane										
(1331) Pierce Ct	0.13	50	R			From: 88-1332 Eisenhower Lane					NA			NA		09/14/2005
						To: Cul-de-Sac										
(1332) Eisenhower Lane	0.22	290	R			From: 88-1326 South Brooks Dr					NA			NA		09/14/2005
						To: 88-1328 Gerber Dr										
(1333) Coolidge Court	0.04	47	R			From: 88-1326 South Brooks Dr					NA			NA		09/14/2005
						To: 88-1328 Gerber Dr										
(1334)	0.11	60	R			From: 88-1326 South Brooks Dr					NA			NA		09/04/2002
						To: 88-1328 Gerber Dr										
(1335)	0.10	60	R			From: 88-1326 South Brooks Dr					NA			NA		09/04/2002
						To: 88-1328 Gerber Dr										
(1336) Azalea Dr	0.15	200	R			From: 88-1237 Buttemut Dr					NA			NA		08/22/2005
						To: 88-1337 Mahogany Lane										
(1336) Azalea Dr	0.05	120	R			From: 88-1204 Laurel Ave					NA			NA		08/22/2005
						To: 88-1237 Buttemut Dr										
(1337) Mahogany Lane	0.07	90	R			From: 88-1339 Jonquil Ct					NA			NA		08/22/2005
						To: 88-1336 Azalia Dr										

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1338) Myrtle Court	0.03	47	R				88-1237	Buttemut Dr			NA			NA		08/22/2005
								Cul-de-Sac								
(1339) Jonquil Ct	0.11	80	R								NA			NA		08/22/2005
								88-1337	Mahogany Lane							
(1340) Vicky Lane	0.09	220	R					88-1326	South Brooks Dr		NA			NA		10/27/2005
								88-1328	Gerber Dr							
(1341) Charles Washington Av	0.06	260	R					88-1343	Signal Corp Dr		NA			NA		09/06/2005
								88-1342	Boxwood Rd							
(1341) Charles Washington Av	0.05	420	R								NA			NA		09/06/2005
								88-620	Harrison Rd							
(1342) Boxwood Rd	0.25	180	R								NA			NA		09/06/2005
(1343) Signal Corp Dr	0.12	160	R					88-1344	Beauclaire Blvd		NA			NA		09/06/2005
(1343) Signal Corp Dr	0.13	210	R					88-1341	Charles Washington Ave		NA			NA		09/06/2005
(1343) Signal Corp Dr	0.05	90	R								NA			NA		09/06/2005
(1343) Signal Corp Dr	0.06	130	R					88-1352	Carriage House Ct		NA			NA		09/06/2005
(1344) Beauclaire Blvd	0.18	480	R								NA			NA		10/05/2005
(1344) Beauclaire Blvd	0.06	600	R								NA			NA		10/05/2005
(1344) Beauclaire Blvd	0.10	670	R					88-1351	Fielding Lewis Ct		NA			NA		10/05/2005
(1344) Beauclaire Blvd	0.07	890	R								NA			NA		10/05/2005
(1344) Kingswood Blvd	0.04	3100	R								NA			NA		1999
(1344) Kingswood Blvd	0.06	2800	R								NA			NA		1999
(1344) Kingswood Blvd	0.08	2500	R								NA			NA		1999
(1344) Kingswood Blvd	0.48	2200	R								NA			NA		1999
(1344) Kingswood Blvd	0.08	1900	R								NA			NA		1999
(1344) Kingswood Blvd	0.08	1800	R								NA			NA		1999
(1344) Kingswood Blvd	0.05	1700	R								NA			NA		1999
(1344) Kingswood Blvd	0.06	840	R								NA			NA		1999
(1344) Kingswood Blvd	0.06	750	R								NA			NA		1999

Virginia Department of Transportation
 Traffic Engineering Division
 2009
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1344) Kingswodd Blvd	0.06	680	R				88-1578				NA			NA		1999
(1344) Kingswood Blvd	0.70	570	R				88-1579				NA			NA		1999
							Cul-de-Sac									
(1345)	0.13	120	R				Dead End				NA			NA		08/07/2002
(1345)	0.20	120	R				88-1292 WEST				NA			NA		08/07/2002
(1345)	0.18	180	R				88-1290 Galaxie Dr				NA			NA		08/07/2002
(1345)	0.09	80	R				88-1349				NA			NA		08/07/2002
							88-1292 EAST									
(1346)	0.17	100	R				88-1292 WEST				NA			NA		08/07/2002
(1346)	0.24	160	R				88-1290 Galaxie Dr				NA			NA		08/07/2002
							88-1292 EAST									
(1347)	0.15	80	R				88-1292 WEST				NA			NA		08/07/2002
(1347)	0.20	180	R				88-1290 Galaxie Dr				NA			NA		08/07/2002
							88-1292 EAST									
(1348)	0.08	80	R				88-764				NA			NA		08/07/2002
							Cul-de-Sac									
(1349)	0.26	150	R				88-1345				NA			NA		08/07/2002
							Dead End									
(1350)	0.81	540	R				Cul-de-Sac				NA			NA		08/05/2002
							88-628 Smith Station Rd									
(1351) Fielding Lewis Ct	0.05	40	R				Dead End				NA			NA		11/09/2005
(1351) Fielding Lewis Ct	0.05	50	R				88-1344 Beauclaire Blvd				NA			NA		11/09/2005
							Cul-de-Sac									
(1352) Carriage House Ct	0.10	90	R				Cul-de-Sac				NA			NA		11/09/2005
							88-1343 Signal Corp Dr									
(1353) Statesman Ct	0.04	40	R				88-1343 Signal Corp Dr				NA			NA		11/09/2005
							Cul-de-Sac									
(1354) Glenside Circle	0.04	30	R				88-1187 Breezewood Dr				NA			NA		11/07/2005
							Cul-de-Sac									
(1355) Merrymount Dr	0.13	100	R				88-1356 Mayfair Dr				NA			NA		11/07/2005
							88-1187; 88-1360									
(1356) Mayfair Dr	0.26	90	R				Dead End				NA			NA		11/07/2005
							Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1357) Whitecliff Dr	0.07	80	R									NA		NA		11/07/2005
(1358) Bradbury Circle	0.04	60	R									NA		NA		11/07/2005
(1359) Bainbridge Lane	0.08	80	R									NA		NA		11/07/2005
(1359) Bainbridge Lane	0.09	90	R									NA		NA		11/07/2005
(1360) Sanford Circle	0.10	150	R									NA		NA		11/07/2005
(1361) White Lake Dr	0.44	100	R									NA		NA		11/14/2005
(1362) Victoria Court	0.07	60	R									NA		NA		11/14/2005
(1363) Stable Way	0.10	160	R									NA		NA		11/14/2005
(1364) Trotter Circle	0.10	90	R									NA		NA		11/14/2005
(1365)	0.05	60	R									NA		NA		08/07/2002
(1366)	0.09	80	R									NA		NA		08/07/2002
(1367)	0.06	80	R									NA		NA		08/07/2002
(1368)	0.25	290	R									NA		NA		10/24/2002
(1368)	0.07	350	R									NA		NA		10/24/2002
(1368)	0.27	790	R									NA		NA		10/24/2002
(1369) Sharon Springs Dr	0.25	110	R									NA		NA		10/19/2005
(1370) Ann Davis Dr	0.35	230	R									NA		NA		11/14/2005
(1371) Hilltop Court	0.05	60	R									NA		NA		11/14/2005
(1372) South Fulton	0.25	100	R									NA		NA		10/19/2005

Virginia Department of Transportation
 Traffic Engineering Division
 2009
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1373) Pittston Rd	0.23	370	R								NA			NA		10/24/2002
(1373) Pittston Rd	0.09	260	R								NA			NA		10/19/2005
(1373) Pittston Rd	0.26	200	R								NA			NA		10/19/2005
(1374)	0.27	800	R								NA			NA		10/24/2002
(1375)	0.29	1600	R								NA			NA		09/03/2002
(1376)	0.30	780	R								NA			NA		09/03/2002
(1377)	0.29	1100	R								NA			NA		09/03/2002
(1378)	0.18	150	R								NA			NA		09/03/2002
(1379)	0.20	140	R								NA			NA		09/03/2002
(1380)	0.66	950	R								NA			NA		09/03/2002
(1381) Clover Dr	0.42	130	R								NA			NA		10/17/2005
(1382)	0.08	2900	R								NA			NA		09/03/2002
(1383)	0.30	260	R								NA			NA		09/26/2002
(1384) Abbey Lane	0.29	200	R								NA			NA		11/14/2005
(1385) Windsor Dr	0.51	1200	R								NA			NA		11/14/2005
(1386) Cathedral Dr	0.18	190	R								NA			NA		11/14/2005
(1387) Loriella Park Dr	0.64	1300	R								NA			NA		11/14/2005
(1388) Westminster Ct	0.05	45	R								NA			NA		11/14/2005
(1389) Ascot Cir	0.46	140	R								NA			NA		11/04/2002

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1389) Ascot Cir	0.06	460	R				From: 88-1387 Loriella Park Dr					NA		NA		11/14/2005
(1389) Ascot Cir	0.30	150	R				From: 88-1385 Windsor Dr					NA		NA		11/14/2005
							To: End of Loop									
(1390)	0.35	130	R				From: Cul-de-Sac					NA		NA		08/05/2002
							To: 88-1350									
(1392) Longview Lane	0.09	80	R				From: Dead End					NA		NA		08/29/2005
							To: 88-1350									
(1393)	0.12	100	R				From: Cul-de-Sac					NA		NA		11/04/2002
							To: 88-1350									
(1394)	0.17	70	R				From: 88-1389 Begin Loop					NA		NA		11/04/2002
							To: Cul-de-Sac									
(1395) Park Dr	0.23	1100	R				From: Cul-de-Sac					NA		NA		11/17/2005
							To: 88-1246 Industrial Dr									
(1396) Freedom Court	0.13	670	R				From: 88-1246 Industrial Dr					NA		NA		11/16/2005
							To: Cul-de-Sac									
(1397) Watford Lane	0.38	700	R				From: 88-636 Mine Rd					NA		NA		12/12/2002
							To: 88-1522 Bricken Lane									
(1397) Watford Lane	0.26	130	R				From: Cul-de-Sac					NA		NA		10/27/2005
							To: Cul-de-Sac									
(1398) Ashland Ct	0.04	30	R				From: Cul-de-Sac					NA		NA		09/30/2002
							To: 88-1397 Watford Lane									
(1399) Surry Woods Ct	0.05	NA					From: Cul-de-Sac					NA		NA		
(1399) Surry Woods Ct	0.29	20	R				From: 88-1387 Loriella Park Dr					NA		NA		11/07/2002
							To: Cul-de-Sac									
(1400)	0.15	170	R				From: Cul-de-Sac					NA		NA		08/21/2002
							To: 88-1405 Meadowlark Lane									
(1401) Wild Turkey Dr	0.20	2000	R				From: SR 208 Courthouse Rd					NA		NA		08/01/2005
							To: 88-1402 Robin Lane									
(1401) Wild Turkey Dr	0.09	1700	R				From: 88-1403 Bluebird Lane					NA		NA		08/01/2005
							To: 88-1406 Redbird Lane									
(1401) Wild Turkey Dr	0.08	1300	R				From: 88-1408 Mockingbird Lane					NA		NA		08/01/2005
							To: 88-1417 Bobwhite Lane									
(1401) Wild Turkey Dr	0.17	600	R				From: 88-1405 Meadowlark Lane					NA		NA		08/01/2005
							To: 88-1401 Wild Turkey Dr									
(1401) Wild Turkey Dr	0.13	210	R				From: 88-1401 Wild Turkey Dr					NA		NA		08/01/2005
							To: 88-1404 Woodcock Lane									
(1402) Robin Lane	0.10	290	R				From: 88-1404 Woodcock Lane					NA		NA		08/01/2005

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1402) Robin Lane	0.06	80	R											NA		08/01/2005
(1403) Bluebird Lane	0.08	270	R											NA		08/21/2002
(1403) Bluebird Lane	0.06	300	R											NA		08/21/2002
(1403) Bluebird Lane	0.09	610	R											NA		08/21/2002
(1403) Bluebird Lane	0.06	100	R											NA		08/01/2005
(1403) Bluebird Lane	0.04	30	R											NA		08/01/2005
(1404) Woodcock Lane	0.07	240	R											NA		08/01/2005
(1404) Woodcock Lane	0.19	200	R											NA		08/01/2005
(1405) Meadowlark Lane	0.10	80	R											NA		08/21/2002
(1405) Meadowlark Lane	0.14	220	R											NA		08/21/2002
(1405) Meadowlark Lane	0.10	350	R											NA		08/01/2005
(1405) Meadowlark Lane	0.07	170	R											NA		08/01/2005
(1405) Meadowlark Lane	0.11	160	R											NA		08/01/2005
(1405) Meadowlark Lane	0.12	120	R											NA		08/01/2005
(1405) Meadowlark Lane	0.08	100	R											NA		08/01/2005
(1405) Meadowlark Lane	0.11	130	R											NA		08/01/2005
(1405) Meadowlark Lane	0.05	70	R											NA		08/01/2005
(1406) Redbird Lane	0.07	250	R											NA		08/01/2005
(1406) Redbird Lane	0.12	100	R											NA		08/01/2005
(1407) Raven Circle	0.04	40	R											NA		08/01/2005
(1408) Mockingbird Lane	0.26	410	R											NA		08/01/2005
(1408) Mockingbird Lane	0.06	230	R											NA		08/01/2005
(1408) Mockingbird Lane	0.06	120	R											NA		08/01/2005

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1409) Sparrow Lane	0.03	48	R											NA		08/01/2005
(1410)	0.09	420	R											NA		08/21/2002
(1410)	0.05	570	R											NA		08/21/2002
(1410)	0.12	910	R											NA		08/21/2002
(1410)	0.09	1600	R											NA		08/21/2002
(1411)	0.07	80	R											NA		08/21/2002
(1412)	0.16	140	R											NA		08/21/2002
(1412)	0.14	120	R											NA		08/21/2002
(1413)	0.08	80	R											NA		08/21/2002
(1414)	0.06	260	R											NA		08/21/2002
(1414)	0.21	340	R											NA		08/21/2002
(1414)	0.09	690	R											NA		08/21/2002
(1415)	0.06	110	R											NA		08/21/2002
(1415)	0.28	70	R											NA		08/21/2002
(1416)	0.05	260	R											NA		08/21/2002
(1416)	0.10	180	R											NA		08/21/2002
(1416)	0.04	70	R											NA		08/21/2002
(1417) Bobwhite Lane	0.12	470	R											NA		08/01/2005
(1418) Goldfinch Circle	0.04	45	R											NA		08/01/2005
(1419) Judiciary Dr	0.24	190	R											NA		08/01/2005
(1420)	0.52	150	R											NA		08/21/2002

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1421)	1.43	1000	R									NA		NA		08/21/2002
(1422)	0.08	100	R									NA		NA		08/21/2002
(1423)	0.09	140	R									NA		NA		08/21/2002
(1424)	0.07	250	R									NA		NA		08/21/2002
(1424)	0.19	320	R									NA		NA		08/21/2002
(1425)	0.09	700	R									NA		NA		08/21/2002
(1426)	0.08	150	R									NA		NA		08/21/2002
(1427)	0.08	70	R									NA		NA		08/21/2002
(1428)	0.48	250	R									NA		NA		09/16/2002
(1429)	0.42	150	R									NA		NA		09/16/2002
(1430) Shade Tree Lane	0.24	320	R									NA		NA		09/16/2002
(1430) Shade Tree Lane	0.17	100	R									NA		NA		09/16/2002
(1431)	0.46	1100	R									NA		NA		09/25/2002
(1432) Armand Ct	0.07	80	R									NA		NA		08/21/2002
(1433)	0.17	270	R									NA		NA		08/21/2002
(1434)	0.20	140	R									NA		NA		08/21/2002
(1435)	0.09	60	R									NA		NA		08/21/2002
(1436)	0.05	70	R									NA		NA		08/21/2002
(1437)	0.15	320	R									NA		NA		08/21/2002

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1437)	0.20	150	R			From: 88-1414					NA			NA		08/21/2002
(1437)	0.21	60	R			To: 88-1412 WEST					NA			NA		08/21/2002
(1438)	0.09	120	R			To: 88-1412 EAST					NA			NA		08/01/2005
(1438)	0.09	120	R			From: 88-1439 Stanley Court					NA			NA		08/01/2005
(1439)	0.09	80	R			To: 88-1421					NA			NA		08/01/2005
(1439)	0.09	80	R			From: Cul-de-Sac					NA			NA		08/01/2005
(1440)	0.71	650	R			To: 88-1438 Godwin Dr					NA			NA		09/16/2002
(1440)	0.71	650	R			From: Cul-de-Sac					NA			NA		09/16/2002
(1441)	0.38	250	R			To: 88-632 Hickory Ridge Rd					NA			NA		09/16/2002
(1441)	0.38	250	R			From: Cul-de-Sac					NA			NA		09/16/2002
(1442)	0.47	190	R			To: 88-1440					NA			NA		09/16/2002
(1442)	0.47	190	R			From: Cul-de-Sac					NA			NA		09/16/2002
(1443)	0.15	90	R			To: 88-1441 Arabian Trl					NA			NA		09/16/2002
(1443)	0.15	90	R			From: Cul-de-Sac					NA			NA		09/16/2002
(1444)	0.13	40	R			To: 88-1442					NA			NA		09/16/2002
(1444)	0.13	40	R			From: 88-1440					NA			NA		11/02/2005
(1445)	0.25	110	R			To: Cul-de-Sac					NA			NA		10/31/2002
(1445)	0.25	110	R			From: 88-639 Leavells Rd					NA			NA		10/31/2002
(1446)	0.40	230	R			To: 88-1446					NA			NA		09/16/2002
(1446)	0.40	230	R			From: Cul-de-Sac					NA			NA		09/16/2002
(1447)	0.19	110	R			To: 88-1440					NA			NA		09/16/2002
(1447)	0.19	110	R			From: Cul-de-Sac					NA			NA		09/16/2002
(1448)	0.06	30	R			To: 88-1446 Appaloosa Dr					NA			NA		09/16/2002
(1448)	0.06	30	R			From: Cul-de-Sac					NA			NA		09/16/2002
(1449)	0.13	1100	R			To: 88-1447					NA			NA		09/16/2002
(1449)	0.13	1100	R			From: 88-1431					NA			NA		11/04/2002
(1450)	0.19	340	R			To: Cul-de-Sac					NA			NA		08/01/2005
(1450)	0.19	340	R			From: 88-1451 Lando Dr					NA			NA		08/01/2005
(1451)	0.07	30	R			To: 88-1450 Jeans Dr					NA			NA		08/01/2005
(1451)	0.10	230	R			From: 88-1450 Jeans Dr					NA			NA		08/01/2005
(1452)	0.04	8	R			To: 88-1452 Stephen Dr					NA			NA		08/01/2005
(1452)	0.04	8	R			From: Dead End					NA			NA		08/01/2005
(1452)	0.14	140	R			To: 88-1453 Marc Dr					NA			NA		08/01/2005
(1452)	0.14	140	R			From: 88-1453 Marc Dr					NA			NA		08/01/2005
(1452)	0.20	60	R			To: 88-1451 Lando Dr					NA			NA		08/01/2005
(1452)	0.20	60	R			From: Cul-de-Sac					NA			NA		08/01/2005

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1453) Marc Dr	0.17	100	R								NA		NA			08/01/2005
(1454) Ronnie Court	0.04	20	R								NA		NA			08/01/2005
(1455) Taverneer Lane	0.13	60	R								NA		NA			11/12/2002
(1455)	0.32	610	R								NA		NA			10/31/2005
(1456) East Point Circle	0.07	70	R								NA		NA			10/31/2005
(1457) Cloverhill Rd	0.15	500	R								NA		NA			08/03/2005
(1457) Cloverhill Rd	0.36	270	R								NA		NA			08/03/2005
(1457) Cloverhill Rd	0.16	170	R								NA		NA			08/03/2005
(1457) Coverhill Rd	0.16	70	R								NA		NA			08/03/2005
(1458) Sourwood Court	0.38	90	R								NA		NA			08/03/2005
(1459) Pioneer Court	0.16	40	R								NA		NA			08/03/2005
(1460) Cloverhill Court	0.14	60	R								NA		NA			08/03/2005
(1461) Wexwood Ct	0.04	170	R								NA		NA			11/12/2002
(1462) North Point Dr	0.27	60	R								NA		NA			11/02/2005
(1462) North Point Dr	0.29	230	R								NA		NA			11/02/2005
(1462) Larkin Chew Rd	0.28	660	R								NA		NA			11/02/2005
(1463)	0.27	150	R								NA		NA			10/21/2002
(1464)	0.13	40	R								NA		NA			10/21/2002
(1464)	0.12	40	R								NA		NA			10/21/2002
(1465) Collingwood Court	0.14	210	R								NA		NA			09/14/2005

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1466)	0.05	30	R				From: 88-1455 Taverneer Lane				NA			NA		11/12/2002
							To: Dead End									
(1467)	0.49	620	R				From: 88-2143				NA			NA		10/28/2002
							To: 88-639 Salem Church Rd									
(1468) Alicia Ct	0.11	90	R				From: Cul-de-Sac				NA			NA		10/28/2002
							To: 88-1467									
(1469) Ashbrook Ct	0.05	40	R				From: Cul-de-Sac				NA			NA		11/13/2002
							To: 88-1461 Wexwood Ct									
(1469) Ashbrook Ct	0.06	NA					From: Cul-de-Sac				NA			NA		
							To: Cul-de-Sac									
(1470) Bloomsbury Lane	0.11	40	R				From: Cul-de-Sac				NA			NA		08/29/2005
							To: 88-1575 Pineberry Court									
(1470) Bloomsbury Lane	0.10	110	R				From: 88-1574 Hillwood Court				NA			NA		08/29/2005
							To: 88-1573									
(1470) Bloomsbury Lane	1.39	760	R				From: 88-1573				NA			NA		08/29/2005
							To: SR 208 Courthouse Rd									
(1471)	0.10	100	R				From: Cul-de-Sac				NA			NA		08/05/2002
							To: 88-1470 Bloomsbury Lane									
(1472)	0.09	70	R				From: Cul-de-Sac				NA			NA		08/05/2002
							To: 88-1470 Bloomsbury Lane									
(1473) Trisler Dr	0.22	360	R				From: 88-1284 Old Leavells Rd				NA			NA		11/09/2005
							To: Cul-de-Sac									
(1474) Griffith Way	0.34	570	R				From: 88-1473 Trisler Dr				NA			NA		11/09/2005
							To: 88-639 Leavells Rd									
(1475) Salem Station Blvd	0.86	2200	R				From: 88-639 Leavells Rd				NA			NA		11/14/2005
							To: 88-620 Harrison Rd									
(1476) Castle Court	0.08	70	R				From: 88-1475 Salem Station Blvd				NA			NA		11/14/2005
							To: Cul-de-Sac									
(1477) Queens Mill Circle	0.43	120	R				From: 88-1475 S, Salem Station Blvd				NA			NA		11/14/2005
							To: 88-1475 N, Salem Station Blvd									
(1478) Regal Court	0.10	110	R				From: 88-1477 Queens Mill Circle				NA			NA		11/14/2005
							To: Cul-de-Sac									
(1479) Crown Court	0.09	80	R				From: 88-1477 Queens Mill Circle				NA			NA		11/14/2005
							To: Cul-de-Sac									
(1480) Prince Court	0.07	80	R				From: Cul-de-Sac				NA			NA		11/14/2005
							To: 88-1477 Queens Mill Circle									
(1481) Cheshire Court	0.07	90	R				From: 88-1477 Queens Mill Circle				NA			NA		11/14/2005
							To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1482) Yorkshire Court	0.11	110	R				88-1477 Queens Mill Circle				NA			NA		11/14/2005
							Cul-de-Sac									
(1483)	0.24	60	R				Cul-de-Sac				NA			NA		11/12/2002
							88-1419 Judiciary Dr									
(1484)	0.07	30	R				Cul-de-Sac				NA			NA		11/12/2002
							88-1483									
(1485) Sunkist Court	0.04	40	R				88-1274 Lovett Dr				NA			NA		11/07/2005
							Cul-de-Sac									
(1486)	0.37	150	R				SR 208 Courthouse Rd				NA			NA		10/29/2002
							Dead End									
(1487)	0.22	130	R				Dead End				NA			NA		10/29/2002
							88-1486									
(1488) Aldrich Ct	0.09	10	R				88-1487				NA			NA		10/29/2002
							Dead End									
(1489) Market St	0.21	10000	R				US 1 Jefferson Davis Hwy; FR-692				NA			NA		11/14/2002
							88-1234 Spotsylvania Ave									
(1490) Valley View Rd	0.27	110	R				88-1188 Stoney Creek Dr				NA			NA		11/14/2005
							Cul-de-Sac									
(1491) Dapple Grey Court	0.04	40	R				Cul-de-Sac				NA			NA		11/14/2005
							88-1188 Stoney Creek Dr									
(1492) Inglewood Dr	0.19	290	R				88-1188 Stoney Creek Dr				NA			NA		11/14/2005
							Cul-de-Sac									
(1493) Courtland Lane	0.13	170	R				Cul-de-Sac				NA			NA		11/14/2005
							88-1492 Inglewood Dr									
(1494) Woods Court	0.06	40	R				Cul-de-Sac				NA			NA		11/14/2005
							88-1493 Courtland Lane									
(1495) Rodeo Court	0.06	70	R				88-1492 Inglewood Dr				NA			NA		11/14/2005
							Cul-de-Sac									
(1496) Chinaberry Court	0.17	110	R				88-1188 Stoney Creek Dr				NA			NA		11/14/2005
							Cul-de-Sac									
(1497) Carmine Circle	0.06	60	R				88-1496 Chinaberry Court				NA			NA		11/14/2005
							Cul-de-Sac									
(1498) Abingdon Court	0.22	90	R				88-1465 Collingwood Court				NA			NA		09/14/2005
							88-1499 Halifax Court									
(1499) Halifax Court	0.07	190	R				88-1431				NA			NA		09/14/2005
							Cul-de-Sac									
(1501) Valentine Dr	0.43	80	R				Cul-de-Sac				NA			NA		10/24/2005
							88-1502 Katy-Ber Dr									

Virginia Department of Transportation
 Traffic Engineering Division
 2009
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1501) Valentine Dr	0.07	120	R			From: 88-1502 Katy-Ber Dr					NA			NA		10/24/2005
						To: 88-622 Lucks Rd										
(1502) Katy-Ber Dr	0.11	40	R			From: Cul-de-Sac					NA			NA		10/24/2005
						To: 88-1501 Valentine Dr										
(1503) Waddell Rd	0.11	10	R			From: Cul-de-Sac					NA			NA		10/24/2005
						To: 88-1501 Valentine Dr										
(1504) Pierson Dr	0.33	1000	R			From: Cul-de-Sac					NA			NA		10/05/2005
						To: 0.33 MN of Cul-de-Sac										
(1505)	0.15	60	R			From: 88-719 Days Bridge Rd					NA			NA		10/03/2002
						To: Parkwood Circle										
(1505)	0.43	40	R			From: Cul-de-Sac					NA			NA		10/03/2002
						To: Cul-de-Sac										
(1506) Parkwood Circle	0.16	30	R			From: 88-1505					NA			NA		09/26/2005
						To: Cul-de-Sac										
(1507) Cedar Lane	0.10	30	R			From: 88-1505					NA			NA		09/26/2005
						To: Cul-de-Sac										
(1508)	0.13	10	R			From: 88-1505					NA			NA		10/03/2002
						To: Cul-de-Sac										
(1509) Ballston Rd	0.19	60	R			From: 88-1368					NA			NA		12/09/2008
						To: 88-1373 Pittston Rd										
(1510)	0.40	450	R			From: 88-738 Partlow Rd					NA			NA		11/07/2002
						To: 88-1511										
(1510)	0.47	230	R			From: Cul-de-Sac					NA			NA		11/07/2002
						To: Cul-de-Sac										
(1511)	0.11	70	R			From: Dead End					NA			NA		11/07/2002
						To: 88-1510										
(1511)	0.45	110	R			From: Cul-de-Sac					NA			NA		11/07/2002
						To: Cul-de-Sac										
(1512) Harris Mill Court	0.29	510	R			From: 88-1344 Kingswood Blvd					NA			NA		10/05/2005
						To: Cul-de-Sac										
(1513) Carriage Way Lane	0.15	280	R			From: Cul-de-Sac					NA			NA		10/05/2005
						To: 88-1512 Harris Mill Court										
(1514)	0.96	160	R			From: 88-608 Massaponax Church Rd					NA			NA		08/21/2002
						To: Dead End										
(1515) Oxbow Court	0.08	90	R			From: Cul-de-Sac					NA			NA		10/05/2005
						To: 88-1513 Carriage Way Lane										
(1515) Oxbow Court	0.06	NA				From: Cul-de-Sac					NA			NA		
						To: Cul-de-Sac										
(1516)	0.24	50	R			From: Cul-de-Sac					NA			NA		10/03/2002
						To: 88-719 Days Bridge Rd										

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1517) Lake Point Dr	0.66	80	R								NA		NA			09/26/2005
(1518) Ventura Lane	0.24	200	R								NA		NA			09/20/2005
(1519) Argall Lane	0.10	100	R								NA		NA			09/20/2005
(1520) Billman Dr	0.20	70	R								NA		NA			11/07/2002
(1521) Eustace Dr	0.28	49	R								NA		NA			11/07/2002
(1521) Eustace Dr	0.06	30	R								NA		NA			11/07/2002
(1522) Bricken Lane	0.08	130	R								NA		NA			10/27/2005
(1522) Bricken Lane	0.12	NA									NA		NA			
(1523) Little River Dr	0.12	140	R								NA		NA			10/27/2005
(1524) Purley Dr	0.09	80	R								NA		NA			10/27/2005
(1525) Morning Glory Dr	0.03	30	R								NA		NA			10/24/2005
(1525) Morning Glory Dr	0.38	130	R								NA		NA			10/24/2005
(1526) Dukes Dr	0.27	70	R								NA		NA			10/24/2005
(1527)	1.00	430	R								NA		NA			10/21/2002
(1528)	0.22	150	R								NA		NA			10/21/2002
(1528)	0.18	NA									NA		NA			
(1529)	0.12	90	R								NA		NA			10/21/2002
(1530)	0.41	20	R								NA		NA			10/03/2002
(1531) Anna Rd	0.10	20	R								NA		NA			10/03/2002
(1532) Duchess Dr	0.27	150	R								NA		NA			10/05/2005

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1532) Duchess Dr	0.19	140	R								NA			NA		10/05/2005
(1533) Chivalry Dr	0.05	90	R								NA			NA		10/05/2005
(1534)	0.10	30	R								NA			NA		10/03/2002
(1535)	0.37	50	R								NA			NA		10/03/2002
(1536) Heth Dr	0.09	80	R								NA			NA		09/26/2005
(1536) Heth Dr	0.15	140	R								NA			NA		09/26/2005
(1536) Heth Dr	0.20	200	R								NA			NA		09/26/2005
(1536) Heth Dr	0.31	260	R								NA			NA		09/26/2005
(1537) Connie Lane	0.18	50	R								NA			NA		09/26/2005
(1538) Bryn Lane	0.20	45	R								NA			NA		09/26/2005
(1539) Ruth Lane	0.22	20	R								NA			NA		09/26/2005
(1539) Ruth Lane	0.05	10	R								NA			NA		09/26/2005
(1540) Julian Lane	0.28	50	R								NA			NA		09/26/2005
(1541)	0.16	70	R								NA			NA		10/03/2002
(1542)	0.12	90	R								NA			NA		10/03/2002
(1542)	0.32	40	R								NA			NA		10/03/2002
(1543)	0.46	60	R								NA			NA		10/03/2002
(1544) Logan Heights Circle	0.85	40	R								NA			NA		11/06/2009
(1545) Windway Dr	0.62	90	R								NA			NA		09/26/2005
(1546) Windy Hill Ct	0.12	10	R								NA			NA		09/26/2005

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1548) Bellevue Court	0.10	110	R								NA			NA		10/19/2005
(1549) Heriot Row Court	0.14	80	R								NA			NA		10/19/2005
(1550) Whitfield Lane	0.28	90	R								NA			NA		10/08/2002
(1551) Lakeside Woods Dr	0.17	90	R								NA			NA		10/08/2002
(1552) Laken Woods Dr	0.06	30	R								NA			NA		10/08/2002
(1552) Laken Woods Dr	0.06	40	R								NA			NA		10/08/2002
(1553) Commons Court	0.05	60	R								NA			NA		10/05/2005
(1554) Monarch Court	0.05	60	R								NA			NA		10/05/2005
(1555) Waterford Dr	1.63	260	R								NA			NA		08/01/2005
(1556) Lismore Lane	0.17	49	R								NA			NA		08/01/2005
(1557) Tranquility Court	0.13	40	R								NA			NA		08/01/2005
(1558) Harvest Glen Court	0.12	100	R								NA			NA		10/05/2005
(1559) Integrity Court	0.11	90	R								NA			NA		10/05/2005
(1560) Raynold Court	0.10	60	R								NA			NA		11/09/2005
(1561) Doran Rd	0.23	100	R								NA			NA		11/09/2005
(1562) Copperleaf Rd	0.08	160	R								NA			NA		11/09/2005
(1563) Hazel Court	0.16	140	R								NA			NA		11/09/2005
(1563) Hazel Court	0.31	300	R								NA			NA		11/09/2005
(1564)	0.04	30	R								NA			NA		1999

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1564)	0.24	80	R								NA			NA		1999
(1564)	0.07	160	R								NA			NA		1999
(1564)	0.16	320	R								NA			NA		1999
(1564)	0.32	170	R								NA			NA		1999
(1564)	0.05	120	R								NA			NA		1999
(1564)	0.24	90	R								NA			NA		1999
(1565)	0.16	90	R								NA			NA		1999
(1565)	0.15	220	R								NA			NA		11/12/2002
(1566)	0.05	40	R								NA			NA		11/12/2002
(1567)	0.25	110	R								NA			NA		1999
(1568)	0.20	80	R								NA			NA		1999
(1569)	0.09	20	R								NA			NA		1999
(1571)	0.08	80	R								NA			NA		08/05/2002
(1572) Ashley Ct	0.09	70	R								NA			NA		08/05/2002
(1573)	0.09	45	R								NA			NA		08/05/2002
(1573)	0.09	NA									NA			NA		
(1574) Hillwood Court	0.19	90	R								NA			NA		08/29/2005
(1575) Pineberry Court	0.04	60	R								NA			NA		08/29/2005
(1576)	0.06	80	R								NA			NA		1999
(1577)	0.06	80	R								NA			NA		1999

Virginia Department of Transportation
 Traffic Engineering Division
 2009
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1578)	0.06	70	R								NA			NA		1999
(1579)	0.06	80	R								NA			NA		1999
(1580)	0.12	120	R								NA			NA		1999
(1580)	0.57	80	R								NA			NA		1999
(1580)	0.09	130	R								NA			NA		09/25/2002
(1581)	0.11	80	R								NA			NA		1999
(1581)	0.16	150	R								NA			NA		09/25/2002
(1582)	0.04	80	R								NA			NA		1999
(1583)	0.08	120	R								NA			NA		1999
(1583)	0.04	40	R								NA			NA		1999
(1584) Alton Ct	0.04	40	R								NA			NA		10/05/2005
(1584) Alton Ct	0.05	60	R								NA			NA		10/05/2005
(1585)	0.20	180	R								NA			NA		1999
(1585)	0.13	350	R								NA			NA		1999
(1585)	0.06	80	R								NA			NA		1999
(1586)	0.06	60	R								NA			NA		1999
(1587)	0.05	50	R								NA			NA		1999
(1588) Ropers Run	0.04	20	R								NA			NA		10/24/2005
(1588) Ropers Run	0.06	70	R								NA			NA		10/24/2005
(1589) Waterside Dr	0.33	40	R								NA			NA		10/24/2005
(1590) Ballantraye Dr	0.20	3400	R								NA			NA		11/14/2005

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1591) Horseshoe Bend Dr	0.21	30	R				88-1588 Ropers Run				NA			NA		10/24/2005
							Cul-de-Sac									
(1592)	0.75	80	R				Begin Loop				NA			NA		11/04/2002
							88-639 Bragg Rd									
(1593) Old Dickerson's Rd	0.49	260	R				88-719 Days Bridge Rd				NA			NA		09/26/2005
							Cul-de-Sac									
(1594) Drummers Lane	0.16	30	R				Cul-de-Sac				NA			NA		09/26/2005
							88-1593 Old Dickerson's Rd									
(1594) Drummers Lane	0.11	20	R				Cul-de-Sac				NA			NA		09/26/2005
							Cul-de-Sac									
(1595) Castaway Beach Lane	0.18	10	R				Cul-de-Sac				NA			NA		09/26/2005
							88-1593 Old Dickerson's Rd									
(1596) Deer Hill Rd	0.14	20	R				88-1593 Old Dickerson's Rd				NA			NA		09/26/2005
							Cul-de-Sac									
(1597) Sugar Hollow	0.19	120	R				Cul-de-Sac				NA			NA		09/26/2005
							88-1593 Old Dickerson's Rd									
(1598) Hidden Brook	0.17	40	R				88-1597 Sugar Hollow				NA			NA		09/26/2005
							Cul-de-Sac									
(1599) Edgewood Dr	0.05	6	R				88-1593 Old Dickerson's Rd				NA			NA		09/26/2005
							Cul-de-Sac									
(1601) Winewood Dr	0.17	160	R				Dead End				NA			NA		08/08/2005
							88-1602 Small Court									
(1601) Winewood Dr	0.40	760	R				88-621 Orange Plank Rd				NA			NA		08/08/2005
							88-1601 Winewood Dr									
(1602) Small Court	0.03	40	R				Dead End				NA			NA		08/08/2005
							Cul-de-Sac									
(1603) Maplewood Dr	0.07	80	R				Cul-de-Sac				NA			NA		08/08/2005
							88-1607 Cherrywood Dr									
(1603) Maplewood Dr	0.07	210	R				88-1606 Ashwood Ct				NA			NA		08/08/2005
							88-1605 Birchwood Court									
(1603) Maplewood Dr	0.06	130	R				88-1604 Oakdale Court				NA			NA		08/08/2005
							88-1601 Winewood Dr									
(1603) Maplewood Dr	0.07	90	R				88-1603 Maplewood Dr				NA			NA		08/08/2005
							Cul-de-Sac									
(1604) Oakdale Court	0.05	40	R				88-1603 Maplewood Dr				NA			NA		08/08/2005
							Cul-de-Sac									
(1605) Birchwood Court	0.06	60	R				88-1603 Maplewood Dr				NA			NA		08/08/2005
							Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1606) Ashwood Ct	0.08	90	R				From: 88-1603 Maplewood Dr					NA		NA		08/08/2005
							To: Dead End									
(1607) Cherrywood Dr	0.07	290	R				From: 88-1603 Maplewood Dr					NA		NA		08/08/2005
							To: 88-1608 Timberwood Rd									
(1607) Cherrywood Dr	0.12	440	R				From: 88-1608 Timberwood Rd					NA		NA		08/08/2005
							To: 88-1601 Winewood Dr									
(1608) Timberwood Rd	0.07	80	R				From: Dead End					NA		NA		08/08/2005
							To: 88-1607 Cherrywood Dr									
(1609) Rolling Ridge Dr	0.28	130	R				From: Dead End					NA		NA		11/06/2009
							To: 88-628 Smith Station Rd									
(1610)	0.14	50	R				From: 88-1182 Harvest Lane					NA		NA		09/30/2002
							To: 88-1180 Harvestdale Dr									
(1611)	0.04	10	R				From: 88-1182 Harvest Lane					NA		NA		09/30/2002
							To: Dead End									
(1612) Brittany Commons Blvd	0.28	3000	R				From: SR 208 Courthouse Rd					NA		NA		11/07/2005
							To: Dead End									
(1613)	0.12	80	R				From: 88-1638					NA		NA		11/04/2002
							To: Cul-de-Sac									
(1614)	0.05	40	R				From: Cul-de-Sac					NA		NA		11/04/2002
							To: 88-1613									
(1615)	0.81	470	R				From: FR-696 Overview Dr					NA		NA		09/30/2002
							To: 88-608 Massaponax Church Rd									
(1616) Ardwick Cir	0.34	70	R				From: 88-1615 WEST					NA		NA		09/30/2002
							To: 88-1615 EAST									
(1617)	0.03	60	R				From: Cul-de-Sac					NA		NA		09/30/2002
							To: 88-1618; 88-1615									
(1618)	0.08	70	R				From: 88-1617; 88-1615					NA		NA		09/30/2002
							To: Cul-de-Sac									
(1619)	0.08	110	R				From: 88-1615					NA		NA		09/30/2002
							To: Cul-de-Sac									
(1620) Fox Gate Dr	0.26	640	R				From: SR 3 Plank Rd					NA		NA		10/03/2005
							To: 88-1621 Fox Gate Lane									
(1621) Fox Gate Lane	0.98	350	R				From: 88-1620 Fox Gate Dr					NA		NA		10/03/2005
							To: Cul-de-Sac									
(1622)	0.19	200	R				From: 88-1621 Fox Gate Lane					NA		NA		10/28/2002
							To: Cul-de-Sac									
(1623) Bridlerain Court	0.19	100	R				From: 88-1621 Fox Gate Lane					NA		NA		10/03/2005
							To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1624) Pelham Dr	0.07	230	R				From: 88-621 Orange Plank Rd					NA		NA		08/08/2005
(1624) Pelham Dr	0.10	180	R				To: 88-1625 Dana Ct					NA		NA		08/08/2005
(1624) Pelham Dr	0.11	130	R				From: 88-1626 Tracy Lane					NA		NA		08/08/2005
(1624) Pelham Dr	0.14	50	R				To: 88-1627 Kelsey Cir					NA		NA		08/08/2005
							From: Cul-de-Sac									
(1625) Dana Ct	0.13	45	R				To: Cul-de-Sac					NA		NA		08/08/2005
							From: 88-1624 Pelham Dr									
(1626) Tracy Lane	0.11	40	R				To: Cul-de-Sac					NA		NA		08/08/2005
							From: 88-1624 Pelham Dr									
(1627) Kelsey Circle	0.13	48	R				To: Cul-de-Sac					NA		NA		08/08/2005
							From: 88-621 Orange Plank Rd									
(1628) Kirk Lane	0.17	50	R				To: Cul-de-Sac					NA		NA		08/08/2005
							From: 88-621 Orange Plank Rd									
(1629) West Lake Circle	0.12	40	R				To: Cul-de-Sac					NA		NA		08/08/2005
							From: 88-608 Massaponax Church Rd									
(1630)	0.29	220	R				To: 88-1631					NA		NA		09/16/2002
							From: 88-1632									
(1631)	0.47	80	R				To: Cul-de-Sac					NA		NA		09/16/2002
							From: Dead End									
(1632)	0.08	20	R				To: 88-1631					NA		NA		09/16/2002
							From: 88-1631									
(1632)	0.16	46	R				To: Cul-de-Sac					NA		NA		09/16/2002
							From: Cul-de-Sac									
(1633)	0.18	70	R				To: 88-1621 Fox Gate Lane					NA		NA		10/29/2002
							From: 88-1621 Fox Gate Lane									
(1634)	0.19	60	R				To: Cul-de-Sac					NA		NA		10/29/2002
							From: Dead End									
(1635)	0.09	40	R				To: 88-780 Corridor Dr					NA		NA		09/16/2002
							From: 88-1638 SOUTHWEST									
(1636)	0.49	70	R				To: 88-1638 NORTHEAST					NA		NA		09/16/2002
							From: 88-1643 South Oaks Ave									
(1637)	0.17	60	R				To: 88-1638					NA		NA		09/16/2002
							From: 88-608 Massaponax Church Rd									
(1638)	0.65	1000	R				To: Dead End					NA		NA		09/16/2002
							From: 88-1638									
(1639)	0.06	60	R				To: Dead End					NA		NA		09/16/2002

Virginia Department of Transportation
 Traffic Engineering Division
 2009
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1640) Edinburgh Dr	0.98	990	R				From: SR 208 Courthouse Rd					NA		NA		09/19/2002
							To: End Loop									
(1641) Coventry Ct	0.11	160	R				From: 88-1640 Edinburgh Dr					NA		NA		09/19/2002
							To: Cul-de-Sac									
(1642) Dover Ct	0.05	130	R				From: 88-1640 Edinburgh Dr					NA		NA		09/19/2002
							To: Cul-de-Sac									
(1643) South Oaks Ave	0.21	220	R				From: 88-1636					NA		NA		08/03/2005
							To: 88-1638									
(1643) South Oaks Ave	0.08	490	R				From: 88-1649 South Oaks Court					NA		NA		08/03/2005
							To: 88-1647									
(1643) South Oaks Ave	0.05	680	R				From: 88-1646 Oak Glen Court					NA		NA		08/03/2005
							To: 88-1645 Southfork Court									
(1643) South Oaks Ave	0.07	990	R				From: 88-1644 Lesley Court					NA		NA		08/03/2005
							To: 88-780 Corridor Dr									
(1644) Lesley Court	0.17	160	R				From: Cul-de-Sac					NA		NA		08/15/2005
							To: 88-1643 South Oaks Ave									
(1644) Lesley Court	0.06	60	R				From: Cul-de-Sac					NA		NA		08/15/2005
							To: 88-1643 South Oaks Ave									
(1645) Southfork Court	0.16	140	R				From: Cul-de-Sac					NA		NA		08/15/2005
							To: Cul-de-Sac									
(1646) Oak Glen Court	0.07	80	R				From: 88-1643 South Oaks Ave					NA		NA		08/03/2005
							To: Cul-de-Sac									
(1646) Oak Glen Court	0.13	140	R				From: Cul-de-Sac					NA		NA		08/03/2005
							To: 88-1638									
(1647)	0.04	220	R				From: 88-1648 Veld Court					NA		NA		09/16/2002
							To: 88-1643 South Oaks Ave									
(1647)	0.10	210	R				From: Cul-de-Sac					NA		NA		09/16/2002
							To: 88-1647									
(1648) Veld Court	0.08	90	R				From: Cul-de-Sac					NA		NA		08/03/2005
							To: 88-1643 South Oaks Ave									
(1649) South Oaks Court	0.06	60	R				From: 88-628 Smith Station Rd					NA		NA		1995
							To: Cul-de-Sac									
(1650)	0.97	200	R				From: 88-628 Smith Station Rd					NA		NA		1995
							To: Cul-de-Sac									
(1651) Cobblestone Dr	0.16	1200	R				From: 88-1652 NORTH					NA		NA		12/09/2008
							To: 88-1652 NORTH									

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1651) Cobblestone Dr	0.06	820	R				88-1652 NORTH				NA			NA		12/09/2008
(1651) Cobblestone Dr	0.60	290	R				88-1653				NA			NA		12/09/2008
(1652)	0.57	160	R				88-1650				NA			NA		1999
(1653)	0.04	48	R				Cul-de-Sac				NA			NA		1999
(1653)	0.14	140	R				88-1666				NA			NA		1999
(1653)	0.14	390	R				88-1651 NORTH				NA			NA		1999
(1653)	0.10	160	R				88-1651				NA			NA		1999
(1653)	0.07	290	R				88-1655 Maple Ridge Dr				NA			NA		1999
(1653)	0.21	650	R				88-1650				NA			NA		1999
(1653)	0.09	450	R				88-1662				NA			NA		1999
(1653)	0.07	410	R				88-1663				NA			NA		1999
(1653)	0.09	300	R				88-1664				NA			NA		1999
(1653)	0.20	120	R				88-1658 Cedar Post Lane				NA			NA		1999
(1654)	0.10	NA					Cul-de-Sac				NA			NA		
(1655) Maple Ridge Dr	0.41	200	R				88-1653				NA			NA		11/09/2005
(1656) Bentwood Court	0.04	40	R				Cul-de-Sac				NA			NA		11/09/2005
(1657) Whipperwhill Court	0.04	48	R				88-1655 Maple Ridge Dr				NA			NA		11/09/2005
(1658) Cedar Post Lane	1.02	210	R				88-1653				NA			NA		11/09/2005
(1659) Bradford St	0.12	120	R				88-1650				NA			NA		11/09/2005
(1660) Heavenwood Court	0.08	70	R				88-1650				NA			NA		11/09/2005
(1661) Southridge Ct	0.08	210	R				Cul-de-Sac; O.08 MW				NA			NA		11/09/2005

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1661) Southridge Ct	0.16	110	R				88-1658 Cedar Post Lane				NA			NA		11/09/2005
							Cul-de-Sac									
(1662)	0.13	100	R				88-1653				NA			NA		1999
							88-1663									
(1662)	0.18	130	R				88-1658 Cedar Post Lane				NA			NA		1999
							88-1902									
(1662)	0.05	200	R				88-1903				NA			NA		1999
							88-1658 E, Cedar Post Lane									
(1662)	0.09	130	R				88-1651				NA			NA		1999
							88-1650									
(1663) Eden Park Dr	0.15	150	R				88-1662				NA			NA		12/09/2008
							88-1653									
(1663)	0.09	46	R				88-1653				NA			NA		1999
							88-1653									
(1663)	0.06	190	R				88-1658; 88-1906				NA			NA		1999
							88-1651 WEST									
(1664)	0.15	90	R				88-1651 EAST				NA			NA		11/04/2002
							Cul-de-Sac									
(1665)	0.06	70	R				88-1653				NA			NA		11/04/2002
							Cul-de-Sac									
(1666)	0.06	50	R				88-1669				NA			NA		11/04/2002
							88-628; 88-1651									
(1667) Crestfield Lane	0.13	120	R				88-1668 Autumn Wood Dr				NA			NA		11/04/2002
							88-1678 Silverbrook Dr									
(1667)	0.21	150	R				88-1677 Springwood Dr				NA			NA		08/29/2005
							Dead End									
(1668) Autumn Wood Dr	0.09	160	R				88-1670				NA			NA		11/04/2002
							88-1670									
(1668) Autumn Wood Dr	0.16	260	R				88-1670				NA			NA		11/04/2002
							88-1670									
(1668) Autumn Wood Dr	0.07	630	R				88-1670				NA			NA		11/04/2002
							88-628; 88-1651									
(1669)	0.37	150	R				88-1668 Autumn Wood Dr				NA			NA		11/04/2002
							88-1678 Silverbrook Dr									
(1670)	0.21	470	R				88-627 Gordon Rd				NA			NA		08/19/2002
							88-1673									
(1671)	0.23	70	R				88-1670				NA			NA		08/19/2002
							88-1675									
(1672)	0.14	200	R				88-1670				NA			NA		08/19/2002
							Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1673)	0.23	170	R				88-1670				NA			NA		08/19/2002
							88-1674									
(1674)	0.17	170	R				88-1673				NA			NA		08/19/2002
							Cul-de-Sac									
(1675)	0.21	490	R				88-1673				NA			NA		08/19/2002
							88-627 Gordon Rd									
(1676)	0.07	100	R				Cul-de-Sac				NA			NA		11/04/2002
							88-1668 Autumn Wood Dr									
(1677) Springwood Dr	0.07	60	R				Cul-de-Sac				NA			NA		08/29/2005
							88-1668 Autumn Wood Dr									
(1677) Springwood Dr	0.12	NA					Cul-de-Sac				NA			NA		
							Cul-de-Sac									
(1678) Silverbrook Dr	0.29	400	R				88-1609				NA			NA		08/29/2005
							88-628 Smith Station Rd									
(1679) Saxony Circle	0.06	90	R				Dead End				NA			NA		08/29/2005
							88-1667									
(1680)	0.63	450	R				Cul-de-Sac				NA			NA		09/17/2002
							SR 3 Plank Rd									
(1681)	0.69	130	R				88-1680				NA			NA		09/17/2002
							88-1680									
(1682) Mindy Court	0.12	130	R				88-1689				NA			NA		10/19/2005
							Cul-de-Sac									
(1683) Tatiana Court	0.05	60	R				88-1689				NA			NA		10/19/2005
							Cul-de-Sac									
(1684) Timberlake Rd	0.41	240	R				88-2155 Hickory Hill Dr				NA			NA		10/19/2005
							88-1691 Layton St									
(1684) Timberlake Rd	0.29	560	R				88-1615				NA			NA		10/19/2005
							Cul-de-Sac									
(1685) East Glen Dower Dr	0.12	80	R				Cul-de-Sac				NA			NA		10/19/2005
							88-1684 Timberlake Rd									
(1685) East Glen Dower Dr	0.12	NA					Cul-de-Sac				NA			NA		
							Cul-de-Sac									
(1686)	0.28	1000	R				88-1037 Monticello St				NA			NA		11/07/2002
							88-1689									
(1687)	0.04	40	R				Cul-de-Sac				NA			NA		11/07/2002
							88-1686									
(1688)	0.23	190	R				Cul-de-Sac				NA			NA		11/07/2002
							88-1686									

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1689)	0.70	220	R											NA		11/07/2002
(1690) Heather Greens Cir	0.69	290	R											NA		1999
(1691) Layton St	0.10	80	R											NA		10/19/2005
(1691) Layton St	0.06	110	R											NA		10/19/2005
(1692) Jansen Ct	0.06	40	R											NA		10/19/2005
(1693) Albert Dr	0.45	200	R											NA		10/19/2005
(1694) Twiford Court	0.07	90	R											NA		10/19/2005
(1695) Andrews Mill Lane	0.20	70	R											NA		10/19/2005
(1696) River Junction Dr	0.88	180	R											NA		11/07/2005
(1697) Gold Mine Court	0.26	40	R											NA		11/07/2005
(1698) Riverview Dr	0.49	30	R											NA		11/07/2005
(1699) Junction Ct	0.12	20	R											NA		11/07/2005
(1700)	0.39	90	R											NA		10/07/2002
(1701) Ni River Dr	0.42	80	R											NA		08/03/2005
(1701) Ni River Dr	0.06	140	R											NA		08/03/2005
(1701) Ni River Dr	0.14	230	R											NA		08/03/2005
(1701) Ni River Dr	0.09	590	R											NA		08/03/2005
(1701) Ni River Dr	0.14	480	R											NA		08/03/2005
(1701) Ni River Dr	0.13	660	R											NA		08/03/2005
(1702) Marathon Pl	0.14	190	R											NA		08/03/2005

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1703) Shaw Dr	0.34	240	R				From: 88-1701 Ni River Dr					NA		NA		08/03/2005
(1703) Shaw Dr	0.19	100	R				To: 88-1704 Colise Lane					NA		NA		08/03/2005
							To: Dead End									
(1704) Colise Lane	0.15	49	R				From: 88-1703 Shaw Dr					NA		NA		08/03/2005
							To: 88-1701 Ni River Dr									
(1705) Helena Terrace	0.11	130	R				From: 88-1701 Ni River Dr					NA		NA		08/03/2005
(1705) Helena Terrace	0.13	90	R				To: 88-1706 Beau Court					NA		NA		08/03/2005
							To: Cul-de-Sac									
(1706) Beau Court	0.06	30	R				From: 88-1705 Helena Terrace					NA		NA		08/03/2005
							To: Cul-de-Sac									
(1707)	0.10	190	R				From: 88-1708; 88-1709					NA		NA		09/04/2002
							To: 88-616 US Ford Rd									
(1708)	0.86	30	R				From: 88-1709; 88-1707					NA		NA		09/04/2002
							To: 88-1709									
(1709)	0.88	40	R				From: 88-1708; 88-1707					NA		NA		09/04/2002
							To: 88-1710									
(1710)	0.98	160	R				From: 88-616 US Ford Rd					NA		NA		09/04/2002
							To: Cul-de-Sac									
(1711) Avocet Way	0.44	480	R				From: 88-1712 Cinnamon Teal					NA		NA		09/29/2005
							To: 88-625 Ashby Dr									
(1712) Cinnamon Teal	0.27	910	R				From: 88-612 Catharpin Rd					NA		NA		11/05/2002
							To: 88-1713									
(1712) Cinnamon Teal	0.46	1000	R				From: 88-1723 S. Blue Herron Circle					NA		NA		09/29/2005
(1712) Cinnamon Teal	0.84	520	R				To: 88-625 Ashby Dr					NA		NA		09/29/2005
							To: 88-1712 Cinnamon Teal									
(1713)	0.35	60	R				From: 88-1712 Cinnamon Teal					NA		NA		11/05/2002
							To: Dead End									
(1714)	0.14	210	R				From: 88-613 Brock Rd					NA		NA		10/22/2002
							To: 88-1715									
(1714)	0.36	70	R				From: 88-1715					NA		NA		10/22/2002
							To: Cul-de-Sac									
(1715)	0.90	300	R				From: 88-1714					NA		NA		10/22/2002
							To: Cul-de-Sac									
(1716) Ashleigh Park Blvd	0.18	550	R				From: 88-610 Old Plank Rd					NA		NA		11/05/2002
							To: Dead End									
(1716) Ashleigh Park Blvd	0.05	20	R				From: 88-1753 Stonehenge Dr					NA		NA		09/08/2005
							To: Dead End									

Virginia Department of Transportation
 Traffic Engineering Division
 2009
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1717)	0.13	190	R								NA			NA		09/08/2005
(1717) Heathrow Dr	0.19	80	R								NA			NA		11/05/2002
(1718) Sterling Dr	0.29	450	R								NA			NA		09/08/2005
(1718) Sterling Dr	0.11	70	R								NA			NA		11/05/2002
(1719)	0.22	90	R								NA			NA		11/05/2002
(1720)	0.41	230	R								NA			NA		10/17/2002
(1720)	0.06	45	R								NA			NA		10/17/2002
(1721)	0.34	150	R								NA			NA		10/17/2002
(1722)	0.10	46	R								NA			NA		10/17/2002
(1722)	0.10	40	R								NA			NA		10/17/2002
(1723) Blue Herron Circle	0.51	100	R								NA			NA		09/29/2005
(1724) Sanderling Court	0.09	70	R								NA			NA		09/29/2005
(1725) Millstream Dr	0.59	310	R								NA			NA		10/31/2002
(1726) Millwood Dr	0.50	170	R								NA			NA		10/31/2002
(1726) Millwood Dr	0.36	230	R								NA			NA		10/31/2002
(1726) Millwood Dr	0.16	46	R								NA			NA		10/31/2002
(1727) Millwood Ct	0.09	50	R								NA			NA		10/31/2002
(1727) Millwood Ct	0.06	60	R								NA			NA		10/31/2002
(1728) Canvasback Court	0.19	110	R								NA			NA		09/29/2005
(1729)	0.29	110	R								NA			NA		09/04/2002

Virginia Department of Transportation
 Traffic Engineering Division
 2009
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1730)	0.76	150	R											NA		09/04/2002
(1731)	0.16	40	R											NA		09/04/2002
(1731)	0.50	160	R											NA		09/04/2002
(1732)	0.27	60	R											NA		09/04/2002
(1733) Antler Rd	0.60	260	R											NA		09/04/2002
(1733) Antler Rd	0.22	40	R											NA		09/04/2002
(1734) Antler Ct	0.26	80	R											NA		09/04/2002
(1735)	0.25	90	R											NA		10/17/2002
(1736)	0.18	60	R											NA		10/17/2002
(1737) Sedgwick Dr	0.21	150	R											NA		10/17/2005
(1737) Sedgwick Dr	0.22	70	R											NA		10/17/2005
(1738) McLane Pl	0.10	90	R											NA		10/17/2005
(1739) Floral Pl	0.12	30	R											NA		10/17/2002
(1740) River Bluffs Dr	0.13	560	R											NA		10/17/2005
(1740) River Bluffs Dr	0.35	290	R											NA		10/17/2005
(1741) River Bend Dr W	0.32	60	R											NA		10/17/2005
(1741) River Bend Dr W	0.48	180	R											NA		10/17/2005
(1741) River Bend Dr E	0.64	140	R											NA		10/17/2005
(1742) Old Ridge Rd	0.13	60	R											NA		10/17/2005
(1742) Old Ridge Rd	0.06	100	R											NA		10/17/2005

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1743) Bluff Point Rd	0.21	49	R				From: 88-1742 Old Ridge Rd					NA		NA		10/17/2005
							To: Cul-de-Sac									
(1744) Goldview Dr	0.62	240	R				From: 88-1740 River Bluffs Dr					NA		NA		10/17/2005
							To: Cul-de-Sac									
(1745) Beech Tree Ct	0.19	90	R				From: 88-1744 Goldview Dr					NA		NA		10/17/2005
							To: Cul-de-Sac									
(1746) River Oak Pl	0.25	80	R				From: 88-1744 Goldview Dr					NA		NA		10/17/2005
							To: Cul-de-Sac									
(1747) Wesley Dr	0.42	100	R				From: SR 3 Plank Rd					NA		NA		10/03/2005
							To: Cul-de-Sac									
(1748) Hemlock Ct	0.20	20	R				From: 88-1741 River Bend Dr W					NA		NA		10/17/2005
							To: Cul-de-Sac									
(1749) Snowy Egret Court	0.53	170	R				From: Dead End					NA		NA		09/29/2005
							To: 88-1711 Avocet Way									
(1750) Riverdowns Dr	0.28	160	R				From: 88-618 River Rd					NA		NA		10/17/2005
							To: 88-1751 Rosecroft Dr									
(1750)	0.12	30	R				From: Cul-de-Sac					NA		NA		10/17/2005
							To: Cul-de-Sac									
(1751) Rosecroft Dr	0.20	90	R				From: 88-1750 Riverdowns Dr					NA		NA		10/17/2005
							To: Cul-de-Sac									
(1752)	0.28	110	R				From: 88-610 Old Plank Rd					NA		NA		09/17/2002
							To: Cul-de-Sac									
(1753) Stonehenge Dr	0.42	280	R				From: 88-1718 Sterling Dr					NA		NA		09/08/2005
							To: 88-1716 Ashleigh Park Blvd									
(1753)	0.37	280	R				From: Cul-de-Sac					NA		NA		09/08/2005
							To: Cul-de-Sac									
(1754) Knight Court	0.11	110	R				From: 88-1753					NA		NA		09/08/2005
							To: Cul-de-Sac									
(1755) McClain St	0.04	60	R				From: Cul-de-Sac					NA		NA		08/26/2002
							To: 88-1756 Willow Woods Dr									
(1755) McClain St	0.06	250	R				From: 88-1756 Willow Woods Dr					NA		NA		08/26/2002
							To: 88-760 S. Corter Ave									
(1755) McClain St	0.20	40	R				From: 88-760 S. Corter Ave					NA		NA		08/26/2002
							To: 88-760 N. Corter Ave									
(1756) Willow Woods Dr	0.23	80	R				From: 88-760 Corter Ave					NA		NA		08/26/2002
							To: 88-1755 McClain St									
(1757) Drew Lane	0.15	190	R				From: 88-760 Corter Ave					NA		NA		09/08/2005
							To: 88-1758 W. Middleton Dr									
(1757) Drew Lane	0.21	70	R				From: 88-1758 W. Middleton Dr					NA		NA		09/08/2005
							To: 88-1758 E. Middleton Dr									

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1758) Middleton Dr	0.06	60	R				From: 88-1757 W. Drew Lane				NA			NA		09/08/2005
(1758) Middleton Dr	0.10	600	R				From: 88-760 Corter Ave				NA			NA		09/08/2005
(1758) Middleton Dr	0.11	640	R				From: 88-1757 E, Drew Lane				NA			NA		09/08/2005
							To: 88-620 Spottswood Furnace Rd									
(1759) General Sickles Court	0.14	60	R				From: Cul-de-Sac				NA			NA		11/07/2005
							To: 88-1762 Perimeter Dr									
(1760) Springfield Dr	0.60	540	R				From: 88-1237 Butternut Dr				NA			NA		1999
							To: Cul-de-Sac									
(1761) Kyle Ct	0.06	100	R				From: Cul-de-Sac				NA			NA		1999
							To: 88-1760 Springfield Dr									
(1762) Perimeter Dr	0.25	240	R				From: 88-1759 General Sickles Court				NA			NA		11/07/2005
(1762) Perimeter Dr	0.81	840	R				From: 88-1774				NA			NA		11/05/2002
							To: 88-616 US Ford Rd									
(1763)	0.38	100	R				From: 88-1762 Perimeter Dr				NA			NA		11/05/2002
							To: Cul-de-Sac									
(1764) Barnes Ct	0.10	30	R				From: Cul-de-Sac				NA			NA		11/05/2002
							To: 88-1763									
(1765)	0.07	50	R				From: Dead End				NA			NA		09/10/2002
(1765)	0.18	70	R				From: 88-1770				NA			NA		09/10/2002
(1765)	0.08	340	R				From: 88-1772				NA			NA		09/10/2002
(1765)	0.07	610	R				From: 88-1771				NA			NA		09/10/2002
(1765)	0.10	820	R				From: 88-1770				NA			NA		09/10/2002
(1765)	0.10	970	R				From: 88-1769				NA			NA		09/10/2002
(1765)	0.06	1100	R				From: 88-1768				NA			NA		09/10/2002
(1765)	0.05	1200	R				From: 88-1767				NA			NA		09/10/2002
(1765)	0.05	1300	R				From: 88-1766				NA			NA		09/10/2002
							To: 88-610 Old Plank Rd									
(1766)	0.05	60	R				From: 88-1765				NA			NA		09/10/2002
							To: Cul-de-Sac									
(1767)	0.08	80	R				From: Cul-de-Sac				NA			NA		09/10/2002
							To: 88-1765									

Virginia Department of Transportation
 Traffic Engineering Division
 2009
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1768)	0.10	160	R				From: 88-1765					NA		NA		09/10/2002
							To: 88-1769									
(1769)	0.15	100	R				From: 88-1765					NA		NA		09/10/2002
							To: 88-1768									
(1770)	0.32	120	R				From: Cul-de-Sac					NA		NA		09/10/2002
							To: 88-1771									
(1770)	0.16	220	R				From: 88-1765					NA		NA		09/10/2002
							To: 88-1765									
(1771)	0.12	70	R				From: 88-1765					NA		NA		09/10/2002
							To: 88-1770									
(1772)	0.12	90	R				From: 88-1765					NA		NA		09/10/2002
							To: 88-1770									
(1773)	0.16	60	R				From: Cul-de-Sac					NA		NA		10/28/2002
							To: 88-1762 Perimeter Dr									
(1774)	0.32	110	R				From: 88-1762 Perimeter Dr					NA		NA		10/28/2002
							To: 88-1778									
(1775)	0.36	90	R				From: SR 208 Courthouse Rd					NA		NA		10/28/2002
							To: Cul-de-Sac									
(1776)	0.12	60	R				From: 88-1774; 88-1777					NA		NA		10/28/2002
							To: Cul-de-Sac									
(1777)	0.12	70	R				From: Cul-de-Sac					NA		NA		10/28/2002
							To: 88-1774; 88-1776									
(1778)	0.13	60	R				From: 88-1774					NA		NA		10/28/2002
							To: Cul-de-Sac									
(1779) Quail Meadows Dr	0.34	130	R				From: 88-702 Curtis Lane					NA		NA		11/02/2005
							To: Cul-de-Sac									
(1780)	0.26	520	R				From: 88-610 Old Plank Rd					NA		NA		09/12/2002
							To: 88-1783									
(1781)	0.19	150	R				From: 88-1780					NA		NA		09/12/2002
							To: Dead End									
(1782)	0.20	150	R				From: 88-1780					NA		NA		09/12/2002
							To: Dead End									
(1783)	0.13	40	R				From: 88-1782					NA		NA		09/12/2002
							To: Cul-de-Sac									
(1784) Wales Dr	0.40	80	R				From: Dead End					NA		NA		09/08/2005
							To: 88-1753 Stonehenge Dr									
(1786) Musket Ridge Lane	0.10	150	R				From: 88-618 River Rd					NA		NA		10/03/2005
							To: 88-1787 Pipe Run Dr									

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1786) Musket Ridge Lane	0.16	100	R								NA			NA		10/03/2005
						From: 88-1787 Pipe Run Dr										
(1786) Musket Ridge Lane	0.10	20	R								NA			NA		10/03/2005
						From: 88-1788 Canteen Circle										
						To: Dead End										
(1787) Pipe Run Dr	0.09	100	R								NA			NA		10/03/2005
						From: 88-1789 Bayonet Point Court; Bayonet Point Ct										
(1787) Pipe Run Dr	0.30	46	R								NA			NA		10/03/2005
						From: 88-1788 Canteen Circle										
						To: 88-1786 Musket Ridge Lane										
(1788) Canteen Circle	0.40	60	R								NA			NA		10/03/2005
						From: 88-1787 Pipe Run Dr										
						To: 88-1786 Musket Ridge Lane										
(1789) Bayonet Point Ct	0.09	160	R								NA			NA		10/03/2005
						From: 88-618 River Rd										
(1789) Bayonet Point Court	0.19	40	R								NA			NA		10/03/2005
						From: 88-1787 Pipe Run Dr										
						To: Dead End										
(1790)	0.44	580	R								NA			NA		10/17/2002
						From: SR 3 Plank Rd										
						To: 88-618 River Rd										
(1791)	0.25	90	R								NA			NA		10/17/2002
						From: 88-1790										
						To: Cul-de-Sac										
(1792)	0.27	60	R								NA			NA		10/17/2002
						From: SR 3 Plank Rd										
						To: Cul-de-Sac										
(1793) Trench Court	0.06	30	R								NA			NA		10/03/2005
						From: Dead End										
(1793) Trench Court	0.31	90	R								NA			NA		10/03/2005
						From: 88-1795 Campfire Lane										
						To: 88-618 River Rd										
(1794)	0.31	150	R								NA			NA		10/17/2002
						From: Cul-de-Sac										
						To: 88-618 River Rd										
(1795) Campfire Lane	0.24	100	R								NA			NA		10/03/2005
						From: 88-1793 Trench Court										
						To: 88-618 River Rd										
(1796)	0.22	80	R								NA			NA		10/28/2002
						From: Cul-de-Sac										
						To: SR 208 Courthouse Rd										
(1797) Wilton Lane	0.58	120	R								NA			NA		10/08/2002
						From: 88-614 Dickerson Rd										
						To: Dead End										
(1798) Elizabeth Court	0.06	30	R								NA			NA		10/03/2005
						From: Cul-de-Sac										
						To: 88-1794										
(1799) Wood Ibis Court	0.13	90	R								NA			NA		09/29/2005
						From: Dead End										
						To: 88-1712 Cinnamon Teal										
(1800)	0.32	240	R								NA			NA		08/21/2002
						From: SR 208 Courthouse Rd										
						To: Cul-de-Sac										
(1801)	0.14	50	R								NA			NA		08/21/2002
						From: 88-1800										
						To: 88-1802										

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1802)	0.10	50	R				88-1800				NA			NA		08/21/2002
							Cul-de-Sac									
(1803)	0.46	NA					88-619 Mill Rd				NA			NA		
							Cul-de-Sac									
(1804) Five Mile Rd	0.19	840	R				SR 3 Plank Rd				NA			NA		12/11/2008
							88-675 Five Mile Rd									
(1805) St Catherines Court	0.17	130	R				Dead End				NA			NA		11/07/2005
							88-1090									
(1806) Dartmoor Court	0.19	140	R				Dead End				NA			NA		11/07/2005
							88-1091 Lancaster Ring Rd									
(1807) Dunstable Court	0.07	70	R				Dead End				NA			NA		11/07/2005
							88-1091 Lancaster Ring Rd									
(1808) Wellington Glen Dr	0.23	430	R				88-674 Chancellor Rd				NA			NA		09/29/2005
							88-1809 Regency Glen Dr									
(1809) Regency Glen Dr	0.43	240	R				88-1808 Wellington Glen Dr				NA			NA		09/29/2005
							Cul-de-Sac									
(1810)	0.27	410	R				88-674 Chancellor Rd				NA			NA		09/17/2002
							Cul-de-Sac									
(1811)	0.18	230	R				88-1810				NA			NA		09/17/2002
							Cul-de-Sac									
(1812)	0.04	48	R				Cul-de-Sac				NA			NA		09/17/2002
							88-1811									
(1813)	0.13	160	R				88-1811				NA			NA		09/17/2002
							Cul-de-Sac									
(1814)	0.24	270	R				Cul-de-Sac				NA			NA		09/17/2002
							88-1813									
(1815)	0.06	90	R				Cul-de-Sac				NA			NA		09/17/2002
							88-1814									
(1816)	0.06	360	R				88-674 Chancellor Rd				NA			NA		09/17/2002
							88-1814									
(1817)	0.13	100	R				88-1818				NA			NA		10/28/2002
							88-1270 Cambridge Dr									
(1818)	0.16	140	R				Dead End				NA			NA		10/28/2002
							88-1270 Cambridge Dr									
(1819)	0.06	70	R				88-1821				NA			NA		10/28/2002
							Dead End									
(1820)	0.10	650	R				88-1270 Cambridge Dr				NA			NA		10/28/2002
							Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1821)	0.31	410	R			From: 88-1270 Cambridge Dr					NA			NA		10/28/2002
						To: 88-1270 S, Cambridge Dr										
(1822)	0.14	80	R			From: Cul-de-Sac					NA			NA		10/28/2002
						To: 88-1270 Cambridge Dr										
(1823)	0.10	180	R			From: 88-743; 88-1824					NA			NA		09/17/2002
						To: Cul-de-Sac										
(1824)	0.04	60	R			From: Cul-de-Sac					NA			NA		09/17/2002
						To: 88-743; 88-1823										
(1825) Peach Tree Dr	0.15	120	R			From: Cul-de-Sac					NA			NA		09/29/2005
						To: 88-1828 Blossom Wood Court										
(1825) Peach Tree Dr	0.12	330	R			From: 88-1827 Bridgewood Court					NA			NA		09/29/2005
						To: 88-1826 Sandalwood Lane										
(1825) Peach Tree Dr	0.22	450	R			From: 88-1825 Peach Tree Dr					NA			NA		09/29/2005
						To: 88-743; 88-1835										
(1826) Sandalwood Lane	0.06	60	R			From: 88-1825 Peach Tree Dr					NA			NA		09/29/2005
						To: Cul-de-Sac										
(1827) Bridgewood Court	0.13	180	R			From: 88-1825 Peach Tree Dr					NA			NA		09/29/2005
						To: Cul-de-Sac										
(1828) Blossom Wood Court	0.14	150	R			From: Cul-de-Sac					NA			NA		09/29/2005
						To: 88-1825 Peach Tree Dr										
(1829) Live Oak Court	0.06	60	R			From: 88-743 Lewis Thorburn Rd					NA			NA		09/29/2005
						To: Cul-de-Sac										
(1830)	0.20	100	R			From: 88-616 US Ford Rd					NA			NA		09/04/2002
						To: Cul-de-Sac										
(1831) Willow Court	0.09	100	R			From: Cul-de-Sac					NA			NA		09/29/2005
						To: 88-743 Lewis Thorburn Rd										
(1831) Sumac Court	0.04	40	R			From: 88-743 Lewis Thorburn Rd					NA			NA		09/29/2005
						To: Cul-de-Sac										
(1832) White Pine Court	0.08	110	R			From: Cul-de-Sac					NA			NA		09/29/2005
						To: 88-743 Lewis Thorburn Rd										
(1833) Cedar Cove Court	0.04	30	R			From: 88-743 Lewis Thorburn Rd					NA			NA		09/29/2005
						To: Cul-de-Sac										
(1834) Locust Court	0.11	150	R			From: Cul-de-Sac					NA			NA		09/29/2005
						To: 88-743 Lewis Thorburn Rd										
(1835) Red Ash Court	0.05	60	R			From: 88-743; 88-1825					NA			NA		09/29/2005
						To: Cul-de-Sac										
(1836) Elmwood Lane	0.14	170	R			From: 88-743 Lewis Thorburn Rd					NA			NA		09/29/2005
						To: 88-1837 Highland Oaks Dr										

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1837) Highland Oaks Dr	0.15	70	R				From: 88-1836 Elmwood Lane					NA		NA		09/29/2005
(1837) Highland Oaks Dr	0.05	40	R				To: 88-1838 Walnut St					NA		NA		09/29/2005
(1838) Walnut St	0.09	310	R				From: Cul-de-Sac					NA		NA		09/29/2005
(1838) Walnut St	0.11	100	R				To: 88-743 Lewis Thorburn Rd					NA		NA		09/29/2005
(1839) Spruce Court	0.05	30	R				From: 88-1839 Spruce Court					NA		NA		09/29/2005
(1840)	0.18	760	R				To: 88-1837 Highland Oaks Dr					NA		NA		09/29/2005
(1841)	0.31	190	R				From: Cul-de-Sac					NA		NA		09/29/2005
(1842)	1.31	160	R				To: 88-1838 Walnut St					NA		NA		09/29/2005
(1843)	0.08	50	R				From: 88-1842 Begin Loop					NA		NA		09/17/2002
(1844)	0.07	49	R				To: 88-610 Old Plank Rd					NA		NA		09/17/2002
(1845) Catharines Furnace Cou	0.11	60	R				From: 88-1840					NA		NA		09/17/2002
(1846)	0.14	120	R				To: Cul-de-Sac					NA		NA		09/17/2002
(1847)	0.63	290	R				From: 88-1842					NA		NA		10/24/2002
(1848)	0.11	90	R				To: 88-1842					NA		NA		10/24/2002
(1849) Westerlo Court	0.06	60	R				From: Cul-de-Sac					NA		NA		08/31/2005
(1850) Blackstone Blvd	0.48	3700	R				To: 88-1842					NA		NA		09/25/2002
(1850) Blackstone Blvd	0.06	1200	R				From: 88-628 Smith Station Rd					NA		NA		09/25/2002
(1851)	0.93	240	R				To: 88-1851 N, Prospect St					NA		NA		09/25/2002
(1851)	0.18	360	R				From: 88-1862 New Pembroke Lane					NA		NA		09/25/2002
(1851)	0.07	NA					To: 88-1854					NA		NA		
							From: 88-1850 EAST					NA		NA		09/25/2002
							To: 88-1859					NA		NA		
							From: Dead End					NA		NA		
							To: Dead End					NA		NA		

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1852) Hope Cour	0.05	60	R								NA		NA			08/31/2005
(1853) Justice Dr	0.06	46	R								NA		NA			08/31/2005
(1854)	0.29	820	R								NA		NA			08/26/2002
(1854)	0.26	980	R								NA		NA			08/26/2002
(1854)	0.03	1400	R								NA		NA			08/26/2002
(1855) Sweetbriar Dr	0.53	300	R								NA		NA			08/31/2005
(1856) Cranston Lane	0.39	560	R								NA		NA			08/31/2005
(1856) Cranston Lane	0.06	1100	R								NA		NA			08/31/2005
(1856)	0.11	180	R								NA		NA			09/25/2002
(1857) Providence Court	0.12	150	R								NA		NA			08/31/2005
(1858) Thayer Court	0.17	250	R								NA		NA			08/31/2005
(1859) Charlesfield Dr	0.03	450	R								NA		NA			08/26/2002
(1859)	0.25	330	R								NA		NA			08/31/2005
(1859)	0.29	850	R								NA		NA			08/31/2005
(1859)	0.06	330	R								NA		NA			08/31/2005
(1861) Waterman Dr	0.08	70	R								NA		NA			08/31/2005
(1861) Waterman Dr	0.34	330	R								NA		NA			08/31/2005
(1862) New Pembroke Lane	0.21	250	R								NA		NA			10/06/2009
(1862) New Pembroke Lane	0.15	580	R								NA		NA			09/25/2002
(1862) New Pembroke Lane	0.09	730	R								NA		NA			09/25/2002
(1862) New Pembroke Lane	0.06	NA									NA		NA			

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1863) Barton Lane	0.12	590	R				88-1862				NA			NA		08/31/2005
							88-1868 West Melody Court									
(1865) Benevolent St	0.19	130	R				88-1859 S, Charlesfield Dr				NA			NA		08/31/2005
							88-1859 NORTH									
(1866) Avery St	0.06	48	R				88-1867 Danford St				NA			NA		08/31/2005
							88-1856 Cranston Lane									
(1867) Danford St	0.10	150	R				Cul-de-Sac				NA			NA		08/31/2005
							88-1856 Cranston Lane									
(1867) Danford St	0.18	320	R								NA			NA		08/31/2005
							88-1866 Avery St									
(1867) Danford St	0.58	180	R								NA			NA		09/25/2002
							Dead End									
(1868) West Melody Court	0.12	160	R				88-1863 Barton Lane				NA			NA		08/31/2005
							88-1869 North Cranston Lane									
(1868) West Melody Court	0.11	NA									NA			NA		
							Dead End									
(1869) North Cranston Lane	0.15	170	R				Cul-de-Sac				NA			NA		08/31/2005
							88-1868 West Melody Court									
(1869) North Cranston Lane	0.15	420	R								NA			NA		12/09/2008
							88-1862									
(1870) Aspen Lane	0.13	NA					Cul-de-Sac				NA			NA		
							88-1871 Tupelo Dr									
(1870) Aspen Lane	0.19	440	R								NA			NA		09/16/2002
							88-1430 Shade Tree Lane									
(1870) Aspen Lane	0.08	NA									NA			NA		
							Cul-de-Sac									
(1871) Tupelo Dr	0.31	180	R				Cul-de-Sac				NA			NA		09/16/2002
							88-1870 Aspen Lane									
(1872) Sawmill Circle	0.05	10	R				88-1871 Tupelo Dr				NA			NA		09/16/2002
							Cul-de-Sac									
(1873)	0.09	670	R				88-1874				NA			NA		11/05/2002
							88-610 Old Plank Rd									
(1874)	0.53	380	R				88-1827; 88-1825				NA			NA		11/05/2002
							Cul-de-Sac									
(1875)	0.05	40	R				88-1874				NA			NA		11/05/2002
							Cul-de-Sac									
(1876)	0.07	90	R				88-1825 Peach Tree Dr				NA			NA		11/05/2002
							Cul-de-Sac									
(1877) Furbeck Rd	0.09	30	R				88-1753 Stonehenge Dr				NA			NA		12/11/2008
							88-1784 Wales Dr									

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1878) Setter Dr	0.17	120	R				From: 88-1718 Sterling Dr				NA			NA		12/11/2008
							To: 88-1753 Stonehenge Dr									
(1879)	0.16	NA					From: 88-1869				NA			NA		
							To: Dead End									
(1880)	0.18	370	R				From: 88-1881 WEST				NA			NA		09/19/2002
							To: 88-620 Harrison Rd									
(1881)	0.20	210	R				From: 88-1880 WEST				NA			NA		09/19/2002
							To: 88-1880 EAST									
(1882) Mossy Bank Lane	0.37	360	R				From: Cul-de-Sac				NA			NA		10/19/2005
							To: 88-1037 Monticello St									
(1883) Hackberry Court	0.05	60	R				From: 88-1882 Mossy Bank Lane				NA			NA		10/19/2005
							To: Cul-de-Sac									
(1884) Fieldstone Court	0.09	30	R				From: Cul-de-Sac				NA			NA		10/19/2005
							To: Cul-de-Sac NORTH									
(1885) Cotter Court	0.04	60	R				From: 88-1882 Mossy Bank Lane				NA			NA		10/19/2005
							To: Cul-de-Sac									
(1886)	0.41	NA					From: 88-1803				NA			NA		
							To: Cul-de-Sac									
(1887)	0.13	850	R				From: Cul-de-Sac				NA			NA		11/05/2002
							To: 88-1035									
(1888)	0.09	110	R				From: 88-1887				NA			NA		11/05/2002
							To: Cul-de-Sac									
(1889)	0.05	40	R				From: 88-1888				NA			NA		11/05/2002
							To: Cul-de-Sac									
(1890)	0.50	440	R				From: Dead End				NA			NA		10/10/2002
							To: 88-604; 88-605									
(1891)	0.32	80	R				From: Cul-de-Sac				NA			NA		10/10/2002
							To: 88-1893									
(1891)	1.14	350	R				From: 88-1890				NA			NA		10/10/2002
							To: 88-1891									
(1892)	0.18	40	R				From: 88-1891				NA			NA		10/10/2002
							To: Cul-de-Sac									
(1893)	0.60	120	R				From: Cul-de-Sac				NA			NA		10/10/2002
							To: 88-1891									
(1894) Crown Grant Dr	0.36	1200	R				From: Dead End				NA			NA		11/07/2005
							To: SR 208 Courthouse Rd									
(1895) Chesney Dr	0.39	380	R				From: Cul-de-Sac				NA			NA		11/07/2005
							To: 88-1894 Crown Grant Dr									

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1895) Chesney Dr	0.48	140	R			From: 88-1894 Crown Grant Dr					NA			NA		12/09/2008
						To: End of Loop										
(1896)	0.06	NA				From: Dead End					NA			NA		
						To: 88-1517 Lake Point Dr										
(1897)	0.12	NA				From: 88-1894 Crown Grant Dr					NA			NA		
						To: Cul-de-Sac										
(1902)	0.05	40	R			From: Cul-de-Sac					NA			NA		08/26/2002
						To: 88-1662										
(1903)	0.04	70	R			From: 88-1662					NA			NA		08/26/2002
						To: Cul-de-Sac										
(1904)	0.12	190	R			From: Cul-de-Sac					NA			NA		08/26/2002
						To: 88-1658 Cedar Post Lane										
(1905)	0.06	60	R			From: 88-1904					NA			NA		08/26/2002
						To: Cul-de-Sac										
(1906)	0.11	110	R			From: 88-1658; 88-1664					NA			NA		1999
						To: Cul-de-Sac										
(1908)	0.07	90	R			From: 88-1917					NA			NA		10/24/2002
						To: Cul-de-Sac										
(1909)	0.06	60	R			From: 88-1917					NA			NA		10/24/2002
						To: Cul-de-Sac										
(1910) Smoketree Blvd	0.14	330	R			From: 88-1911 Arbor Glen Dr					NA			NA		10/12/2005
						To: 88-1912 Cedar Crest Dr										
(1910) Smoketree Blvd	0.09	1800	R			From: 88-1912 Cedar Crest Dr					NA			NA		10/12/2005
						To: 88-610 Old Plank Rd										
(1911) Arbor Glen Dr	0.16	160	R			From: 88-1916 Woodland View Dr					NA			NA		10/24/2002
						To: 88-1910 Smoketree Blvd										
(1911) Arbor Glen Dr	0.15	110	R			From: 88-1910 Smoketree Blvd					NA			NA		10/12/2005
						To: 88-1912 Cedar Crest Dr										
(1911) Arbor Glen Dr	0.11	90	R			From: 88-1912 Cedar Crest Dr					NA			NA		10/12/2005
						To: Cul-de-Sac										
(1912) Cedar Crest Dr	0.06	320	R			From: 88-1915 Hickory Creek Dr					NA			NA		10/12/2005
						To: 88-1913										
(1912) Cedar Crest Dr	0.06	730	R			From: 88-1913					NA			NA		10/12/2005
						To: 88-1911 Arbor Glen Dr										
(1912) Cedar Crest Dr	0.11	950	R			From: 88-1911 Arbor Glen Dr					NA			NA		10/12/2005
						To: 88-1910 Smoketree Blvd										
(1912) Cedar Crest Dr	0.09	200	R			From: 88-1910 Smoketree Blvd					NA			NA		10/24/2002
						To: Dead End										
(1913)	0.18	130	R			From: 88-1916 Woodland View Dr					NA			NA		10/24/2002
						To: 88-1914 Timbermill Lane										

Virginia Department of Transportation
 Traffic Engineering Division
 2009
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1913)	0.16	330	R											NA		10/24/2002
(1914)	0.16	130	R											NA		10/12/2005
(1915)	0.30	220	R											NA		10/12/2005
(1915)	0.05	30	R											NA		10/12/2005
(1916)	0.42	180	R											NA		10/24/2002
(1916)	0.08	140	R											NA		10/24/2002
(1916)	0.11	200	R											NA		10/12/2005
(1916)	0.38	230	R											NA		10/24/2002
(1917)	0.51	1300	R											NA		10/24/2002
(1918)	0.17	190	R											NA		10/24/2002
(1919)	0.29	590	R											NA		10/24/2002
(1920)	0.18	40	R											NA		11/12/2005
(1920)	0.13	170	R											NA		11/02/2005
(1920)	0.35	330	R											NA		11/02/2005
(1921)	0.33	230	R											NA		09/16/2002
(1922)	0.18	40	R											NA		11/12/2005
(1923)	0.20	60	R											NA		11/02/2005
(1923)	0.17	120	R											NA		11/02/2005
(1924)	0.22	60	R											NA		11/02/2005
(1925)	0.10	160	R											NA		10/24/2002
(1925)	0.17	NA												NA		

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1926) Angell Ct	0.10	130	R				88-748				NA			NA		08/31/2005
							Cul-de-Sac									
(1927) Wickenden Court	0.12	160	R				Cul-de-Sac				NA			NA		08/31/2005
							88-1929 Elm St									
(1928) Cedar Ridge Lane	0.08	200	R				Cul-de-Sac				NA			NA		08/31/2005
							88-1929 Elm St									
(1928) Cedar Ridge Lane	0.17	NA					Cul-de-Sac				NA			NA		
							Dead End									
(1929) Elm St	0.10	310	R				88-748 Three Cedars Lane				NA			NA		11/04/2002
							88-1928 Cedar Ridge Lane									
(1929) Elm St	0.05	350	R				88-748				NA			NA		08/31/2005
							88-1931									
(1930)	0.05	880	R				88-1935 Stone Meadow Dr				NA			NA		08/07/2002
							Cul-de-Sac									
(1930)	0.07	590	R				88-1930				NA			NA		08/07/2002
							Cul-de-Sac									
(1931)	0.41	290	R				88-748				NA			NA		08/07/2002
							88-1933									
(1932) Windridge Dr	0.15	720	R				88-1936 Southwick Court				NA			NA		09/06/2005
							Cul-de-Sac									
(1932) Windridge Dr	0.05	420	R				88-1932 Windridge Dr				NA			NA		09/06/2005
							Cul-de-Sac									
(1932) Windridge Dr	0.20	160	R				Cul-de-Sac				NA			NA		09/06/2005
							88-1932 Windridge Dr									
(1933)	0.10	120	R				Cul-de-Sac				NA			NA		08/07/2002
							Cul-de-Sac									
(1934)	0.05	80	R				88-1931				NA			NA		08/07/2002
							88-1931									
(1935) Stone Meadow Dr	0.14	60	R				88-1930				NA			NA		09/06/2005
							88-1937 Erlwood Court									
(1935) Stone Meadow Dr	0.07	580	R				88-1939; 88-1938				NA			NA		09/06/2005
							88-1940 Peppermill Court									
(1935) Stone Meadow Dr	0.04	480	R				88-1941				NA			NA		09/06/2005
							88-1932 Windridge Dr									
(1935) Stone Meadow Dr	0.06	310	R				Cul-de-Sac				NA			NA		09/06/2005
							88-1935 Stone Meadow Dr									
(1935) Stone Meadow Dr	0.06	220	R				Cul-de-Sac				NA			NA		09/06/2005
							88-1932 Windridge Dr									
(1936) Southwick Court	0.18	150	R				88-1935 Stone Meadow Dr				NA			NA		09/06/2005
							Cul-de-Sac									
(1937) Erlwood Court	0.04	47	R				Cul-de-Sac				NA			NA		08/31/2005

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1938) Wellford Court	0.05	90	R								NA			NA		08/31/2005
(1939) Wellford Court	0.08	70	R								NA			NA		08/31/2005
(1940) Peppermill Court	0.09	50	R								NA			NA		08/31/2005
(1941)	0.15	120	R								NA			NA		08/07/2002
(1942) Big Ben Blvd	0.27	930	R								NA			NA		12/11/2008
(1942) Big Ben Blvd	0.30	1500	R								NA			NA		09/08/2005
(1943) Governors Grant Lane	0.18	360	R								NA			NA		09/08/2005
(1944) Tower of London Dr	0.15	130	R								NA			NA		09/08/2005
(1945) Enchanted Court	0.07	70	R								NA			NA		09/08/2005
(1945) Enchanted Court	0.17	230	R								NA			NA		11/10/2009
(1946) Paddock Pl	0.16	150	R								NA			NA		09/08/2005
(1947) Brandontown Court	0.06	80	R								NA			NA		09/08/2005
(1948) Huntington Meadows La	0.25	460	R								NA			NA		12/09/2008
(1949) Sunny Meadows Lane	0.15	NA									NA			NA		
(1949) Sunny Meadows Lane	0.12	NA									NA			NA		
(1950) Runnymede Trail	0.96	940	R								NA			NA		07/31/2002
(1951) Century Ct	0.06	80	R								NA			NA		07/31/2002
(1952) Creeks View Dr	0.07	270	R								NA			NA		07/31/2002
(1953) Ridge Way Dr	0.11	190	R								NA			NA		07/31/2002
(1953) Ridge Way Dr	0.05	NA									NA			NA		

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1954) Saddleback Dr	0.06	80	R								NA			NA		07/31/2002
(1955) Joy Lane	0.19	120	R								NA			NA		07/31/2002
(1956) Enchanted Woods Way	0.25	260	R								NA			NA		07/31/2002
(1956) Enchanted Woods Way	0.63	NA									NA			NA		
(1957) Lord Barton Dr	0.27	90	R								NA			NA		07/31/2002
(1958) Hearthside Trail	0.16	90	R								NA			NA		07/31/2002
(1959) Arrow Head Ct	0.04	210	R								NA			NA		07/31/2002
(1959) Bend Bow Dr	0.25	NA									NA			NA		
(1960) Tuck Trail	0.05	70	R								NA			NA		07/31/2002
(1961) Bow Ct	0.03	30	R								NA			NA		07/31/2002
(1962)	0.08	930	R								NA			NA		07/31/2002
(1963) Mayflower Court	0.06	40	R								NA			NA		11/07/2005
(1964)	0.88	430	R								NA			NA		10/24/2002
(1965)	0.25	110	R								NA			NA		10/24/2002
(1966)	0.46	140	R								NA			NA		10/24/2002
(1967)	0.08	70	R								NA			NA		10/24/2002
(1968)	0.30	NA									NA			NA		
(1969)	0.31	NA									NA			NA		
(1970)	0.44	540	R								NA			NA		09/19/2002

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1971)	0.09	80	R				From: 88-1970				NA			NA		09/19/2002
							To: Dead End									
(1972)	0.10	90	R				From: 88-1970				NA			NA		09/19/2002
							To: 88-1974 N. Katie Dr									
(1973)	0.04	60	R				From: 88-1970				NA			NA		09/19/2002
							To: Cul-de-Sac									
(1974) N Katie Dr	0.29	100	R				From: 88-1971				NA			NA		09/08/2005
							To: 88-1970									
(1974) N. Katie Dr	0.14	140	R				From: 88-1970				NA			NA		09/08/2005
							To: Cul-de-Sac									
(1975)	0.23	350	R				From: 88-1974 N. Katie Dr				NA			NA		09/19/2002
							To: 88-1976 E. Pullen Dr									
(1976) Pullen Dr	0.26	80	R				From: 88-1975 WEST				NA			NA		09/19/2002
							To: 88-1975 EAST									
(1976)	0.52	910	R				From: 88-1975 EAST				NA			NA		09/08/2005
							To: 88-610; 88-1716									
(1977) Nicholas Dr	0.21	260	R				From: 88-1976				NA			NA		09/08/2005
							To: Dead End									
(1978) Danalu Court	0.06	140	R				From: Cul-de-Sac				NA			NA		09/08/2005
							To: 88-1977 Nicholas Dr									
(1979) Bethwood Dr	0.26	130	R				From: 88-748				NA			NA		10/06/2009
							To: Dead End									
(1980)	0.23	290	R				From: 88-1223				NA			NA		09/25/2002
							To: Cul-de-Sac									
(1981)	0.10	100	R				From: 88-1980				NA			NA		09/25/2002
							To: Cul-de-Sac									
(1982)	0.32	350	R				From: 88-1223				NA			NA		09/25/2002
							To: Cul-de-Sac									
(1983)	0.05	60	R				From: 88-1982				NA			NA		09/25/2002
							To: Cul-de-Sac									
(1984)	0.06	70	R				From: 88-1982				NA			NA		09/25/2002
							To: Dead End									
(1985) Ceventry Creek Dr	0.15	710	R				From: Cul-de-Sac				NA			NA		10/19/2005
							To: 88-635 Lee Hill School Dr									
(1986) Summerview Lane	0.08	30	R				From: 88-1987				NA			NA		12/09/2008
							To: 88-1545 Windway Dr									
(1987)	0.07	NA					From: Dead End				NA			NA		
							To: 88-1986									

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1987)	0.04	NA					From: 88-1986					NA		NA		
							To: Dead End									
(1988)	0.34	640	R				From: Dead End					NA		NA		11/13/2002
							To: 88-1319									
(1989)	0.35	70	R				From: 88-1988 SOUTH					NA		NA		11/13/2002
							To: 88-1988 NORTH									
(1990)	0.05	70	R				From: Dead End					NA		NA		11/13/2002
							To: 88-1989									
(1991)	0.05	80	R				From: 88-1988; 88-1989 SOUTH					NA		NA		11/13/2002
							To: Dead End									
(1992)	0.07	90	R				From: 88-1988					NA		NA		11/13/2002
							To: Dead End									
(1993)	0.11	30	R				From: 88-1988					NA		NA		11/13/2002
							To: 88-1994									
(1994)	0.15	170	R				From: Dead End					NA		NA		11/13/2002
							To: 88-1319									
(1995)	0.15	240	R				From: Cul-de-Sac					NA		NA		09/25/2002
							To: 88-636 Mine Rd									
(1996)	0.17	80	R				From: Cul-de-Sac					NA		NA		09/26/2002
							To: 88-1995									
(1997)	0.15	130	R				From: 88-1996					NA		NA		08/19/2002
							To: 88-1995									
(1998)	0.07	NA					From: Dead End					NA		NA		
							To: 88-723 Dovey Rd									
(2000)	Farmstead Lane	0.29	330	R			From: Cul-de-Sac					NA		NA		08/19/2002
							To: 88-627 Gordon Rd									
(2000)	Red Rose Village Dr	0.29	830	R			From: 88-627 Gordon Rd					NA		NA		10/12/2005
							To: 88-2072 Geranium St									
(2001)		0.09	100	R			From: 88-2000 Farmstead Lane					NA		NA		08/19/2002
							To: Cul-de-Sac									
(2002)		0.05	40	R			From: Cul-de-Sac					NA		NA		08/19/2002
							To: 88-2001									
(2003)		0.10	210	R			From: 88-2000 Farmstead Lane					NA		NA		08/19/2002
							To: 88-2004									
(2004)		0.43	1000	R			From: 88-1147; 88-1279					NA		NA		08/19/2002
							To: 88-627 Gordon Rd									
(2005)		0.06	110	R			From: 88-2004					NA		NA		08/19/2002
							To: Cul-de-Sac									

Virginia Department of Transportation
 Traffic Engineering Division
 2009
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2006)	0.14	210	R				From: 88-2004				NA			NA		08/19/2002
							To: Dead End									
(2007)	0.19	180	R				From: 88-2004				NA			NA		08/19/2002
							To: 88-2009									
(2008)	0.18	180	R				From: 88-2004				NA			NA		08/19/2002
							To: 88-2009									
(2009)	0.15	110	R				From: 88-2008				NA			NA		08/19/2002
							To: 88-2006									
(2010)	0.25	260	R				From: Dead End				NA			NA		08/19/2002
							To: 88-2004									
(2011)	0.38	NA					From: 88-620 Harrison Rd				NA			NA		
							To: Cul-de-Sac									
(2012)	0.06	NA					From: 88-2011				NA			NA		
							To: Cul-de-Sac									
(2013) Tipperary Tr	0.46	210	R				From: 88-639 Leavells Rd				NA			NA		10/06/2009
							To: Dead End									
(2014)	0.12	NA					From: 88-2013				NA			NA		
							To: Dead End									
(2015)	0.12	NA					From: Dead End				NA			NA		
							To: 88-2013									
(2016)	0.11	NA					From: Dead End				NA			NA		
							To: 88-2013									
(2017)	0.34	460	R				From: Dead End				NA			NA		09/19/2002
							To: 88-673 Piedmont Dr									
(2018)	0.05	70	R				From: Cul-de-Sac				NA			NA		09/19/2002
							To: 88-2017									
(2019)	0.05	110	R				From: Cul-de-Sac				NA			NA		09/19/2002
							To: 88-2017									
(2020)	0.30	550	R				From: Cul-de-Sac				NA			NA		09/19/2002
							To: 88-673 Piedmont Dr									
(2021)	0.79	290	R				From: Cul-de-Sac				NA			NA		09/19/2002
							To: 88-2020									
(2022)	0.08	190	R				From: 88-2021				NA			NA		09/19/2002
							To: Cul-de-Sac									
(2023)	0.20	230	R				From: 88-2021				NA			NA		09/19/2002
							To: Cul-de-Sac									
(2024) Regency Rd	0.20	190	R				From: Dead End				NA			NA		10/06/2009
							To: 88-609 Thornton Rolling Rd									

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2025)	0.24	NA					From: 88-2024				NA			NA		
							To: Dead End									
(2028)	0.17	170	R				From: Cul-de-Sac				NA			NA		1999
							To: 88-2029									
(2028)	0.03	270	R				From: 88-673 Piedmont Dr				NA			NA		1999
							To: Cul-de-Sac									
(2029)	0.05	80	R				From: 88-2028				NA			NA		1999
							To: 88-673 Piedmont Dr									
(2030)	0.19	2800	R				From: Dead End				NA			NA		09/19/2002
							To: 88-2034									
(2031)	0.46	490	R				From: 88-2030				NA			NA		09/19/2002
							To: Dead End									
(2031)	0.17	540	R				From: 88-2031				NA			NA		09/19/2002
							To: 88-2034									
(2032)	0.13	190	R				From: 88-2031				NA			NA		09/19/2002
							To: 88-2034									
(2033)	0.24	30	R				From: 88-2031				NA			NA		09/19/2002
							To: Cul-de-Sac									
(2034)	0.26	340	R				From: 88-2031				NA			NA		09/19/2002
							To: 88-2030									
(2035)	0.19	60	R				From: 88-2031				NA			NA		09/19/2002
							To: 88-2037									
(2036)	0.18	200	R				From: 88-2031				NA			NA		09/19/2002
							To: 88-2037									
(2037)	0.05	NA					From: Cul-de-Sac				NA			NA		
							To: 88-2035									
(2037)	0.10	60	R				From: Cul-de-Sac				NA			NA		09/19/2002
							To: 88-2039									
(2038) Coventry Meadows	0.16	560	R				From: 88-635 Lee Hill School Dr				NA			NA		12/09/2008
							To: 88-2038									
(2039)	0.44	NA					From: Cul-de-Sac				NA			NA		
							To: Cul-de-Sac									
(2040) Lakeland Way	0.05	30	R				From: 88-2043 SOUTH				NA			NA		10/05/2005
							To: 88-2046 Hillsborough Lane									
(2040) Lakeland Way	0.08	60	R				From: 88-2043 NORTH				NA			NA		10/05/2005
							To: 88-2043 NORTH									
(2040) Lakeland Way	0.19	200	R				From: 88-627 Gordon Rd				NA			NA		07/31/2002
							To: 88-2043 NORTH									

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2041)	0.18	640	R				From: 88-2043				NA			NA		07/31/2002
							To: 88-627 Gordon Rd									
(2042)	0.10	150	R				From: 88-2041				NA			NA		08/19/2002
							To: Cul-de-Sac									
(2043)	0.11	110	R				From: 88-2040 S. Lakeland Way				NA			NA		07/31/2002
(2043)	0.09	240	R				From: 88-2046 Hillsborough Lane				NA			NA		07/31/2002
(2043)	0.25	240	R				From: 88-2040 N. Lakeland Way				NA			NA		07/31/2002
							To: 88-2044									
(2044)	0.16	80	R				From: 88-2045				NA			NA		07/31/2002
							To: Cul-de-Sac									
(2045)	0.16	150	R				From: 88-2043				NA			NA		07/31/2002
							To: 88-2044									
(2046)	Hillsborough Lane	0.09	80	R			From: 88-2043				NA			NA		10/05/2005
							To: 88-2040 Lakeland Way									
(2047)	Foxon Pl	0.22	140	R			From: 88-2039				NA			NA		12/09/2008
							To: 88-2038 Coventry Meadows									
(2048)	Pinetap Ct	0.41	70	R			From: 88-605 Wallers Rd				NA			NA		10/06/2009
							To: Dead End									
(2050)		0.07	160	R			From: Cul-de-Sac				NA			NA		09/12/2002
							To: 88-1249									
(2051)	Amherst Ct	0.05	70	R			From: Cul-de-Sac				NA			NA		09/12/2002
							To: 88-2050									
(2052)		0.05	90	R			From: 88-1249				NA			NA		09/12/2002
							To: Cul-de-Sac									
(2053)	Amelia Dr	0.22	680	R			From: 88-1249				NA			NA		09/12/2002
(2053)	Amelia Dr	0.22	330	R			From: 88-2056 Augusta Ct				NA			NA		09/12/2002
(2053)	Amelia Dr	0.10	680	R			From: 88-2058 Norfolk Way				NA			NA		09/12/2002
							To: 88-2060 N. Hampton Lane									
(2054)		0.07	90	R			From: Cul-de-Sac				NA			NA		09/12/2002
							To: 88-2053 Amelia Dr									
(2055)		0.11	140	R			From: Cul-de-Sac				NA			NA		09/12/2002
							To: 88-2053 Amelia Dr									
(2056)	Augusta Ct	0.17	170	R			From: Cul-de-Sac				NA			NA		09/12/2002
							To: 88-2053 Amelia Dr									
(2057)	Bristol Court	0.04	40	R			From: 88-2053 Amelia Dr				NA			NA		08/18/2005
							To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2058) Norfolk Way	0.04	760	R				From: 88-2053 Amelia Dr					NA		NA		08/18/2005
(2058) Norfolk Way	0.05	860	R				To: 88-2059 Chris Shan Court					NA		NA		08/18/2005
							From: 88-636 Mine Rd									
(2059) Chris Shan Court	0.04	46	R				To: Cul-de-Sac					NA		NA		08/18/2005
							From: 88-2058 Norfolk Way									
(2060) N. Hampton Lane	0.24	210	R				To: Cul-de-Sac					NA		NA		08/18/2005
(2060) N. Hampton Lane	0.11	590	R				From: 88-2061 Gloucester Lane					NA		NA		08/18/2005
(2060) N. Hampton Lane	0.05	40	R				To: 88-2053 Amelia Dr					NA		NA		08/18/2005
							From: Cul-de-Sac									
(2061) Gloucester Lane	0.12	130	R				To: Cul-de-Sac					NA		NA		08/18/2005
(2061) Gloucester Lane	0.05	230	R				From: 88-2062 Bath Court					NA		NA		08/18/2005
							To: 88-2060 N. Hampton Lane									
(2062) Bath Court	0.05	100	R				From: 88-2061 Gloucester Lane					NA		NA		08/18/2005
							To: Cul-de-Sac									
(2065) Mystic Point Dr	0.60	190	R				From: Dead End					NA		NA		09/29/2005
							To: 88-714 Cloverdale St									
(2066)	0.11	NA					From: 88-1945					NA		NA		
							To: Dead End									
(2067)	0.06	NA					From: 88-1945					NA		NA		
							To: Dead End									
(2068)	0.05	NA					From: 88-1942					NA		NA		
							To: Dead End									
(2069)	0.13	NA					From: Dead End					NA		NA		
							To: 88-1942									
(2070) Apple Blossom Ct	0.05	50	R				From: 88-2000 Red Rose Village Dr					NA		NA		10/12/2005
							To: Cul-de-Sac									
(2071) Violet Dr	0.30	320	R				From: Cul-de-Sac					NA		NA		10/12/2005
							To: 88-2000 Red Rose Village Dr									
(2072) Geranium St	0.20	100	R				From: 88-2071 Violet Dr					NA		NA		10/12/2005
							To: Cul-de-Sac									
(2073) Carnation St	0.04	60	R				From: 88-2071 Violet Dr					NA		NA		10/12/2005
							To: Cul-de-Sac									
(2074) Orchard Lane	0.17	330	R				From: 88-2072 Geranium St					NA		NA		10/12/2005
							To: Cul-de-Sac									
(2075) Gardeia Dr	0.44	870	R				From: 88-2074 Orchard Lane					NA		NA		10/12/2005
							To: 88-610 Old Plank Rd									

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2076) Daisy Lane	0.10	190	R			From: 88-2077 Hyacinth Court					NA			NA		10/12/2005
						To: 88-2075 Gardeia Dr										
(2077) Hyacinth Court	0.06	70	R			From: Cul-de-Sac					NA			NA		10/12/2005
(2077) Hyacinth Court	0.03	20	R			From: 88-2076 Daisy Lane					NA			NA		10/12/2005
						To: Dead End										
(2078) Lilly Lane	0.04	70	R			From: 88-2075 Gardeia Dr					NA			NA		10/12/2005
						To: Cul-de-Sac										
(2079) Buttercup Lane	0.14	100	R			From: 88-2075 Gardeia Dr					NA			NA		10/12/2005
						To: Cul-de-Sac										
(2081)	0.16	NA				From: 88-635 Lee Hill School Dr					NA			NA		
						To: Cul-de-Sac										
(2085) Sawhill Blvd	0.51	1500	R			From: 88-612 Catharpin Rd					NA			NA		10/03/2005
(2085) Sawhill Blvd	0.33	910	R			From: 88-2090 Broadmore Lane					NA			NA		10/14/2009
						To: 88-2200										
(2086) Duck Circle	0.34	80	R			From: 88-2085 S, Sawhill Blvd					NA			NA		10/03/2005
						To: 88-2085 N, Sawhill Blvd										
(2087) West Hildy Court	0.15	110	R			From: Cul-de-Sac					NA			NA		10/03/2005
(2087) East Hildy Court	0.05	NA				From: 88-2085 Sawhill Blvd					NA			NA		
						To: Cul-de-Sac										
(2088) Palmer Court	0.18	150	R			From: 88-2085 Sawhill Blvd					NA			NA		10/03/2005
						To: Cul-de-Sac										
(2089) McGee Court	0.08	60	R			From: 88-2088 Palmer Court					NA			NA		10/03/2005
						To: Cul-de-Sac										
(2090) Broadmore Lane	0.37	320	R			From: Cul-de-Sac					NA			NA		10/03/2005
						To: 88-2091 Powder Mill Court										
(2091) Powder Mill Court	0.09	100	R			From: Cul-de-Sac					NA			NA		10/03/2005
(2091) Powder Mill Court	0.08	NA				From: 88-2090 Broadmore Lane					NA			NA		
						To: Cul-de-Sac										
(2093)	0.17	NA				From: Bus SR 208					NA			NA		
						To: Dead End										
(2094) Chapman Dr	0.74	340	R			From: Cul-de-Sac					NA			NA		10/06/2009
						To: 88-638 Lansdowne Rd										
(2095)	0.05	NA				From: 88-2094					NA			NA		
						To: Cul-de-Sac										
(2096)	0.05	NA				From: Cul-de-Sac					NA			NA		
						To: 88-2094										

Virginia Department of Transportation
 Traffic Engineering Division
 2009
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2097) George Dr	0.13	320	R				88-2098					NA		NA		10/06/2009
							88-1344 Beauclaire Blvd									
(2098)	0.16	NA					Dead End					NA		NA		
							88-2097									
(2098)	0.20	NA					Dead End					NA		NA		
							88-2098									
(2099)	0.05	NA					Dead End					NA		NA		
							88-1091 Lancaster Ring Rd									
(2100) Brighten Court	0.13	80	R				Cul-de-Sac					NA		NA		10/26/2005
							Cul-de-Sac									
(2101) Cornwall Court	0.12	90	R				88-1091 Lancaster Ring Rd					NA		NA		10/26/2005
							88-1091 Lancaster Ring Rd									
(2102) Wexam Court	0.13	180	R				Dead End					NA		NA		10/26/2005
							Dead End									
(2103) Caven Court S	0.17	90	R				Dead End					NA		NA		10/26/2005
							Dead End									
(2104)	0.04	NA					88-2126					NA		NA		
							Bus US 17									
(2105) River Meadows Way	0.61	910	R				Dead End					NA		NA		10/06/2009
							88-2105									
(2106)	0.10	NA					Cul-de-Sac					NA		NA		
							Cul-de-Sac									
(2107)	0.41	NA					88-2105					NA		NA		
							88-2105									
(2108) Meadow Springs Dr	0.09	48	R				88-2107					NA		NA		12/09/2008
							88-2107									
(2109) Heronview Dr	0.28	50	R				88-2105					NA		NA		12/09/2008
							88-2126									
(2110)	0.04	NA					Dead End					NA		NA		
							88-2137									
(2111) Proud Foot Lane	0.09	260	R				88-2122					NA		NA		12/09/2008
							88-2137									
(2112)	0.03	NA					Dead End					NA		NA		
							Dead End									
(2113)	0.06	NA					88-2137					NA		NA		
							88-2137									
(2114) Copeland Ct	0.25	1000	R				Dead End					NA		NA		11/06/2009

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2115)	0.05	NA					From: 88-2119				NA			NA		
							To: Dead End									
(2116)	0.14	NA					From: Dead End				NA			NA		
							To: Dead End									
(2117)	0.05	NA					From: 88-2126 Hot Springs Lane				NA			NA		
							To: Dead End									
(2118) Vercaille Dr	0.27	190		R			From: 88-2126				NA			NA		12/09/2008
							To: 88-2126									
(2118)	0.05	NA					From: 88-2126 Hot Springs Lane				NA			NA		
							To: Dead End									
(2119) Quitman Dr.	0.19	280		R			From: Dead End				NA			NA		10/14/2009
							To: 88-2126 Hot Springs Lane									
(2119) Robnel Ct	0.05	NA					From: Dead End				NA			NA		
							To: Dead End									
(2120) Salem Fields Blvd	0.42	3100		R			From: 88-627 Gordon Rd				NA			NA		09/12/2005
							To: 88-2121 Rappahannock Dr									
(2121) Rappahannock Dr	1.05	1900		R			From: 88-628 Smith Station Rd				NA			NA		09/12/2005
							To: 88-2126									
(2121) Rappahannock Rd	0.42	3000		R			From: 88-2126				NA			NA		12/09/2008
							To: 88-627									
(2122) Spring Meadow Blvd	0.17	560		R			From: 88-2135 North Lamont Court				NA			NA		09/12/2005
							To: 88-2125 Maple Court									
(2122) Spring Meadow Blvd	0.28	1300		R			From: 88-2125 Maple Court				NA			NA		09/12/2005
							To: 88-2121 Rappahannock Dr									
(2123) Adios Ct	0.10	370		R			From: 88-2122 Spring Meadow Blvd				NA			NA		09/12/2005
							To: Dead End									
(2124) Palladium Way	0.18	210		R			From: 88-2125 Maple Court				NA			NA		09/12/2005
							To: 88-2123 Adios Ct									
(2125) Maple Court	0.17	200		R			From: 88-2122 Spring Meadow Blvd				NA			NA		09/12/2005
							To: Cul-de-Sac									
(2126) Hot Springs Lane	0.19	1600		R			From: 88-2121 Rappahannock Dr				NA			NA		09/12/2005
							To: 88-2130 North Dewey Court									
(2126) Hot Springs Lane	1.05	1100		R			From: 88-2130 North Dewey Court				NA			NA		09/12/2005
							To: 88-2104									
(2126) Hot Springs Lane	0.54	1100		R			From: 88-2104				NA			NA		12/09/2008
							To: 88-2121									
(2127) Sandusky Court	0.09	60		R			From: 88-2126 Hot Springs Lane				NA			NA		09/12/2005
							To: Dead End									
(2128) Rose Hill Court	0.09	60		R			From: 88-2126 Hot Springs Lane				NA			NA		09/12/2005
							To: Dead End									

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2129) Plume Court	0.12	70	R				From: 88-2124 Palladium Way					NA		NA		09/12/2005
							To: Cul-de-Sac									
(2130) North Dewey Court	0.08	50	R				From: 88-2131 South Dewey Court					NA		NA		09/12/2005
							To: Dead End									
(2131) South Dewey Court	0.14	220	R				From: Dead End					NA		NA		09/12/2005
							To: Dead End									
(2132) Englewood Court	0.17	70	R				From: Dead End					NA		NA		09/12/2005
							To: Dead End									
(2133) Jarvis Court	0.14	90	R				From: Dead End					NA		NA		09/12/2005
							To: 88-2122 Spring Meadow Blvd									
(2134) Polaris Court	0.11	40	R				From: Dead End					NA		NA		09/12/2005
							To: Dead End									
(2135) North Lamont Court	0.20	200	R				From: Dead End					NA		NA		09/12/2005
							To: Dead End									
(2136) Omega Court	0.07	48	R				From: Dead End					NA		NA		09/12/2005
							To: 88-2135 North Lamont Court									
(2137) Castleton Dr	0.11	930	R				From: 88-2121 Rappahannock Dr					NA		NA		09/12/2005
							To: 88-2138 Yorktown Lane									
(2137) Castleton Dr	0.29	970	R				From: 88-2138 Yorktown Lane					NA		NA		11/06/2009
							To: Dead End									
(2138) Yorktown Lane	0.11	310	R				From: Dead End					NA		NA		09/12/2005
							To: 88-2139 Winthrop Court									
(2139) Winthrop Court	0.20	130	R				From: Dead End					NA		NA		09/12/2005
							To: Dead End									
(2140)	0.11	NA					From: Cul-de-Sac					NA		NA		
							To: 88-2142									
(2140) Fillmore Lane	0.24	490	R				From: 88-2142					NA		NA		12/11/2008
							To: 88-1106									
(2141)	0.20	NA					From: 88-2140					NA		NA		
							To: Cul-de-Sac									
(2142)	0.15	NA					From: 88-2143					NA		NA		
							To: Cul-de-Sac									
(2143)	0.48	NA					From: Cul-de-Sac					NA		NA		
							To: 88-2142									
(2143)	0.20	NA					From: 88-2142					NA		NA		
							To: Cul-de-Sac									
(2144)	0.04	NA					From: 88-2143					NA		NA		
							To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2145) Davidson Lane	0.07	260	R			From: 88-2126 Hot Springs Lane					NA			NA		12/09/2008
						To: 88-2146										
(2146)	0.30	NA				From: Dead End					NA			NA		
						To: Dead End										
(2147)	0.11	NA				From: Dead End					NA			NA		
						To: 88-2126 Hot Springs Lane										
(2148) Hawthorne Woods Circl	0.19	70	R			From: 88-2149					NA			NA		12/09/2008
						To: 88-1152 Buck Lane										
(2149)	0.11	NA				From: Cul-de-Sac					NA			NA		
						To: 88-1152 Buck Lane										
(2150) Greely Court	0.05	45	R			From: Cul-de-Sac					NA			NA		10/19/2005
						To: 88-1693 Albert Dr										
(2155) Hickory Hill Dr	0.86	1300	R			From: Dead End					NA			NA		08/11/2005
						To: FR-696 Overview Dr										
(2156) West Forester Ct	0.04	40	R			From: Cul-de-Sac					NA			NA		08/11/2005
						To: 88-2155 Hickory Hill Dr										
(2156) East Forester Ct	0.08	NA				From: Cul-de-Sac					NA			NA		
						To: Cul-de-Sac										
(2157) Cameo St	0.20	130	R			From: 88-2155 Hickory Hill Dr					NA			NA		08/11/2005
						To: 88-2158 North Andover Lane										
(2158) Andover Lane	0.24	90	R			From: Cul-de-Sac					NA			NA		08/11/2005
						To: 88-2155 Hickory Hill Dr										
(2158) Andover Lane	0.22	NA				From: Cul-de-Sac					NA			NA		
						To: Cul-de-Sac										
(2159) Townsley St	0.23	80	R			From: 88-2158 North Andover Lane					NA			NA		08/11/2005
						To: Cul-de-Sac										
(2160) Dabney Court	0.21	90	R			From: 88-2158 North Andover Lane					NA			NA		08/11/2005
						To: Cul-de-Sac										
(2161) Bracken Court	0.06	50	R			From: Cul-de-Sac					NA			NA		08/11/2005
						To: 88-2159 Townsley St										
(2168) Wisteria Dr	0.35	270	R			From: Bus US 17					NA			NA		10/06/2009
						To: Dead End										
(2169)	0.04	NA				From: Cul-de-Sac					NA			NA		
						To: 88-2168										
(2170) Glamorgan Way	0.69	90	R			From: Cul-de-Sac					NA			NA		10/05/2009
						To: 88-719 Days Bridge Rd										
(2171)	0.25	NA				From: Cul-de-Sac					NA			NA		
						To: 88-2170										

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2172)	0.11	NA														
(2178) Corolla Dr	0.13	280	R											NA		11/10/2009
(2179)	0.21	NA												NA		
(2180)	0.36	NA												NA		
(2181) Napoleon St	0.40	410	R											NA		12/09/2008
(2182) O Conner Ct	0.17	NA												NA		
(2182) O'Conner Ct	0.27	300	R											NA		04/23/2009
(2183)	0.11	NA												NA		
(2184) Betsy St	0.26	470	R											NA		10/06/2009
(2185) Cahill St	0.31	1400	R											NA		12/09/2008
(2186) Summerview Lane	0.28	120	R											NA		12/09/2008
(2187)	0.23	NA												NA		
(2188)	0.18	NA												NA		
(2189)	0.20	NA												NA		
(2190) Glendas Way	0.57	1500	R											NA		10/06/2009
(2191) Stacy Run	0.52	80	R											NA		12/09/2008
(2191)	0.15	NA												NA		
(2192) Samantha Dr	0.23	90	R											NA		12/09/2008
(2193)	0.16	NA												NA		

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2194)	0.06	NA					From: Cul-de-Sac				NA			NA		
							To: 88-2193									
(2195)	0.10	NA					From: Cul-de-Sac				NA			NA		
							To: 88-2191									
(2196) King Eider Court	0.58	330		R			From: Dead End				NA			NA		09/29/2005
							To: 88-1712 Cinnamon Teal									
(2197) Chester Court	0.29	130		R			From: Dead End				NA			NA		09/29/2005
							To: 88-2196 King Eider Court									
(2198) Gannett Lane	0.56	160		R			From: Dead End				NA			NA		09/29/2005
							To: 88-1712 Cinnamon Teal									
(2199) Ashy Petral Way	0.09	50		R			From: Dead End				NA			NA		09/29/2005
							To: 88-2198 Gannett Lane									
(2200)	0.30	NA					From: Cul-de-Sac				NA			NA		
							To: 88-2085									
(2200)	0.07	NA					From: Cul-de-Sac				NA			NA		
							To: Cul-de-Sac									
(2210) HCC Dr	0.08	1000		R			From: Bus US 17				NA			NA		10/19/2005
							To: 88-2211 Hamilton Crossing Rd									
(2210) HCC Dr	0.39	NA					From: Cul-de-Sac				NA			NA		
							To: Cul-de-Sac									
(2211) Hamilton Crossing Rd	0.57	990		R			From: 88-2210 HCC Dr				NA			NA		10/19/2005
							To: 88-2213									
(2212) Allie Dr	0.38	490		R			From: Dead End				NA			NA		10/19/2005
							To: Dead End									
(2213)	0.05	NA					From: Cul-de-Sac				NA			NA		
							To: 88-2211 Hamilton Crossing Rd									
(2213)	0.07	NA					From: Cul-de-Sac				NA			NA		
							To: Cul-de-Sac									
(2218) Big Horn Dr	0.42	240		R			From: Dead End				NA			NA		11/06/2009
							To: 88-628 Smith Station Rd									
(2219)	0.24	NA					From: 88-2218				NA			NA		
							To: Dead End									
(2220) Dogwood Tree Lane	0.60	240		R			From: Dead End				NA			NA		09/26/2005
							To: 88-719 Days Bridge Rd									
(2221) Hickory Tree Lane	0.43	120		R			From: Dead End				NA			NA		09/26/2005
							To: 88-2220 Dogwood Tree Lane									
(2221) Hickory Tree Lane	0.06	NA					From: Dead End				NA			NA		
							To: Dead End									
(2222) Sycamore Tree Dr	0.18	20		R			From: 88-2221 Hickory Tree Lane				NA			NA		09/26/2005
							To: 88-2220 Dogwood Tree Lane									

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2222) Sycamore Tree Dr	0.28	80	R				From: 88-2220 Dogwood Tree Lane					NA		NA		04/22/2009
							To: 88-1027									
(2223) Chestnut Tree Ct	0.18	90	R				From: 88-2220 Dogwood Tree Lane					NA		NA		09/26/2005
							To: Dead End									
(2224) Cedar Tree Ct	0.10	45	R				From: Dead End					NA		NA		09/26/2005
							To: 88-2220 Dogwood Tree Lane									
(2225) Loblolly Lane	0.09	30	R				From: Dead End					NA		NA		09/26/2005
							To: 88-2221 Hickory Tree Lane									
(2226) Wynd St	0.07	30	R				From: 88-2220 Dogwood Tree Lane					NA		NA		09/21/2005
							To: Dead End									
(2227) Pecan Tree Dr	0.12	20	R				From: 88-1028					NA		NA		12/09/2008
							To: 88-1028									
(2228)	0.07	NA					From: Dead End					NA		NA		
							To: 88-1028									
(2229)	0.04	NA					From: Dead End					NA		NA		
							To: 88-1028									
(2230)	0.26	100	R				From: 88-2220 Dogwood Tree Lane					NA		NA		04/22/2009
							To: 88-1027									
(2231) Maple Tree Lane	0.10	40	R				From: 88-1027					NA		NA		04/22/2009
							To: 88-1028									
(2237) Lees Crossing Lane	0.47	670	R				From: 88-2243					NA		NA		10/06/2009
							To: 88-2239, N McClellan Dr									
(2237) Lees Crossing Lane	0.25	720	R				From: 88-2239					NA		NA		12/09/2008
							To: 88-636 Mine Rd									
(2238) McClellan Dr	0.50	230	R				From: 88-2239					NA		NA		12/09/2008
							To: 88-2237									
(2239) N McClellan Dr	0.26	140	R				From: 88-2237 Lees Crossing Lane					NA		NA		10/06/2009
							To: Dead End									
(2240) Carolina Ct	0.30	310	R				From: Dead End					NA		NA		10/06/2009
							To: 88-2237									
(2241)	0.05	NA					From: 88-2240					NA		NA		
							To: Dead End									
(2242)	0.07	NA					From: Cul-de-Sac					NA		NA		
							To: 88-2238									
(2243)	0.49	NA					From: Cul-de-Sac					NA		NA		
							To: 88-2238 McClellan Dr									
(2247) Magnolia Harbour Dr	0.47	90	R				From: 88-2248					NA		NA		12/09/2008
							To: SR 208 Courthouse Rd									

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2248) Black Walnut Lane	0.87	40	R				From: Dead End				NA			NA		11/24/2009
							To: End Loop									
(2249)	0.06	NA					From: Dead End				NA			NA		
							To: 88-2248									
(2250) Whiteheart Dr	0.37	800	R				From: 88-2254 Basswood Dr				NA			NA		12/09/2008
							To: 88-628 Spotsylvania Pkwy									
(2251) Windbreak Dr	0.32	NA					From: 88-2261 Inkwood Dr				NA			NA		
							To: 88-2252 Laurel Oak Dr									
(2252) Laurel Oak Dr	0.10	NA					From: Cul-de-Sac				NA			NA		
							To: 88-2254 Basswood Dr									
(2252) Laurel Oak Dr	0.41	430	R				From: 88-2254 Basswood Dr				NA			NA		10/06/2009
							To: Dead End									
(2253) Grey Oak Circle	0.10	40	R				From: 88-2252 Laurel Oak Dr				NA			NA		12/09/2008
							To: 88-2252 Laurel Oak Dr									
(2254) Basswood Dr	0.12	50	R				From: 88-2252 Laurel Oak Dr				NA			NA		12/09/2008
							To: 88-2256 Yellow Birch Dr									
(2255) Joshua Tree Circle	0.74	280	R				From: End of Loop				NA			NA		12/09/2008
							To: 88-2250 Whiteheart Dr									
(2256) Yellow Birch Dr	0.35	960	R				From: 88-628 Spotsylvania Pkwy				NA			NA		12/09/2008
							To: 88-2257 Linden Dr									
(2256) Yellow Birch Dr	0.15	240	R				From: 88-2257 Linden Dr				NA			NA		12/09/2008
							To: 88-2250 Whiteheart Dr									
(2257) Linden Dr	0.10	50	R				From: 88-2252 Laurel Oak Dr				NA			NA		12/09/2008
							To: 88-2256 Yellow Birch Dr									
(2258) Holly Leaf Ln	0.05	410	R				From: 88-2256 Yellow Birch Dr				NA			NA		04/22/2009
							To: 88-2255 Joshua Tree Circle									
(2259)	0.19	NA					From: Dead End				NA			NA		
							To: 88-639 Leavells Rd									
(2260) Smith Station Rd	0.19	520	R				From: 88-639 Leavells Rd				NA			NA		11/24/2009
							To: Dead End									
(2261)	0.16	140	R				From: 88-2255				NA			NA		04/22/2009
							To: -									
(2262) Silver Maple Lane	0.14	NA					From: 88-2258 Holly Leaf Lane				NA			NA		
							To: 88-2250 Whiteheart Dr									
(2263) Holly Oak Rd	0.22	1000	R				From: 88-2264				NA			NA		10/06/2009
							To: 88-628 Smith Station Rd									
(2263) Deep Creek Dr	0.25	290	R				From: 88-628 Smith Station Rd				NA			NA		10/06/2009
							To: Sierra Trail									

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2264) Ivy Hill Dr	0.54	280	R								NA			NA		10/06/2009
(2300) Browns Farm Rd	0.44	720	R								NA			NA		11/06/2009
(2325)	0.38	NA									NA			NA		
(2326)	0.16	NA									NA			NA		
(2327)	0.30	720	R								NA			NA		04/22/2009
(2328)	0.25	330	R								NA			NA		04/22/2009
(2329)	0.15	NA									NA			NA		
(2340)	0.08	NA									NA			NA		
(2341)	0.05	NA									NA			NA		
(2342)	0.06	NA									NA			NA		
(2344)	0.83	NA									NA			NA		
(2345)	0.44	NA									NA			NA		
(2346)	0.41	NA									NA			NA		
(7000) State Park Lane	2.99	80	R								NA			NA		10/07/2002
(9393) Spotswood Elementary	0.13	400	R								NA			NA		10/31/2005
(9398)	0.26	380	R								NA			NA		11/13/2002
(9490)	0.12	150	R								NA			NA		11/13/2002
(9491)	0.15	250	R								NA			NA		11/13/2002
(9803)	0.07	110	R								NA			NA		11/13/2002

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Spotsylvania County																	
(9804)	0.05	170	R			From: 88-647 Blaydes Corner Rd To: 88-738 Partlow Rd					NA			NA		11/07/2002	
(9805)	0.10	120	R			From: SR 3 Plank Rd To: SR 3 Plank Rd					NA			NA		11/13/2002	
City of Fredericksburg																	
(1111)	Cowan Blvd	0.47	15000	G	99%	0%	1%	0%	0%	0%	C	0.09	F	16000	G	2009	
(1111)	Cowan Blvd	1.23	NA			From: Snowden Hills Blvd To: Carl D Silver Pkwy					NA			NA			
(3950111)	Twin Lake Dr	0.46	3100	G	99%	1%	0%	0%	0%	0%	C	0.106	F	0.576	3400	G	2009
(3952111)	Lansdowne Rd	0.47	7100	G	93%	1%	1%	1%	4%	0%	C	0.091	F		7700	G	2009
(3953111)	Stafford Avenue	0.50	1700	G	96%	1%	3%	0%	0%	0%	C	0.085	F	0.665	1900	G	2009
(3954111)	Howison St	0.09	580	G	96%	2%	1%	1%	1%	0%	F	0.086	F	0.613	640	G	2009
(3954111)	Howison Avenue	0.16	1300	G	96%	2%	1%	1%	1%	0%	C	0.087	F	0.586	1500	G	2009
(3955111)	College Ave	0.67	7300	G	99%	0%	0%	0%	0%	0%	C	0.092	F		8000	G	2009
(3958111)	High St	0.04	720	G	99%	0%	0%	0%	0%	0%	F	0.126	F	0.953	780	G	2009
(3958111)	Hanover St	0.60	2200	G	99%	0%	0%	0%	0%	0%	C	0.092	F	0.811	2400	G	2009
(3958111)	Hanover St	0.49	860	G	99%	0%	0%	0%	0%	0%	F	0.100	F		930	G	2009
(3958111)	Hanover St	0.12	630	G	97%	1%	2%	0%	0%	0%	F	0.119	F		680	G	2009
(3959111)	Littlepage St	0.44	1300	G	97%	1%	2%	0%	0%	0%	C	0.091	F	0.535	1400	G	2009
(3961111)	Kenmore Ave	0.49	4400	G	98%	0%	1%	0%	0%	0%	C	0.091	F		4700	G	2009
(3961111)	Kenmore Ave	0.40	1400	G	98%	1%	1%	0%	0%	0%	C	0.091	F	0.554	1500	G	2009
(3961111)	Mary Ball St	0.10	1700	G	98%	1%	1%	0%	0%	0%	F	0.086	F	0.545	1900	G	2009
(3963111)	Washington Ave	0.43	2100	G	98%	1%	1%	0%	0%	0%	C	0.094	F	0.642	2300	G	2009
(3963111)	Washington Ave	0.44	2200	G	98%	1%	1%	0%	0%	0%	F	0.1	F		2400	G	2009

Virginia Department of Transportation
 Traffic Engineering Division
 2009
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Fredericksburg																
(3965/111) Prince Edward St	0.35	2400	G	99%	0%	0%	0%	0%	0%	F	0.091	F	0.731	2600	G	2009
						From: Kenmore Avenue										
						To: William Street										
(3965/111) Prince Edward St	0.44	1900	G	99%	0%	0%	0%	0%	0%	C	0.092	F	0.773	2100	G	2009
						From: Canal Street										
						To: Maury Street										
(3965/111) Fall Hill Avenue	0.10	2300	G	99%	0%	0%	0%	0%	0%	F	0.085	F	0.801	2500	G	2009
						From: Maury Street										
						To: Washington Street										
(3965/111) Fall Hill Avenue	0.39	3000	G	99%	0%	0%	0%	0%	0%	F	NA			3300	G	2009
						From: Washington Street										
						To: Jefferson Davis Highway										
(3965/111) Fall Hill Avenue	0.15	8700	G	99%	0%	0%	0%	0%	0%	F	0.087	F		9400	G	2009
						From: Jefferson Davis Highway										
						To: I-95										
(3965/111) Fall Hill Avenue	0.95	14000	G	99%	0%	0%	0%	0%	0%	C	0.088	F		15000	G	2009
						From: I-95										
						To: WCL Fredericksburg										
(3967/111) Charles St	0.24	6500	G	98%	0%	1%	0%	0%	0%	F	0.091	F	0.566	7000	G	2009
						From: Bus 17 Dixon St										
						To: Bus US 1 Lafayette Blvd										
(3973/111) Sophia St	0.37	5300	G	99%	0%	0%	0%	0%	0%	C	0.093	F		5700	G	2009
						From: Lafayette Blvd										
						To: Bus SR 3 William St										
(3975/111) Maury St	0.14	1600	G	98%	1%	1%	0%	0%	0%	C	NA			1800	G	2009
						From: Washington St										
						To: Fall Hill Avenue										
(3976/111) Westwood Dr	0.20	910	G	98%	1%	0%	0%	0%	0%	F	0.092	F	0.664	980	G	2009
						From: Plank Rd										
						To: Woodland Dr										
(3976/111) Woodland Rd	0.04	950	G	98%	1%	0%	0%	0%	0%	F	0.107	F	0.646	1000	G	2009
						From: Woodland Dr										
						To: Falling Creek Rd										
(3976/111) Keenland Rd	0.36	940	G	98%	1%	0%	0%	0%	0%	C	0.097	F	0.65	1000	G	2009
						From: Falling Creek Rd										
						To: Cowan Boulevard										
(3976/111) Powhatan St	0.24	1600	G	98%	0%	1%	0%	0%	0%	C	0.099	F	0.906	1800	G	2009
						From: Cowan Blvd										
						To: Jefferson Davis Hwy										
Hays St		610	G								0.105	F		610	G	2009
						From: Mahone Dr										
						To: Oakwood St										
Jackson St		1000	G								0.105	F	0.502	1000	G	2009
						From: Charlotte Street										
						To: Wolfe Street										
Sophia St		2100	G								0.095	F	0.896	2100	G	2009
						From: Fauquier St										
						To: Lewis St										
Summit St		100	G								0.201	F	0.513	100	G	2009
						From: Railroad Avenue										
						To: White Street										
Twin Lakes Dr		3300	G								0.106	F	0.566	3300	G	2009
						From: Goodloe Drive										
						To: Lafayette Blvd										