

2012

**Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates**

where available

Jurisdiction Report

18

Charles City County

Prepared By

**Virginia Department of Transportation
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation
Federal Highway Administration**

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems



Interstate Route

Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.



US Route



Virginia State Route



Frontage Road (F precedes frontage route number)



Secondary Route

Special Routes



Bus - Business Route

Bypas - Bypass Route

Truck - Truck Route



ALT - Alternate Route

Wve - Wve Route connector



P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.



The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
 Traffic Engineering Division
 2012
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Charles City Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
	From: Henrico County Line															
5 156 John Tyler Memorial Hwy	Charles City County	4.34	1300	G	87%	0%	1%	7%	5%	0%	F	0.095	F	0.668	1400	G
	To: SR 156 E Int															
5 John Tyler Memorial Hwy	Charles City County	3.69	2700	G	96%	0%	1%	1%	2%	0%	F	0.096	F	0.576	2700	G
	To: 18-609 Barnetts Rd															
5 John Tyler Memorial Hwy	Charles City County	5.68	2200	G	96%	0%	1%	1%	2%	0%	C	0.101	F	0.552	2300	G
	To: SR 155 Charles City CH															
5 John Tyler Memorial Hwy	Charles City County	3.81	2000	G	96%	1%	1%	1%	2%	0%	C	0.108	F	0.516	2100	G
	To: 18-632 Tyler's Mill Rd															
	From: 18-632 Tylers Mill Rd															
5 John Tyler Memorial Hwy	Charles City County	9.47	2600	G	96%	1%	1%	1%	2%	0%	F	0.099	F	0.573	2600	G
	To: James City County Line, Chickahominy Bridge															
	From: Prince George County Line															
106 156	Charles City County	1.31	3900	G	88%	1%	1%	1%	9%	0%	F	0.085	F	0.554	4000	G
	To: SR 5; SR 156 Tyler Memorial Hwy															
106 Roxbury Rd	Charles City County	6.67	2300	G	78%	1%	2%	3%	17%	0%	C	0.085	F	0.516	2300	G
	To: 18-656 Bradley Rd															
106 Roxbury Rd	Charles City County	3.13	2700	G	74%	1%	2%	3%	20%	0%	C	0.094	F	0.520	2800	G
	To: New Kent County Line															
	From: Charles City County Line															
106 Roxbury Rd	New Kent County (Maint: 18)	0.43	2700	N	74%	1%	2%	3%	20%	0%	N	0.094	N	0.520	2800	N
	To: New Kent County Line															
	From: SR 5 John Tyler Memorial Hwy															
155 Courthouse Rd	Charles City County	3.67	1600	G	96%	1%	1%	1%	1%	0%	F	0.096	F	0.632	1600	G
	To: 18-612 Ruthville Rd															
155 Courthouse Rd	Charles City County	1.61	1600	G	96%	1%	1%	1%	1%	0%	C	0.099	F	0.566	1700	G
	To: 18-614 Sturgeon Point Rd															
155 Courthouse Rd	Charles City County	1.14	3100	G	96%	1%	1%	1%	1%	0%	F	0.086	F	0.575	3200	G
	To: New Kent County Line															
	From: Prince George County Line															
156 106	Charles City County	1.31	3900	G	88%	1%	1%	1%	9%	0%	F	0.085	F	0.554	4000	G
	To: E SR 5															
156 5 John Tyler Memorial Hwy	Charles City County	4.34	1300	G	87%	0%	1%	7%	5%	0%	F	0.095	F	0.668	1400	G
	To: Henrico County Line															

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Charles City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charles City County																
(600) Charles City Rd	0.40	1800	R								NA		NA			05/17/2011
			From: Henrico County Line													
			To: 18-603 Old Union Rd													
(600) Charles City Rd	2.28	540	R								NA		NA			05/17/2011
			From: 18-622 CC Rd													
			To: SR 106 Roxbury Rd													
(600) Charles City Rd	0.96	540	R								NA		NA			05/17/2011
			From: Dead End													
			To: 18-615 Glebe Lane													
(601) Liberty Church Rd	0.40	60	R								NA		NA			02/04/2008
			From: SR 155 Courthouse Rd													
			To: 1.03 MW SR 155													
(602) S Lott Cary Rd	1.03	1300	G	96%	1%	1%	1%	1%	0%	F	0.109	F	0.748	1300	G	2012
			From: 18-618 Adkins Rd													
(602) S Lott Cary Rd	1.65	1300	G	96%	1%	1%	1%	1%	0%	F	0.107	F	0.737	1400	G	2012
			From: 18-630 Samaria Lane													
(602) Lott Cary Rd	2.18	1400	G	96%	1%	1%	1%	1%	0%	F	0.100	F	0.563	1400	G	2012
			From: 18-609 Barnetts Rd													
(602) Lott Cary Rd	0.83	1700	G	96%	1%	1%	1%	1%	0%	C	0.098	F	0.564	1700	G	2012
			From: 18-609 Barnetts Rd													
(603) Old Union Rd	1.96	530	R								NA		NA			05/17/2011
			From: SR 106 Roxbury Rd													
(603) Old Union Rd	2.14	1100	R								NA		NA			05/17/2011
			From: 18-600 Charles City Rd													
(604) Warriner Rd	2.60	310	R								NA		NA			05/26/2011
			From: SR 106 Roxbury Rd													
			To: Henrico County Line													
(606) Carters Mill Rd	0.30	30	R								NA		NA			05/26/2011
			From: SR 5 John Tyler Mem Hwy													
			To: Henrico County Line													
(607) Wayside Rd	0.87	980	G	97%	1%	1%	1%	1%	0%	F	0.101	F	0.861	1000	G	2012
			From: SR 106 Roxbury Rd													
(607) Wayside Rd	0.27	1200	G	97%	1%	1%	1%	1%	0%	F	0.091	F	0.572	1300	G	2012
			From: 18-658 Kimages Rd													
(607) Wayside Rd	0.57	930	G	97%	1%	1%	1%	1%	0%	C	0.093	F	0.529	950	G	2012
			From: 18-639 The New Rd													
(607) Wayside Rd	1.07	670	G	97%	1%	1%	1%	1%	0%	F	0.102	F	0.553	680	G	2012
			From: 18-642 Stagg Run Rd													
(607) Wayside Rd	1.18	630	G	97%	1%	1%	1%	1%	0%	F	0.125	F	0.617	650	G	2012
			From: 18-609 N, Barnetts Rd													
(607) Church Lane	2.34	490	G	97%	1%	1%	1%	1%	0%	F	0.101	F	0.514	500	G	2012
			From: 18-609 S, Barnetts Rd													
(607) Church Lane	0.85	600	G	97%	1%	1%	1%	1%	0%	F	0.111	F	0.605	610	G	2012
			From: 18-648 New Quarter Run													
			To: 18-618 Adkins Rd													
(608) Shirley Plantation	1.59	220	R								NA		NA			05/26/2011
			From: Dead End													
			To: SR 5 John Tyler Mem Hwy													
(609) Barnetts Rd	0.46	520	G	97%	1%	1%	1%	1%	0%	F	0.1	F	0.717	530	G	2012
			From: SR 5 John Tyler Mem Hwy													
(609) Barnetts Rd	1.06	510	G	97%	1%	1%	1%	1%	0%	F	0.113	F	0.531	520	G	2012
			From: 18-637 Wyatts Lane													
			To: 18-625 West Run Rd													

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Charles City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Charles City County																	
609	Barnetts Rd	0.70	550	G	97%	1%	1%	1%	1%	0%	F	0.116	F	0.507	570	G	2012
609	Barnetts Rd	0.69	550	G	97%	1%	1%	1%	1%	0%	F	0.111	F	0.563	570	G	2012
609	Barnetts Rd	3.51	700	R								NA		NA			02/04/2008
609	Barnetts Rd	1.14	1800	G	97%	1%	1%	1%	1%	0%	C	0.101	F	0.701	1800	G	2012
609	Barnetts Rd	0.89	1400	G	97%	1%	1%	1%	1%	0%	F	0.114	F	0.748	1400	G	2012
609	Barnetts Rd	1.75	1800	G	97%	1%	1%	1%	1%	0%	F	0.107	F	0.696	1900	G	2012
610	Green Oak Rd	1.82	350	R								NA		NA			06/14/2011
611	Kizze Rd	0.25	80	R								NA		NA			02/04/2008
612	Ruthville Rd	0.80	160	R								NA		NA			02/04/2008
612	Ruthville Rd	0.97	610	R								NA		NA			06/14/2011
612	Ruthville Rd	1.00	700	R								NA		NA			06/14/2011
613	Shady Point Rd	1.30	200	R								NA		NA			02/04/2008
613	Shady Point Rd	2.11	310	R								NA		NA			02/04/2008
613	Shady Point Rd	3.50	320	R								NA		NA			06/14/2011
614	Sturgeon Point Rd	1.33	90	R								NA		NA			02/04/2008
614	Sturgeon Point Rd	3.60	290	R								NA		NA			06/14/2011
614	Sturgeon Point Rd	3.93	880	G	95%	1%	0%	1%	3%	0%	C	0.092	F	0.685	900	G	2012
614	Sturgeon Point Rd	0.18	70	R								NA		NA			06/14/2011
615	Glebe Lane	2.20	750	R								NA		NA			06/07/2011
615	Glebe Lane	0.90	680	R								NA		NA			06/07/2011
615	Glebe Lane	1.50	460	R								NA		NA			06/07/2011
615	Glebe Lane	5.37	760	R								NA		NA			06/07/2011

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Charles City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charles City County																
(616) Adams Bridge Rd	0.30	10	R									NA		NA		02/04/2008
(617) Monguy Rd	2.10	210	R									NA		NA		05/26/2011
(618) Wilcox Wharf Rd	1.18	190	R									NA		NA		06/14/2011
(618) Adkins Rd	3.40	220	R									NA		NA		02/04/2008
(618) Adkins Rd	0.49	1100	G	98%	1%	0%	0%	1%	0%	F	0.109	F	0.569	1100	G	2012
(618) Adkins Rd	1.41	1500	G	98%	1%	0%	0%	1%	0%	C	0.117	F	0.591	1500	G	2012
(618) Adkins Rd	0.74	990	G	98%	1%	0%	0%	1%	0%	F	0.105	F	0.609	1000	G	2012
(618) Adkins Rd	0.95	1100	G	98%	1%	0%	0%	1%	0%	F	0.09	F	0.714	1100	G	2012
(618) Adkins Rd	2.00	1100	G	98%	1%	0%	0%	1%	0%	F	0.097	F	0.579	1200	G	2012
(619) Weyanoke Rd	2.56	180	R									NA		NA		06/07/2011
(619) Weyanoke Rd	0.91	620	R									NA		NA		06/07/2011
(620) Lewis Tyler Lane	2.51	450	R									NA		NA		05/17/2011
(621) Eagles Nest Rd	0.50	50	R									NA		NA		02/04/2008
(621) Eagles Nest Rd	2.00	70	R									NA		NA		02/04/2008
(622) CC Rd	0.98	110	R									NA		NA		05/17/2011
(623) Wilcox Neck Rd	2.67	290	R									NA		NA		06/14/2011
(623) Wilcox Neck Rd	4.17	750	R									NA		NA		06/14/2011
(623) Wilcox Neck Rd	1.19	490	R									NA		NA		06/14/2011
(623) Wilcox Neck Rd	1.00	120	R									NA		NA		02/04/2008
(623) Wilcox Neck Rd	1.00	20	R									NA		NA		02/04/2008
(624) Horseshoe Rd	3.10	80	R									NA		NA		06/07/2011
(625) West Run Rd	2.35	240	R									NA		NA		05/26/2011

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Charles City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charles City County																
(626) Old Elam Cemetery	0.50	48	R				From: Dead End				NA			NA		06/14/2011
(626) Old Elam Cemetery	1.00	330	R				To: 0.50 MN Dead End				NA			NA		02/04/2008
(627) Old Neck Rd	1.80	170	R				From: 18-615 Glebe Lane				NA			NA		06/07/2011
(628) Courthouse Green	0.04	30	R				To: 18-623 Wilcox Neck Rd				NA			NA		06/07/2011
(629) Alpine Rd	0.46	110	R				From: Dead End				NA			NA		02/04/2008
(630) Samaria Rd	0.52	620	R				To: 0.26 MW 18-618				NA			NA		05/17/2011
(630) Samaria Rd	1.07	440	R				From: 18-602 Lott Cary Rd				NA			NA		05/17/2011
(631) Cool Hill Rd	0.60	720	R				To: 18-611 Kizze Rd				NA			NA		05/17/2011
(631) Cool Hill Rd	3.20	390	R				From: 18-618 Adkins Rd				NA			NA		05/17/2011
(632) Tylers Mill Rd	1.00	70	R				To: 18-630 Samaria Lane				NA			NA		02/04/2008
(633) Sterling Heights Lane	0.25	270	R				From: Dead End				NA			NA		06/26/2011
(634) Sterling Heights Lane	0.16	210	R				To: SR 5 John Tyler Mem Hwy				NA			NA		06/14/2011
(635) Holy Tree Lane	0.50	310	R				From: 18-620 Lewis Tyler Lane				NA			NA		05/17/2011
(636) Shady Lane	0.65	190	R				To: Dead End				NA			NA		06/21/2011
(637) Wyatts Lane	0.50	90	R				From: 18-609 Baretts Rd				NA			NA		06/21/2011
(638) Mapisco Rd	0.66	230	R				To: Dead End				NA			NA		06/07/2011
(639) The New Rd	1.00	310	R				From: Dead End				NA			NA		06/21/2011
(640) Herring Creek Rd	0.06	190	R				To: SR 5 W, John Tyler Mem Hwy				NA			NA		05/26/2011
(640) Herring Creek Rd	0.10	150	R				From: 18-633 Sterling Heights Lane				NA			NA		05/26/2011
(641) Little Elam Rd	1.50	440	R				To: SR 5 E, John Tyler Mem Hwy				NA			NA		06/21/2011
(641) Little Elam Rd	1.50	440	R				From: Dead End				NA			NA		06/21/2011
(641) Little Elam Rd	1.50	440	R				To: 18-607 Church Lane				NA			NA		06/21/2011

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Charles City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charles City County																
(642) Stagg Run Rd	0.73	120	R									NA		NA		06/21/2011
(643) The Crossover	0.02	160	R									NA		NA		06/07/2011
(644) Courthouse Rd	0.31	790	R									NA		NA		06/07/2011
(644) Courthouse Rd	0.14	330	R									NA		NA		06/07/2011
(645) Chickahominy Bluff Rd	0.17	290	R									NA		NA		02/04/2008
(646) Oakwood Rd	0.20	30	R									NA		NA		02/04/2008
(647) Indian Rd	0.43	130	R									NA		NA		02/04/2008
(648) New Quarter Run	0.30	30	R									NA		NA		02/04/2008
(649) Woodbourne Rd	0.51	60	R									NA		NA		02/04/2008
(650) Cattail Rd	3.20	370	R									NA		NA		05/17/2011
(651) Legion Rd	0.20	10	R									NA		NA		02/04/2008
(652) Wian Lane	0.31	47	R									NA		NA		05/17/2011
(653) Mt Pleasants	0.12	420	R									NA		NA		06/21/2011
(654) Deerfield Rd	0.40	60	R									NA		NA		05/17/2011
(654) Deerfield Rd	0.60	40	R									NA		NA		05/17/2011
(655) Salem Run Rd	0.35	70	R									NA		NA		02/06/2008
(656) Bradley Rd	0.10	110	R									NA		NA		06/21/2011
(658) Kimages Rd	3.10	280	R									NA		NA		05/26/2011
(659) Old Ferry Rd	1.01	100	R									NA		NA		05/26/2011

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Charles City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charles City County																
(660) Munford Dr	0.32	180	R									NA		NA		06/14/2011
(661) The Loop Rd	0.46	150	R									NA		NA		05/26/2011
(662) Community Center Rd	0.05	150	R									NA		NA		06/14/2011
(663) Harrison Park Rd	0.11	48	R									NA		NA		06/21/2011
(664) Roxbury Industrial Court	0.45	370	R									NA		NA		02/06/2008
(665) Harrison Lake Rd	0.18	100	R									NA		NA		02/06/2008
(666) Harrison Lake Rd	0.54	90	R									NA		NA		02/06/2008
(667) Roxbury Industrial Court	0.22	580	R									NA		NA		02/06/2008
(670) Salem Heights Dr	0.19	130	R									NA		NA		02/06/2008
(675) Collins Run Pkwy	0.21	80	R									NA		NA		06/14/2011
(680) Old Holley Rd	0.42	70	R									NA		NA		05/17/2011
(685) Chambers Rd	1.66	1500	R									NA		NA		02/06/2008
(697) Countrywoods Dr	0.26	70	R									NA		NA		06/22/2011
(803) Perks Lane	0.50	230	R									NA		NA		02/06/2008
(9088)	0.05	0	R									NA		NA		06/22/2011
(9088)	0.06	0	R									NA		NA		06/22/2011
(9089)	0.06	0	R									NA		NA		06/22/2011
(9476) Charles City Elem Sch	0.02	440	R									NA		NA		02/06/2008
(9476)	0.07	210	R									NA		NA		1992

Virginia Department of Transportation
 Traffic Engineering Division
 2012
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Charles City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Charles City County																	
(9671)	0.10	0	R	From: 18-609 Barnetts Rd											NA	NA	06/22/2011
				To: Charles City Elem School													