

**2016**  
**Virginia Department of Transportation**  
**Daily Traffic Volume Estimates**  
**Including Vehicle Classification Estimates**  
where available

**Jurisdiction Report**

**15**

Campbell County  
City of Lynchburg  
Town of Altavista  
Town of Brookneal

Prepared By  
**Virginia Department of Transportation**  
**Traffic Engineering Division**

In Cooperation With  
**U.S. Department of Transportation**  
**Federal Highway Administration**

Virginia Department of Transportation  
Traffic Engineering Division  
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

## Publication Notes

### Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a "Combined Traffic Estimates for Parallel Roadways on this Route" or "Combined Traffic" identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate "NA" for not available.

---

VDOT's traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating "NA" for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate "NA" for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

**Route:** The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

**Length:** Length of the traffic segment in miles.

**AADT:** Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

**QA:** Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

**4Tire:** Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

**Bus:** Percentage of the traffic volume made up of busses.

**2Axle Truck:** Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck:** Percentage of the traffic volume made up of single unit trucks with three or more axles.

**1Trail Truck:** Percentage of the traffic volume made up of units with a single trailer.

**2Trail Truck:** Percentage of the traffic volume made up of units with more than one trailer.

**QC:** Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

**K Factor:** The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

**QK:** Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

**Dir Factor:** The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

**AAWDT:** Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

**QW:** Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

**Year:** Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

# Route Shield Legend

## Route Systems

- North  
 Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
-  US Route
-  Virginia State Route
-  Frontage Road (F precedes frontage route number)
-  Secondary Route

## Special Routes

-  Bus - Business Route  
 Bypass - Bypass Route  
 Truck - Truck Route  
 ALT - Alternate Route  
 Wve - Wve Route connector
-  P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
-  The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
24	Colonial Hwy	From: Bedford County Line To: Campbell County	2.06	340	F	94%	0%	2%	2%	2%	0%	C	0.155	0.6	350	F
24	Colonial Hwy	From: 15-811 Near Evington To: Campbell County	6.68	1400	F	94%	0%	2%	2%	2%	0%	F	0.105	0.529	1400	F
24	Colonial Hwy	From: US 29 To: Campbell County	4.32	3500	F	90%	2%	1%	1%	6%	0%	C	0.102	0.578	3500	F
24	501 Campbell Hwy	From: US 501 SW of Rustburg To: Campbell County	0.92	9500	F	97%	0%	1%	0%	2%	0%	F	0.097	0.592	9600	F
24	Village Hwy	From: US 501 SW of Rustburg To: Campbell County	6.38	4400	F	91%	2%	1%	1%	6%	0%	F	0.090	0.504	4500	F
24	Village Hwy	From: 15-656 Crews Shop Rd; Plum Branch Rd To: Campbell County	3.16	4100	F	91%	2%	1%	1%	6%	0%	C	0.097	0.521	4100	F
24	460 Lynchburg Hwy	From: W US 460 To: Appomattox County Line To: Campbell County	0.11	18000	N	93%	0%	1%	1%	4%	0%	N	0.085	0.612	19000	N
29	Wards Rd	From: Pittsylvania County Line To: Campbell County	0.72	13000	F	86%	1%	1%	1%	11%	1%	F	0.082	0.567	13000	F
29	Wards Rd	From: SR 43 Bedford Ave To: Campbell County	3.40	14000	F	86%	1%	1%	1%	11%	1%	F	0.08	0.562	13000	F
29	Wards Rd	From: Dearing Ford Rd Bus US 29 Main St To: Campbell County	0.24	14000	N	86%	1%	1%	1%	11%	1%	N	0.08	0.562	13000	N
29	Wards Rd	From: 15-712 To: BUS US 29 N of Altavista From: Dearing Ford Rd Bus US 29 Main St To: Campbell County	4.24	18000	F	93%	0%	1%	1%	4%	0%	F	0.081	0.588	18000	F
29	Wards Rd	From: 15-696 Marysville Rd To: Campbell County	4.99	18000	F	93%	0%	1%	1%	4%	0%	F	0.087	0.612	19000	F
29	Wards Rd	From: SR 24 Colonial Hwy To: Campbell County	4.58	20000	F	93%	0%	1%	1%	4%	0%	F	0.088	0.598	20000	F
29	Wards Rd	From: 15-738 English Tavern Rd To: Campbell County	1.84	31000	A	93%	0%	1%	1%	4%	0%	C	0.095	0.571	32000	A
29	460 29	From: US 460 Lynchburg Hwy; Bus US 29 To: Campbell County	0.03	49000	G	93%	0%	1%	1%	5%	0%	F	0.101	0.661	50000	G
29	460 29	From: SCL Lynchburg To: City of Lynchburg (Maint: 15)	1.38	49000	G	93%	0%	1%	1%	5%	0%	F	0.101	0.661	50000	G
29	460 29	From: Candler Mountain Rd To: City of Lynchburg (Maint: 15)	0.49	37000	F	93%	0%	1%	1%	5%	0%	F	0.101	0.598	38000	F
		From: US 501 To:														

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
29 460 29 501	City of Lynchburg (Maint: 15)	1.91	39000	F	93%	0%	1%	1%	5%	0%	C	0.105	0.531	40000	F	
29 460	City of Lynchburg (Maint: 15)	2.14	36000	G	93%	0%	1%	1%	5%	0%	F	0.093	0.560	37000	G	
29	Campbell County	0.93	18000	F	89%	1%	1%	1%	8%	0%	F	0.089	0.505	17000	F	
29	City of Lynchburg (Maint: 15)	0.33	18000	F	89%	1%	1%	1%	8%	0%	F	0.089	0.505	17000	F	
29 460 29	Campbell County	0.03	49000	G	93%	0%	1%	1%	5%	0%	F	0.101	0.661	50000	G	
29 460 29	City of Lynchburg (Maint: 15)	1.38	49000	G	93%	0%	1%	1%	5%	0%	F	0.101	0.661	50000	G	
29 460 29	City of Lynchburg (Maint: 15)	0.49	37000	F	93%	0%	1%	1%	5%	0%	F	0.101	0.598	38000	F	
29 460 29 501	City of Lynchburg (Maint: 15)	1.91	39000	F	93%	0%	1%	1%	5%	0%	C	0.105	0.531	40000	F	
Bus 29 Main St	Town of Hurt (Maint: 15)	0.03	5500	F	98%	0%	1%	0%	0%	0%	C	0.096	0.526	5500	F	
Bus 29 Main St	Town of Altavista (Maint: 15)	0.29	5500	N	98%	0%	1%	0%	0%	0%	N	0.096	0.526	5500	N	
Bus 29 Main St	Town of Altavista (Maint: 15)	0.34	6500	F	98%	0%	1%	0%	0%	0%	F	0.095	0.542	6600	F	
Bus 29 Main St	Town of Altavista (Maint: 15)	0.30	10000	F	98%	0%	1%	0%	0%	0%	F	0.09	0.587	10000	F	
Bus 29 Main St	Town of Altavista (Maint: 15)	0.49	10000	F	97%	0%	1%	1%	1%	0%	F	0.089	0.565	10000	F	
Bus 29 Main St	Town of Altavista (Maint: 15)	0.64	11000	F	97%	0%	1%	1%	1%	0%	C	0.088	0.531	11000	F	
Bus 29 Main St	Town of Altavista (Maint: 15)	1.36	7700	F	97%	0%	1%	1%	1%	0%	F	0.084	0.544	7800	F	
Bus 29	Campbell County	0.17	7700	F	97%	0%	1%	1%	1%	0%	F	0.084	0.544	7800	F	



Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
Bus 29 Wards Rd	Campbell County	0.31	26000	F	97%	0%	0%	1%	1%	0%	F	0.081	0.507	27000	F	
Bus 29 Wards Rd	City of Lynchburg	1.64	40000	F	97%	0%	0%	1%	1%	0%	C	0.084	0.562	42000	F	
Bus 29 501 Lynchburg Expressway	City of Lynchburg	0.33	44000	N	97%	0%	0%	1%	1%	0%	N	0.094	0.538	45000	N	
Bus 29 Lynchburg Expressway	City of Lynchburg	1.33	44000	F	97%	0%	0%	1%	1%	0%	F	0.094	0.538	45000	F	
Bus 29 Lynchburg Expressway	City of Lynchburg	1.46	41000	F	97%	0%	0%	1%	1%	0%	F	0.097	0.536	43000	F	
Bus 29 Lynchburg Expressway	City of Lynchburg	1.02	38000	F	97%	0%	0%	1%	1%	0%	F	0.095	0.538	39000	F	
Bus 29 Lynchburg Expressway	City of Lynchburg	0.22	30000	G	97%	0%	0%	1%	1%	0%	F	0.085	0.678	31000	G	
40 501 Lusardi Dr	Campbell County	0.09	5100	F	91%	0%	1%	1%	7%	0%	F	0.08	0.567	5100	F	
40 501 Lusardi Dr	Town of Brookneal (Maint: 15)	0.76	5100	N	91%	0%	1%	1%	7%	0%	N	0.08	0.567	5100	N	
40 Wickliffe Ave	Town of Brookneal (Maint: 15)	0.87	2400	F	85%	1%	2%	2%	11%	0%	F	0.090	0.577	2500	F	
40 Wickliffe Ave	Campbell County	1.97	2400	N	85%	1%	2%	2%	11%	0%	N	0.090	0.577	2500	N	
40 Wickliffe Ave	Campbell County	2.15	1600	F	85%	1%	2%	2%	11%	0%	F	0.09	0.634	1600	F	
43 Bedford Hwy	Town of Altavista (Maint: 15)	0.49	4700	F	97%	0%	0%	1%	1%	0%	F	0.096	0.56	4800	F	
43 Bedford Hwy	Town of Altavista (Maint: 15)	0.50	4400	F	97%	0%	0%	1%	1%	0%	F	0.097	0.501	4500	F	
43 Bedford Hwy	Town of Altavista (Maint: 15)	0.59	4100	F	97%	0%	0%	1%	1%	0%	C	0.091	0.55	4100	F	
43 Bedford Hwy	Campbell County	1.79	3200	F	96%	0%	1%	1%	2%	0%	C	0.092	0.525	3200	F	




























Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
43 Bedford Hwy	Campbell County	4.69	780	F	96%	0%	1%	1%	2%	0%	F	0.092	0.525	790	F	
43 Bedford Hwy	Campbell County	1.26	230	F	96%	0%	1%	1%	2%	0%	F	0.098	0.686	240	F	
128 Candler Mt Rd	City of Lynchburg	0.26	16000	F	90%	2%	2%	2%	5%	0%	F	0.087	0.578	17000	F	
128 501 Candler Mtn Rd	City of Lynchburg	0.43	35000	F	97%	0%	1%	1%	1%	0%	F	0.081	0.536	37000	F	
128 Mayflower Dr	City of Lynchburg	1.30	7200	F	90%	2%	2%	2%	5%	0%	C	0.091	0.583	7700	F	
128 Mayflower Dr	City of Lynchburg	1.48	2300	F	94%	1%	2%	2%	1%	0%	C	0.118	0.713	2500	F	
163 Wards Rd	City of Lynchburg	0.44	15000	F	98%	0%	1%	0%	0%	0%	F	0.082	0.537	16000	F	
163 Wards Rd	City of Lynchburg	0.42	25000	F	98%	0%	1%	0%	0%	0%	F	0.082	0.537	26000	F	
163 460 Fort Ave	City of Lynchburg	1.19	22000	F	98%	0%	1%	0%	0%	0%	C	0.08	0.511	24000	F	
163 Memorial Ave	City of Lynchburg	0.60	9900	F	99%	0%	1%	0%	0%	0%	C	0.079	0.513	11000	F	
163 Memorial Ave	City of Lynchburg	0.47	11000	F	99%	0%	1%	0%	0%	0%	F	0.082	0.512	12000	F	
163 Memorial Ave	City of Lynchburg	0.33	9100	F	99%	0%	1%	0%	0%	0%	F	0.086	0.579	9700	F	
163 5th St	City of Lynchburg	0.17	13000	F	99%	0%	1%	0%	0%	0%	F	0.085	0.566	14000	F	
163 5th St	City of Lynchburg	0.26	13000	F	99%	0%	1%	0%	0%	0%	F	0.085	0.605	14000	F	
163 5th St	City of Lynchburg	0.27	12000	F	98%	0%	0%	0%	1%	0%	F	0.085	0.598	13000	F	
163 5th St	City of Lynchburg	0.38	12000	F	98%	0%	1%	0%	0%	0%	C	0.084	0.588	13000	F	
163 5th St	City of Lynchburg	0.57	15000	G	98%	0%	0%	0%	1%	0%	C	0.093	0.632	15000	G	

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
221 Lakeside Dr	From: WCL Lynchburg City of Lynchburg	0.53	29000	F	99%	0%	0%	0%	1%	0%	C	0.091	0.568	30000	F	
221 Lakeside Dr	To: Lynchburg Expressway From: US 501 Lynchburg Expressway City of Lynchburg	0.94	16000	F	99%	0%	0%	0%	1%	0%	F	0.09	0.624	17000	F	
221 Lakeside Dr	To: Forest Brook Rd From: City of Lynchburg	1.52	14000	F	99%	0%	0%	0%	1%	0%	F	0.086	0.569	15000	F	
221 Lakeside Dr	To: Old Forest Rd From: City of Lynchburg	0.15	17000	F	99%	0%	0%	0%	1%	0%	F	0.085	0.58	18000	F	
221 Oakley Ave	To: Oakley Ave From: Lakeside Dr City of Lynchburg	0.57	11000	F	99%	0%	0%	0%	1%	0%	F	0.087	0.535	11000	F	
221 Oakley Ave	To: Bus US 29 Memorial Ave From: Memorial Ave City of Lynchburg	0.24	8800	F	99%	0%	0%	0%	1%	0%	F	0.087	0.536	9400	F	
221 460 Fort Ave	To: Bus US 460 Fort Ave From: Bus US 460 Oakley Ave City of Lynchburg	0.42	10000	F	96%	1%	2%	0%	1%	0%	C	0.084	0.51	11000	F	
221 460 12th St	To: 118-6029 Fort Ave From: City of Lynchburg	0.25	9600	G	96%	1%	2%	0%	1%	0%	F	0.084	0.51	10000	G	
221 460 501 12th St	To: Bus US 501 Campbell Ave From: City of Lynchburg	0.18	9200	G	95%	1%	2%	0%	1%	0%	F	0.09	0.564	9800	G	
221 460 501 Kemper St	To: Kemper St From: 12th Street City of Lynchburg	0.41	7400	F	95%	1%	2%	0%	1%	0%	C	0.09	0.61	7900	F	
460 Lynchburg Hwy	To: US 29 Lynchburg Expressway From: Bedford County Line Campbell County	1.37	24000	F	89%	1%	1%	1%	8%	0%	F	0.093	0.55	26000	F	
460 Lynchburg Hwy	To: Bus US 460 From: Campbell County	3.91	25000	F	89%	1%	1%	1%	8%	0%	F	0.102	0.637	27000	F	
460 Lynchburg Hwy	To: 15-678 Airport Rd From: Campbell County	1.36	42000	F	89%	1%	1%	1%	8%	0%	F	0.099	0.612	44000	F	
460 29 29P	To: US 29; Bus US 29 Wards Rd From: Bus US 29 Wards Rd Campbell County	0.03	49000	G	93%	0%	1%	1%	5%	0%	F	0.101	0.661	50000	G	
460 29 29P	To: SCL Lynchburg From: City of Lynchburg (Maint: 15)	1.38	49000	G	93%	0%	1%	1%	5%	0%	F	0.101	0.661	50000	G	
460 29 29P	To: Candler Mountain Rd From: City of Lynchburg (Maint: 15)	0.49	37000	F	93%	0%	1%	1%	5%	0%	F	0.101	0.598	38000	F	
460 29 29P 501	To: US 501 From: City of Lynchburg (Maint: 15)	1.91	39000	F	93%	0%	1%	1%	5%	0%	C	0.105	0.531	40000	F	
	To: Bus US 501; US 501 Campbell Ave															

Virginia Department of Transportation  
 Traffic Engineering Division  
 2016  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Campbell Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
							From: Functional Class Change									
  Richmond Hwy	City of Lynchburg (Maint: 15)	2.14	36000	G	93%	0%	1%	1%	5%	0%	F	0.093	0.560	37000	G	
							To: US 29									
 Richmond Hwy	City of Lynchburg (Maint: 15)	0.11	27000	N	93%	0%	1%	1%	4%	0%	N	0.093	0.560	28000	N	
							From: ECL Lynchburg									
 Richmond Hwy	Campbell County	1.78	27000	F	93%	0%	1%	1%	4%	0%	F	0.093	0.560	28000	F	
							To: 15-726 Mount Athos Rd									
 Richmond Hwy	Campbell County	2.88	23000	F	93%	0%	1%	1%	4%	0%	F	0.091	0.662	24000	F	
							To: 15-1017 Circle Dr									
 Richmond Hwy	Campbell County	1.21	19000	N	93%	0%	1%	1%	4%	0%	N	0.092	0.642	20000	N	
							To: 15-656 Crews Shop Rd									
 Richmond Hwy	Campbell County	1.42	19000	F	93%	0%	1%	1%	4%	0%	F	0.092	0.642	20000	F	
							From: SR 24 Village Hwy									
  Lynchburg Hwy	Campbell County	0.11	18000	N	93%	0%	1%	1%	4%	0%	N	0.085	0.612	19000	N	
							To: Appomattox County Line									
							From: US 460 West of Lynchburg									
  Timberlake Rd	Campbell County	1.94	17000	A	98%	0%	0%	0%	1%	0%	C	0.099	0.509	18000	A	
							To: 15-622 Waterlick Rd									
  Timberlake Rd	Campbell County	1.24	28000	F	98%	0%	0%	0%	1%	0%	F	0.088	0.531	29000	F	
							To: 15-739 Greenview Dr									
  Timberlake Rd	Campbell County	0.14	29000	F	98%	0%	0%	0%	1%	0%	F	0.081	0.505	31000	F	
							To: 15-1520 Laxton Rd									
  Timberlake Rd	Campbell County	0.04	32000	N	98%	0%	0%	0%	1%	0%	N	0.08	0.557	33000	N	
							To: WCL Lynchburg									
  Timberlake Rd	City of Lynchburg	0.62	32000	F	98%	0%	0%	0%	1%	0%	F	0.08	0.557	33000	F	
							To: Old Graves Mill Rd									
  Timberlake Rd	City of Lynchburg	1.14	26000	F	98%	0%	0%	0%	1%	0%	F	0.080	0.513	28000	F	
							To: Leesville Rd									
  Timberlake Rd	City of Lynchburg	0.37	34000	F	98%	0%	0%	0%	1%	0%	F	0.082	0.570	36000	F	
							To: US 501 Lynchburg Expressway									
  Fort Ave	City of Lynchburg	1.15	17000	F	98%	0%	0%	0%	1%	0%	F	0.087	0.518	18000	F	
							To: Bus US 29 Wards Rd									
							From: Wards Rd									
  Fort Ave	City of Lynchburg	1.19	22000	F	98%	0%	1%	0%	0%	0%	C	0.08	0.511	24000	F	
							To: Memorial Ave									
















Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
Bus 460 Fort Ave	From: Bus US 29 Memorial Ave City of Lynchburg	0.57	8900	F	98%	0%	0%	0%	1%	0%	F	0.087	0.500	9300	F	
Bus 460 221 Fort Ave	To: US 221 Oakley Ave From: City of Lynchburg	0.42	10000	F	96%	1%	2%	0%	1%	0%	C	0.084	0.51	11000	F	
Bus 460 221 12th St	To: 118-6029 Fort Ave From: City of Lynchburg	0.25	9600	G	96%	1%	2%	0%	1%	0%	F	0.084	0.51	10000	G	
Bus Bus 460 221 501 12th St	To: Bus US 501 Campbell Ave From: City of Lynchburg	0.18	9200	G	95%	1%	2%	0%	1%	0%	F	0.09	0.564	9800	G	
Bus Bus 460 221 501 Kemper St	To: Kemper St From: 12th Street City of Lynchburg	0.41	7400	F	95%	1%	2%	0%	1%	0%	C	0.09	0.61	7900	F	
Bus Bus 460 501 Kemper St	To: Bus US 29 Lynchburg Expressway From: US 29 Lynchburg Expressway City of Lynchburg	0.34	7800	F	98%	0%	1%	0%	0%	0%	F	0.109	0.626	8300	F	
Bus Bus 460 501 Campbell Ave	To: Campbell Ave From: Kemper St City of Lynchburg	0.88	16000	F	98%	0%	1%	0%	0%	0%	C	0.102	0.651	17000	F	
Bus Bus 460 501 Campbell Ave	To: Mayflower Dr From: City of Lynchburg	0.48	15000	F	98%	0%	1%	0%	0%	0%	F	0.110	0.656	16000	F	
Bus Bus 460 501 Campbell Ave	To: Florida Ave From: City of Lynchburg	0.14	17000	F	98%	0%	1%	0%	0%	0%	F	0.107	0.667	19000	F	
Bus 460 501 Campbell Ave	To: US 460, US 501 Richmond Hwy From: Bus US 501 City of Lynchburg	0.15	11000	N	97%	0%	1%	0%	2%	0%	N	0.105	0.662	13000	N	
501 40 Lusardi Dr	To: Halifax County Line From: Campbell County	0.09	5100	F	91%	0%	1%	1%	7%	0%	F	0.08	0.567	5100	F	
501 40 Lusardi Dr	To: SCL Brookneal From: Town of Brookneal (Maint: 15)	0.76	5100	N	91%	0%	1%	1%	7%	0%	N	0.08	0.567	5100	N	
501 Lynchburg Ave	To: SR 40 Wickliffe Ave From: Town of Brookneal (Maint: 15)	1.52	6000	F	88%	0%	1%	1%	9%	0%	C	0.083	0.595	6100	F	
501 Brookneal Hwy	To: NCL Brookneal From: Campbell County	1.40	6000	N	88%	0%	1%	1%	9%	0%	N	0.083	0.595	6100	N	
501 Brookneal Hwy	To: 15-633 Phelps Creek Rd From: Campbell County	3.48	4500	F	88%	0%	1%	1%	9%	0%	F	0.08	0.585	4500	F	
501 Brookneal Hwy	To: 15-917 Railview Rd From: Campbell County	4.79	5700	F	88%	0%	1%	1%	9%	0%	F	0.085	0.600	5700	F	
	To: 15-761 Long Island Rd															

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
From: 15-761 Long Island Rd 501 Brookneal Hwy	Campbell County	8.33	6400	F	88%	0%	1%	1%	9%	0%	F	0.087	0.667	6400	F	
To: SR 24 W, Colonial Hwy From: SR 24 W, Colonial Hwy 501 24 Campbell Hwy	Campbell County	0.92	9500	F	97%	0%	1%	0%	2%	0%	F	0.097	0.592	9600	F	
To: SR 24 E, Village Hwy From: SR 24 E, Village Hwy 501 Campbell Hwy	Campbell County	4.15	8700	A	97%	0%	1%	0%	2%	0%	C	0.119	0.665	9700	A	
To: 15-670 Sunnymede Rd From: 15-670 Sunnymede Rd 501 Campbell Hwy	Campbell County	2.82	9400	F	97%	0%	1%	0%	2%	0%	F	0.099	0.703	11000	F	
To: SCL Lynchburg From: SCL Lynchburg 501 Campbell Ave	City of Lynchburg	0.93	11000	F	97%	0%	1%	0%	2%	0%	F	0.105	0.662	13000	F	
To: Bus US 460 From: Bus US 460 Bus 501 460 Campbell Ave	City of Lynchburg	0.15	11000	N	97%	0%	1%	0%	2%	0%	N	0.105	0.662	13000	N	
To: US 29, US 460 Richmond Hwy From: US 29, US 460 501 460 29 29 City of Lynchburg (Maint: 15)	City of Lynchburg (Maint: 15)	1.91	39000	F	93%	0%	1%	1%	5%	0%	C	0.105	0.531	40000	F	
To: US 29, US 460 Richmond Hwy From: US 29, US 460 Richmond Hwy 501 Combined Traffic Estimates for 2 Parallel Roadways on this Route:	City of Lynchburg	0.32	8200	G	97%	0%	1%	1%	1%	0%	F	0.095		8800	G	
To: SR 128 Mayflower Dr; Candler's Mtn Rd From: SR 128 Mayflower Dr 501 128 Candler's Mtn Rd	City of Lynchburg	0.43	35000	F	97%	0%	1%	1%	1%	0%	F	0.081	0.536	37000	F	
To: Bus US 29 Lynchburg Expressway From: SR 128 Candler's Mtn Rd Bus 501 29 Lynchburg Expressway	City of Lynchburg	0.33	44000	N	97%	0%	0%	1%	1%	0%	N	0.094	0.538	45000	N	
To: Bus US 29 Wards Rd From: Bus US 29 Wards Rd 501 Lynchburg Expressway	City of Lynchburg	1.37	46000	F	97%	0%	1%	1%	1%	0%	F	0.091		49000	F	
To: Bus 460 Timberlake Rd From: Bus 460 Timberlake Rd 501 Lynchburg Expressway Ext	City of Lynchburg	1.21	47000	F	97%	0%	1%	1%	1%	0%	F	0.094	0.524	50000	F	
To: Graves Mill Rd From: Graves Mill Rd 501 Lynchburg Expressway	City of Lynchburg	1.24	35000	F	97%	0%	1%	1%	1%	0%	F	0.090	0.504	37000	F	
To: Lakeside Dr From: Lakeside Dr 501 Lynchburg Expressway	City of Lynchburg	0.31	37000	G	97%	0%	1%	1%	1%	0%	C	0.082	0.531	40000	G	
To: 118-6044 Old Forest Rd From: 118-6044 Old Forest Rd 501 Lynchburg Expressway	City of Lynchburg	1.23	14000	F	97%	0%	1%	1%	1%	0%	F	0.087	0.578	15000	F	
To: Wiggington Rd From: Wiggington Rd 501 Lynchburg Expressway	City of Lynchburg	1.86	14000	F	97%	0%	1%	1%	1%	0%	F	0.091	0.561	15000	F	
To: Boonsboro Rd From: Lynchburg Expressway 501 Boonsboro Rd	City of Lynchburg	1.80	9400	F	96%	0%	1%	1%	2%	0%	C	0.095	0.625	10000	F	
To: WCL Lynchburg																

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
	From: US 501															
	City of Lynchburg (Maint: 15)	1.91	<b>39000</b>	<b>F</b>	93%	0%	1%	1%	5%	0%	C	0.105		0.531	40000	F
	To: Bus US 501; US 501 Campbell Ave															
	From: US 29, US 460 Richmond Hwy															
	City of Lynchburg	0.32	<b>8800</b>	<b>G</b>	97%	0%	1%	1%	1%	0%	F	0.092			9400	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		<b>17000</b>	<b>G</b>	97%	0%	1%	1%	1%	0%	F	0.094	F	0.513	18000	G
	To: SR 128 Mayflower Dr; Candler's Mtn Rd															
	From: Bus US 29															
	City of Lynchburg	0.35	<b>NA</b>									NA			NA	
	To: US 501 Lynchburg Expressway															
	From: US 460															
	City of Lynchburg	0.14	<b>17000</b>	<b>F</b>	98%	0%	1%	0%	0%	0%	F	0.107		0.667	19000	F
	To: Florida Ave															
	From: Campbell Ave															
	City of Lynchburg	0.48	<b>15000</b>	<b>F</b>	98%	0%	1%	0%	0%	0%	F	0.110		0.656	16000	F
	To: Mayflower Dr															
	From: Campbell Ave															
	City of Lynchburg	0.88	<b>16000</b>	<b>F</b>	98%	0%	1%	0%	0%	0%	C	0.102		0.651	17000	F
	To: Kemper St															
	From: Campbell Ave															
	City of Lynchburg	0.34	<b>7800</b>	<b>F</b>	98%	0%	1%	0%	0%	0%	F	0.109		0.626	8300	F
	To: Lynchburg Expressway															
	From: US 221															
	City of Lynchburg	0.41	<b>7400</b>	<b>F</b>	95%	1%	2%	0%	1%	0%	C	0.09		0.61	7900	F
	To: 12th St															
	From: 118-6027; 118-6031															
	City of Lynchburg	0.18	<b>9200</b>	<b>G</b>	95%	1%	2%	0%	1%	0%	F	0.09		0.564	9800	G
	To: Fort Ave															
	From: Campbell Ave															
	City of Lynchburg	0.23	<b>8900</b>	<b>F</b>	98%	1%	1%	0%	0%	0%	F	0.103		0.743	9500	F
	To: Park Ave															
	From: Langhorne Rd															
	City of Lynchburg	0.27	<b>11000</b>	<b>F</b>	98%	1%	1%	0%	0%	0%	F	0.089		0.669	12000	F
	To: Memorial Ave															
	From: Langhorne Rd															
	City of Lynchburg	0.29	<b>18000</b>	<b>F</b>	98%	1%	1%	0%	0%	0%	F	0.086		0.594	19000	F
	To: Murrell Rd															
	From: Langhorne Rd															
	City of Lynchburg	1.06	<b>14000</b>	<b>F</b>	98%	1%	1%	0%	0%	0%	C	0.09		0.677	14000	F
	To: Hill St															
	From: Langhorne Rd															
	City of Lynchburg	0.47	<b>11000</b>	<b>F</b>	98%	1%	1%	0%	0%	0%	F	0.09		0.705	11000	F
	To: Cranehill Dr															
	From: Langhorne Rd															
	City of Lynchburg	1.37	<b>8000</b>	<b>F</b>	99%	1%	1%	0%	0%	0%	C	0.091		0.61	8500	F
	To: Rivermont Terrace															

Virginia Department of Transportation  
 Traffic Engineering Division  
 2016  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Campbell Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
Bus 501 Rivermont Terrace	From: Langhorne Rd City of Lynchburg To: Rivermont Ave	0.25	5200	F	99%	1%	1%	0%	0%	0%	F	0.094	0.585	5600	F	
Bus 501 Rivermont Ave	From: Rivermont Terrace City of Lynchburg To: Link Rd	0.44	15000	F	98%	0%	1%	0%	0%	0%	F	0.091	0.56	16000	F	
Bus 501 Boonsboro Rd	From: Link Rd City of Lynchburg To: Trents Ferry Rd	0.76	13000	F	98%	0%	1%	0%	0%	0%	F	0.093	0.562	14000	F	
Bus 501 Boonsboro Rd	From: Trents Ferry Rd City of Lynchburg To: Lynchburg Expressway	1.75	12000	F	98%	0%	1%	0%	0%	0%	C	0.090	0.526	13000	F	



Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Campbell County</b>																
(F625) River Rd	0.40	230	R								NA		NA			08/02/2007
(F626) Holly Hills Dr	0.16	560	R								NA		NA			08/02/2007
(F793) Breezy Hill Lane	0.10	40	R								NA		NA			08/22/2007
<b>City of Lynchburg</b>																
(F794) Top Ridge Rd	1.16	20	R								NA		NA			08/22/2007
(F864) Brown Haven Lane	0.12	10	R								NA		NA			08/14/2007
(F906) Liberty Mt Dr	0.40	3100	R								NA		NA			08/22/2007
(F907) Liberty Mt Dr	0.78	2500	R								NA		NA			08/22/2007
<b>Campbell County</b>																
(F974) Martin Dr	0.14	960	R								NA		NA			07/31/2007
<b>City of Lynchburg</b>																
(F975) Chetnut Creek Dr	0.46	160	R								NA		NA			07/31/2007
<b>Campbell County</b>																
(F976) Training Center Rd	0.38	550	R								NA		NA			08/22/2007
(608) Stonewall Rd	0.19	2400	G	96%	0%	1%	2%	1%	0%	C	0.095	0.581	2500	G		2016
(609) Phoebe Pond Rd	0.11	430	R								NA		NA			05/24/2011
(609) Phoebe Pond Rd	0.05	390	R								NA		NA			05/24/2011
(609) Stage Rd	1.70	670	R								NA		NA			05/24/2011
(609) Stage Rd	1.10	650	N	98%	1%	1%	0%	0%	0%	N	0.103	0.549	670	N		2016
(718) Birch Tree Lane	0.20	220	R								NA		NA			05/20/2014
(741) Station Lane	0.13	120	R								NA		NA			05/20/2014
(1500) Abbey Place	0.11	110	R								NA		NA			07/09/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Campbell County</b>																
(600) Dog Creek Rd	2.30	370	F	93%	1%	2%	1%	4%	0%	F	0.101		0.5	380	F	2016
(600) Mt Calvary Rd	1.81	350	F								0.119		0.671	350	F	2016
(600) Sugar Hill Rd	1.87	840	F	93%	1%	2%	1%	4%	0%	C	0.103		0.573	850	F	2016
(600) Sugar Hill Rd	2.17	540	F	93%	1%	2%	1%	4%	0%	F	0.095		0.517	550	F	2016
(600) Sugar Hill Rd	3.41	470	F	93%	1%	2%	1%	4%	0%	F	0.095		0.55	480	F	2016
(600) Sugar Hill Rd	0.78	500	F	93%	1%	2%	1%	4%	0%	F	0.1		0.615	510	F	2016
(600) Sugar Hill Rd	1.20	550	F	93%	1%	2%	1%	4%	0%	F	0.11		0.609	560	F	2016
<b>Town of Brookneal</b>																
(601) Juniper Cliff Rd	0.84	230	F	97%	2%	1%	0%	0%	0%	C	0.120		0.621	240	F	2016
<b>Campbell County</b>																
(601) Juniper Cliff Rd	1.00	230	N	97%	2%	1%	0%	0%	0%	N	0.120		0.621	240	N	2016
(601) Hat Creek Rd	9.24	420	R								NA		NA			10/17/2013
(602) Davidson Rd	1.00	220	R								NA		NA			10/17/2013
(603) Mud St	3.00	510	R								NA		NA			10/15/2013
(604) Red Oak School Rd	5.00	150	R								NA		NA			10/15/2013
(604) Red Oak School Rd	0.40	30	R								NA		NA			10/15/2013
(605) Whipping Creek Rd	3.58	450	R								NA		NA			06/02/2010
(605) Whipping Creek Rd	0.54	430	F	98%	1%	1%	0%	0%	0%	F	0.156		0.594	440	F	2016
(605) Swinging Bridge Rd	2.87	1100	F	98%	1%	1%	0%	0%	0%	F	0.116		0.604	1100	F	2016
(605) Swinging Bridge Rd	2.34	980	F	98%	1%	1%	0%	0%	0%	C	0.093		0.579	990	F	2016
(606) New Chapel Rd	7.68	620	R								NA		NA			10/01/2013
(607) Elliott Rd	1.00	60	R								NA		NA			09/10/2013
(607) Elliott Rd	0.40	120	R								NA		NA			09/10/2013

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Campbell County</b>																
(607) Winfall Rd	3.00	340	R								NA			NA		10/01/2013
(609) Stage Rd	0.86	1500	F	93%	0%	0%	6%	0%	0%	F	0.088		0.631	1500	F	2016
(609) Stage Rd	3.23	990	F	93%	0%	0%	6%	0%	0%	C	0.097		0.723	1000	F	2016
(610) Spencer Rd	0.30	300	R								NA			NA		10/03/2013
(611) Paradise Hill Rd	0.50	700	R								NA			NA		10/03/2013
(612) Ebenezer Rd	1.90	400	R								NA			NA		10/17/2013
(613) Jennings Rd	0.56	100	R								NA			NA		10/17/2013
(613) Jennings Rd	0.59	140	R								NA			NA		10/17/2013
(614) Mclver Ferry Rd	2.80	60	R								NA			NA		09/25/2013
(615) Red House Rd	3.36	3800	F	98%	0%	1%	0%	1%	0%	C	0.093		0.685	3900	F	2016
(615) Red House Rd	1.83	2300	F	98%	0%	1%	0%	1%	0%	F	0.103		0.714	2400	F	2016
(615) Red House Rd	2.17	1400	F	98%	0%	1%	0%	1%	0%	F	0.089		0.529	1500	F	2016
(615) Red House Rd	2.70	940	F	98%	0%	1%	0%	1%	0%	F	0.12		0.721	960	F	2016
(615) Red House Rd	5.04	920	F	98%	0%	1%	0%	1%	0%	F	0.106		0.707	930	F	2016
(615) Red House Rd	3.17	500	F	98%	0%	1%	0%	1%	0%	F	0.14		0.616	510	F	2016
(616) Wydner Rd	0.40	90	R								NA			NA		06/08/2010
(617) Deer Path	0.35	200	R								NA			NA		09/03/2013
(618) Robin Rd	0.20	120	R								NA			NA		06/08/2010
(618) Robin Rd	0.20	150	R								NA			NA		10/17/2013
(618) Robin Rd	0.90	160	R								NA			NA		06/08/2010
(618) White Tail Rd	1.27	210	R								NA			NA		06/08/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Campbell County</b>																
(618) Irvindale Rd	1.58	310	R								NA		NA			10/17/2013
						From: 15-601 N, Hat Creek Rd										
						To: 15-645 Hurt Rd										
(618) Irvindale Rd	0.88	310	R								NA		NA			10/17/2013
						From: 15-643 Lewis Ford Rd										
						To: 15-600 Dog Creek Rd										
(619) Patrick Henry Dr	0.50	410	F	93%	1%	1%	2%	3%	0%	C	0.106		0.5	420	F	2016
						From: Charlotte County Line										
						To: Dead End										
(621) Oak Grove Dr	0.27	200	R								NA		NA			09/03/2013
						From: 15-738 Greenhouse Rd										
						To: Bedford County Line										
(622) Waterlick Rd	1.12	13000	F	98%	1%	1%	0%	0%	0%	F	0.092		0.55	13000	F	2016
						From: 15-1520 Rainbow Forest Dr										
(622) Waterlick Rd	0.27	14000	F	98%	1%	1%	0%	0%	0%	C	0.088		0.508	15000	F	2016
						From: Bus US 460										
(622) Waterlick Rd	0.93	12000	F	98%	0%	1%	1%	0%	0%	F	0.085		0.521	13000	F	2016
						From: 15-682 Leesville Rd										
(622) Waterlick Rd	2.24	5600	F	98%	0%	1%	1%	0%	0%	F	0.101		0.577	6000	F	2016
						From: 15-683 N, Lawyers Rd										
						To: 15-683 Lawyers Rd										
(622) Lynbrook Rd	0.08	4100	F	98%	0%	1%	1%	0%	0%	F	0.105		0.599	4100	F	2016
						From: 0.08 ME 15-683										
(622) Lynbrook Rd	2.45	3200	F	98%	0%	1%	1%	0%	0%	C	0.102		0.54	3300	F	2016
						From: US 29 N, Wards Rd										
						To: US 29 S, Wards Rd										
(622) Leland Rd	0.21	1200	F	98%	0%	1%	1%	0%	0%	F	0.106		0.544	1200	F	2016
						From: 15-738 S, English Tavern Rd										
						To: 15-738 N, English Tavern Rd										
(622) Depot Rd	3.78	700	F	98%	0%	1%	1%	0%	0%	F	0.122		0.603	710	F	2016
						From: US 501, SR 24 Campbell Hwy										
						To: 15-682										
(623) Town Fork Rd	1.70	580	F	99%	0%	1%	0%	0%	0%	C	0.126		0.52	610	F	2016
						From: 15-625 Austin Mill Rd										
(623) Town Fork Rd	1.20	1400	F	99%	0%	1%	0%	0%	0%	F	0.117		0.552	1400	F	2016
						From: 15-858 E, Alum Springs Rd										
						To: 15-858 W, Alum Springs Rd										
(623) Turkey Foot Rd	0.20	1000	R								NA		NA			08/27/2013
						From: US 460 Lynchburg Hwy										
(623) Turkey Foot Rd	0.90	2100	R								NA		NA			08/27/2013
						From: Bedford County Line										
						To: Dead End										
(624) Timberlake Dr	1.43	1000	R								NA		NA			05/04/2010
						From: 15-1650 Windcrest Dr										
(624) Timberlake Dr	0.05	2500	R								NA		NA			05/04/2010
						From: 15-829 Grove Ave										
(624) Timberlake Dr	0.27	350	R								NA		NA			05/04/2010
						From: 15-889 N, High View Place										
(624) Timberlake Dr	0.21	390	R								NA		NA			05/04/2010
						From: 15-889 S, High View Place										
(624) Timberlake Dr	0.34	690	R								NA		NA			05/04/2010
						From: Bus US 460										
						To: Bedford County Line										
(625) Austin Mill Rd	1.80	510	R								NA		NA			06/24/2010
						From: 15-623 Town Fork Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Campbell County</b>																
(626) Johnson Mountain Rd	3.00	690	R								NA		NA			08/27/2013
(626) Goodman Crossing Rd	3.87	2300	F	96%	0%	1%	0%	2%	0%	C	0.112	0.574	2300	F		2016
(626) Goodman Xing Rd	0.76	980	R								NA		NA			09/12/2013
(626) Lynch Rd	1.20	990	R								NA		NA			09/12/2013
(627) Camping Springs Rd	0.70	130	R								NA		NA			09/19/2013
(627) Wileman Rd	3.00	550	R								NA		NA			09/19/2013
(627) Saddle Rd	0.10	70	R								NA		NA			09/12/2013
(628) Bishop Creek Rd	0.97	1400	F	93%	1%	2%	1%	4%	0%	F	0.091	0.535	1400	F		2016
(628) Bishop Creek Rd	3.17	1400	F	93%	1%	2%	1%	4%	0%	C	0.095	0.559	1400	F		2016
(629) Hone Rd	0.18	30	R								NA		NA			09/17/2013
(630) Chellis Ford Rd	2.10	720	R								NA		NA			08/15/2013
(631) Mt Airy Rd	0.50	60	R								NA		NA			09/19/2013
(631) Mt Airy Rd	1.35	160	R								NA		NA			09/19/2013
(632) Stony Creek Rd	0.97	80	R								NA		NA			09/19/2013
(633) Goat Island Rd	2.82	290	R								NA		NA			09/25/2013
(633) Epsons Rd	3.31	110	F	98%	1%	2%	0%	0%	0%	C	0.145	0.529	110	F		2016
(633) Epsons Rd	1.31	210	F	95%	1%	1%	2%	1%	0%	F	0.146	0.508	210	F		2016
(633) Epsons Rd	1.56	150	F	95%	1%	1%	2%	1%	0%	F	0.193	0.641	160	F		2016
(633) Epsons Rd	1.59	250	F	95%	1%	1%	2%	1%	0%	F	0.131	0.592	250	F		2016
(633) Epsons Rd	0.42	460	F	95%	1%	1%	2%	1%	0%	C	0.099	0.596	460	F		2016
(633) Phelps Creek Rd	1.43	200	R								NA		NA			10/17/2013

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Campbell County</b>																
(634) Massies Rd	0.54	10	R											NA	NA	08/13/2013
(634) Nest Lane	0.05	80	R											NA	NA	05/06/2010
(635) Melrose Rd	1.28	40	R											NA	NA	09/25/2013
(635) McIver Ferry Rd	0.60	110	R											NA	NA	09/25/2013
(635) Collins Ferry Rd	6.80	220	R											NA	NA	09/25/2013
(635) Flynn St	0.44	950	F	95%	0%	1%	1%	3%	0%	C	0.112		0.75	960	F	2016
(636) William Campbell Dr	0.51	220	R											NA	NA	10/01/2013
(637) Whitehall Rd	2.10	140	R											NA	NA	09/25/2013
(638) Peak Place	0.10	100	R											NA	NA	09/25/2013
(639) Gilliam Rd	1.00	130	R											NA	NA	06/08/2010
(640) Mansion Bridge Rd	1.81	690	R											NA	NA	11/14/2013
(641) Falcon Rd	2.00	110	R											NA	NA	10/01/2013
(642) Down Creek Rd	1.10	80	R											NA	NA	10/17/2013
(643) Carver Lane	0.17	450	R											NA	NA	06/02/2010
(643) Lewis Ford Rd	4.43	280	F	97%	0%	2%	1%	1%	0%	C	0.108		0.588	290	F	2016
(643) Lewis Ford Rd	3.90	250	F	97%	0%	2%	1%	1%	0%	F	0.101		0.607	250	F	2016
(645) Hurt Rd	1.39	50	R											NA	NA	10/17/2013
(645) Hurt Rd	1.01	60	R											NA	NA	10/17/2013
(646) Morris Church Rd	3.18	360	R											NA	NA	06/08/2010
(646) Spring Mill Rd	3.93	610	F	99%	0%	0%	0%	0%	0%	F	0.11		0.578	620	F	2016

Virginia Department of Transportation  
 Traffic Engineering Division  
 2016  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Campbell County</b>																
(646) Spring Mill Rd	0.39	540	F	99%	0%	0%	0%	0%	0%	F	0.086	0.647	550	F	2016	
						From: 06-604 Promise Land Rd										
						To: 06-606 New Chapel Rd										
(646) Spring Mill Rd	7.54	1300	F	99%	0%	0%	0%	0%	0%	F	0.095	0.645	1300	F	2016	
						From: SR 24 Village Hwy										
						To: 15-656 Crews Shop Rd										
(646) Doss Rd	2.03	1600	F	99%	0%	0%	0%	0%	0%	C	0.102	0.689	1600	F	2016	
						From: Dead End										
						To: Bus US 460										
(647) Mary Ann Dr	0.28	340	R								NA		NA		11/14/2013	
						From: 15-643 Lewis Ford Rd										
(648) Three Creeks Rd	5.59	580	R								NA		NA		10/01/2013	
						From: 15-652 Pigeon Run Rd										
(648) Suck Creek Rd	0.80	250	F	93%	0%	1%	2%	4%	0%	C	0.1	0.704	260	F	2016	
						From: 15-615 S, Red House Rd										
						To: 15-615 N, Red House Rd										
(648) Nowlins Mill Rd	6.03	120	R								NA		NA		10/09/2013	
						From: 15-646 Spring Mill Rd										
						To: 15-603 Mud St										
(649) County Line Rd	1.10	100	R								NA		NA		10/15/2013	
						From: 06-649 County Line Rd										
(650) Mollies Creek Rd	6.75	520	R								NA		NA		10/01/2013	
						From: US 501 Brookneal Hwy										
						To: 15-615 Red House Rd										
(651) Bear Creek Rd	7.39	230	R								NA		NA		10/15/2013	
						From: 15-650 Mollies Creek Rd										
						To: 15-606 New Chapel Rd										
(651) Bear Creek Rd	4.59	600	R								NA		NA		10/15/2013	
						From: SR 24 Village Hwy										
						To: 15-635 Flynn St										
(652) Morningside Dr	0.05	70	R								NA		NA		10/01/2013	
						From: 15-761 Long Island Rd										
						To: US 501 Brookneal Hwy; 15-761 Long Island Rd										
(652) Pigeon Run Rd	3.30	430	F	92%	0%	3%	2%	2%	0%	C	0.103	0.563	430	F	2016	
						From: 15-651 Bear Creek Rd										
(652) Pigeon Run Rd	2.90	190	F	92%	0%	3%	2%	2%	0%	F	0.159	0.703	190	F	2016	
						From: 15-648 Suck Creek Rd										
						To: 15-761 Long Island Rd										
(653) School Rd	0.20	510	R								NA		NA		05/11/2010	
						From: Dead End										
						To: US 501 Brookneal Hwy										
(654) Marshall Mill Rd	2.50	210	R								NA		NA		10/01/2013	
						From: 15-650 Mollies Creek Rd										
(655) Rocky Rd	3.20	320	R								NA		NA		05/11/2010	
						From: US 501 N, Brookneal Hwy										
						To: US 501 S, Campbell Hwy										
(656) Plum Branch Rd	4.71	390	R								NA		NA		06/10/2010	
						From: 15-606 New Chapel Rd										
						To: SR 24 Village Hwy										
(656) Crews Shop Rd	2.25	1000	F	97%	0%	1%	1%	0%	0%	C	0.097	0.657	1000	F	2016	
						From: 15-646 Doss Rd										
(656) Crews Shop Rd	0.10	3300	F	97%	0%	1%	1%	0%	0%	F	0.109	0.616	3400	F	2016	
						From: US 460 Lynchburg Hwy										
						To: Dead End										
(657) Booth Rd	2.39	110	R								NA		NA		10/09/2013	
						From: 15-646 Spring Mill Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Campbell County</b>																
(658) Toll Gate Rd	2.50	210	R									NA		NA		06/10/2010
(659) Cabin Field Rd	1.55	300	R									NA		NA		10/03/2013
(660) East Brook Rd	1.90	690	R									NA		NA		05/06/2010
(660) Oxford Furnace Rd	4.57	960	R									NA		NA		05/06/2010
(661) Cross Roads Lane	0.48	280	R									NA		NA		09/03/2013
(662) Oxford Furnace Rd	2.08	700	R									NA		NA		10/09/2013
(663) Bethany Rd	6.69	420	R									NA		NA		10/15/2013
(663) Tweedy Rd	1.20	30	R									NA		NA		10/09/2013
(664) Old Rustburg Rd	1.25	750	F	98%	1%	1%	1%	0%	0%	C	0.13	0.579	800	F		2016
(665) East Brook Rd	0.64	1700	R									NA		NA		05/06/2010
(666) Steeple Run	0.35	90	R									NA		NA		08/13/2013
(667) Stevens Rd	1.17	220	R									NA		NA		08/13/2013
(668) Ellen Dr	0.35	220	R									NA		NA		08/27/2013
(669) Dodson Dr	1.34	240	R									NA		NA		09/10/2013
(669) Lone Jack Rd	1.78	350	R									NA		NA		05/06/2010
(669) Lone Jack Rd	1.01	460	R									NA		NA		05/06/2010
(670) Candler Mountain Rd	2.00	3000	F	99%	0%	0%	0%	0%	0%	C	0.122	0.767	3200	F		2016
(670) Sunnymead Rd	2.82	1600	F	99%	0%	0%	0%	0%	0%	F	0.112	0.588	1600	F		2016
(671) Courthouse Lane	0.07	1100	R									NA		NA		05/20/2010
(671) Courthouse Lane	0.05	210	R									NA		NA		05/20/2010



Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Campbell County</b>																
(672) Maddox Rd	2.11	160	R								NA		NA			10/01/2013
(673) Magaron Lane	0.30	130	R								NA		NA			09/03/2013
(674) Livestock Rd	0.33	1900	R								NA		NA			09/17/2013
(675) Doe Run Lane	0.44	150	R								NA		NA			08/27/2013
(676) Partridge Lane	0.30	50	R								NA		NA			10/17/2013
(677) Sunnymede Rd	1.92	2300	F	97%	0%	1%	1%	0%	0%	C	0.130	0.693	2500	F		2016
(677) Camp Hydaway Rd	3.03	380	F	97%	0%	1%	1%	0%	0%	F	0.125	0.53	400	F		2016
(677) Old Rustburg Rd	1.35	560	F	97%	0%	1%	1%	0%	0%	F	0.09	0.686	590	F		2016
(678) Airport Rd	0.34	16000	F	94%	1%	3%	1%	1%	0%	F	0.091	0.583	17000	F		2016
(678) Airport Rd	0.21	2500	F	94%	1%	3%	1%	1%	0%	F	0.113	0.708	2600	F		2016
(678) Airport Rd	1.13	1600	F	94%	1%	3%	1%	1%	0%	C	0.098	0.74	1700	F		2016
(679) Russell Woods Dr	0.13	1300	R								NA		NA			11/05/2013
(679) Russell Woods Dr	0.26	310	R								NA		NA			11/05/2013
(679) Russell Woods Dr	0.25	100	R								NA		NA			11/05/2013
(679) Russell Woods Dr	0.29	80	R								NA		NA			11/05/2013
(680) Suburban Rd	3.20	1400	F	98%	0%	1%	1%	0%	0%	C	0.114	0.581	1400	F		2016
(680) Poor House Rd	3.02	900	R								NA		NA			05/06/2010
(681) Old Plantation Rd	0.27	600	R								NA		NA			05/04/2010
(681) Old Plantation Rd	0.42	350	R								NA		NA			05/04/2010
(681) Sunburst Rd	2.70	2100	R								NA		NA			05/04/2010
(682) Leesville Rd	8.94	380	R								NA		NA			06/15/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Campbell County</b>																
(682)	2.56	3000	F	98%	0%	1%	0%	1%	0%	F	0.110		0.623	3000	F	2016
			From: 15-626 S. Goodman Crossing Rd													
			To: SR 24 Colonial Hwy													
(682)	1.18	3200	F	98%	0%	1%	0%	1%	0%	C	0.111		0.607	3200	F	2016
			From: 15-725 Ridge Rd													
			To: 15-623 Town Fork Rd													
(682)	1.59	3100	F	98%	0%	1%	0%	1%	0%	F	0.101		0.567	3100	F	2016
			From: 15-623 Town Fork Rd													
			To: 15-691 Pacoman Rd													
(682)	Leesville Rd	2.52	3900	F	98%	0%	1%	0%	1%	F	0.101		0.653	4100	F	2016
			From: US 460													
			To: 15-622 Waterlick Rd													
(682)	Leesville Rd	0.92	7100	F	98%	0%	1%	0%	1%	F	0.101		0.653	7600	F	2016
			From: 15-622 Waterlick Rd													
			To: 15-1600 Greystone Dr													
(682)	Leesville Rd	0.09	12000	F	98%	0%	1%	0%	1%	F	0.103		0.562	12000	F	2016
			From: SCL Lynchburg													
			To: Dead End													
(683)	Church Lane	1.05	440	R								NA		NA		06/22/2010
			From: SR 24 W, Colonial Hwy													
			To: SR 24 E, Colonial Hwy													
(683)	Miles Lane	0.34	410	R								NA		NA		08/27/2013
			From: 15-682 SOUTH													
			To: 15-682 NORTH													
(683)	Lawyers Rd	5.52	1600	R								NA		NA		08/27/2013
			From: 15-622 Lynbrook Rd													
			To: US 29 Wards Rd													
(683)	Lawyers Rd	2.05	2800	F	94%	0%	2%	4%	1%	C	0.116		0.61	2900	F	2016
			From: 15-625 Austin Mill Rd													
			To: 1.90 MS 15-625													
(684)	Buffalo Mill Rd	1.90	360	R								NA		NA		06/24/2010
			From: 1.90 MS 15-625													
			To: 15-682													
(685)	Calohan Rd	1.80	5600	F	94%	0%	1%	2%	4%	C	0.092		0.626	5700	F	2016
			From: 15-738 Greenhouse Rd													
			To: SR 24 Colonial Hwy													
(685)	Wisecarver Rd	0.30	4900	F	94%	0%	1%	2%	4%	F	0.092		0.8	5000	F	2016
			From: 15-1630 Valley Dr													
			To: 15-686 Browns Mill Rd													
(685)	Wisecarver Rd	1.40	3600	F	94%	0%	1%	2%	4%	F	0.085		0.681	3700	F	2016
			From: US 29 Wards Rd													
			To: 15-751 Stone Rd													
(686)	Browns Mill Rd	2.81	560	R								NA		NA		05/20/2010
			From: 15-751 Stone Rd													
			To: 15-685 Wisecarver Rd													
(686)	Browns Mill Rd	2.67	580	R								NA		NA		05/20/2010
			From: 15-685 Wisecarver Rd													
			To: US 501 Brookneal Hwy													
(686)	Browns Mill Rd	0.32	4800	F	94%	0%	1%	2%	4%	F	0.091		0.582	4900	F	2016
			From: US 501 Brookneal Hwy													
			To: 15-686 Browns Mill Rd													
(687)	Gough Rd	3.10	240	R								NA		NA		09/17/2013
			From: SR 24 Colonial Hwy													
			To: 15-689 Moorman Mill Rd													
(688)	Patterson Rd	1.18	330	R								NA		NA		06/22/2010
			From: 15-689 Moorman Mill Rd													
			To: US 29 Wards Rd													

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Campbell County</b>																
(689) Moorman Mill Rd	0.90	390	R			15-690 Clarks Rd					NA			NA		09/03/2013
(689) Amy Rd	0.28	270	R			US 29 Wards Rd					NA			NA		09/03/2013
(690) Clarks Rd	3.40	460	R			15-754 Anstey Rd										
(690) Clarks Rd						15-622 Lynbrook Rd					NA			NA		09/03/2013
(691) Pacoman Rd	1.04	250	R			15-688 Patterson Rd										
(691) Pacoman Rd						15-683 Lawyers Rd					NA			NA		06/24/2010
(692) Masons Mill Rd	3.33	440	R			SR 24; 15-748					NA			NA		05/20/2010
(693) Chapel Grove Rd	2.20	390	R			US 29 Wards Rd										
(693) Chapel Grove Rd						15-696 Dearborn Rd					NA			NA		09/03/2013
(694) Langdon Rd	0.65	90	R			15-692 Masons Mill Rd										
(694) Langdon Rd						15-682					NA			NA		08/27/2013
(694) Langdon Rd	0.75	150	R			15-882 Wyndolm Rd					NA			NA		08/27/2013
(695) Johnson Creek Rd	4.80	280	R			15-696 Dearborn Rd										
(695) Johnson Creek Rd						15-682 Leesville Rd					NA			NA		09/19/2013
(696) Hells Bend Rd	2.40	10	R			15-626 Johnson Mountain Rd										
(696) Hells Bend Rd						Dead End					NA			NA		09/25/2013
(696) Hells Bend Rd	2.65	640	R			15-705 Covered Bridge Rd					NA			NA		05/11/2010
(696) Marysville Rd	0.39	1500	F	97%	0%	0%	1%	1%	0%	F	0.1	0.694	1600	F	2016	
(696) Marysville Rd						15-700 Marysville Rd										
(696) Marysville Rd	1.91	910	F	97%	0%	0%	1%	1%	0%	F	0.108	0.599	920	F	2016	
(696) Marysville Rd						15-699 Gladys Rd										
(696) Marysville Rd	3.18	860	F	97%	0%	0%	1%	1%	0%	C	0.086	0.882	870	F	2016	
(696) Marysville Rd						15-701 N, East Ferry Rd										
(696) Dearborn Rd	6.47	290	R			US 29 S, Wards Rd					NA			NA		08/27/2013
(696) Dearborn Rd						US 29 N, Wards Rd										
(697) Mitchell Mill Rd	2.76	80	R			SR 24 Colonial Hwy										
(697) Mitchell Mill Rd						15-701 East Ferry Rd					NA			NA		09/17/2013
(698) Theta Mill Rd	3.50	120	R			15-699 Gladys Rd										
(698) Theta Mill Rd						15-701 East Ferry Rd					NA			NA		05/11/2010
(699) Gladys Rd	1.30	2400	F	93%	1%	1%	1%	4%	0%	C	0.094	0.552	2400	F	2016	
(699) Gladys Rd						US 29 Wards Rd										
(699) Gladys Rd	3.43	1900	F	93%	1%	1%	1%	4%	0%	F	0.097	0.525	2000	F	2016	
(699) Gladys Rd						15-701 Lambs Church Rd										
(699) Gladys Rd	1.77	1300	F	93%	1%	1%	1%	4%	0%	F	0.094	0.546	1300	F	2016	
(699) Gladys Rd						15-696 Marysville Rd										
(699) Gladys Rd	2.65	1400	F	93%	1%	1%	1%	4%	0%	F	0.093	0.606	1400	F	2016	
(699) Gladys Rd						15-629 Hone Rd										
(699) Gladys Rd						15-761 Long Island Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Campbell County</b>																
(700) Marysville Rd	2.39	370	R			From: 15-696 Marysville Rd; Hells Bend Rd					NA			NA		09/25/2013
						To: 15-633 Goat Island Rd										
(701) Lambs Church Rd	4.60	140	R			From: 15-699 Gladys Rd					NA			NA		05/11/2010
						To: 15-696 S. Marysville Rd										
(701) East Ferry Rd	8.00	250	R			From: 15-696 N. Marysville Rd					NA			NA		05/11/2010
						To: US 501 Brookneal Hwy										
(702) Younger Rd	0.40	110	R			From: Dead End					NA			NA		10/01/2013
						To: 15-648 Suck Creek Rd										
(703) Mohawk Rd	2.69	150	R			From: 15-704 Seneca Rd					NA			NA		09/25/2013
						To: 15-761 Long Island Rd										
(704) Seneca Rd	1.10	140	R			From: 15-705 Covered Bridge Rd					NA			NA		09/25/2013
						To: Dead End										
(705) Covered Bridge Rd	6.60	60	R			From: 15-696 Hells Bend Rd					NA			NA		09/25/2013
						To: 15-761 Long Island Rd										
(706) Perrows Rd	0.50	20	R			From: Dead End					NA			NA		09/25/2013
						To: 15-699 Gladys Rd										
(707) Castaway Rd	0.06	130	R			From: 15-712 Riverbend Rd					NA			NA		11/14/2013
						To: 15-640 Mansion Bridge Rd										
(708) Seamster Dr	1.50	60	R			From: Dead End					NA			NA		10/01/2013
						To: 15-648 Suck Creek Rd										
(709) Horselys Bridge Rd	3.10	230	R			From: Dead End					NA			NA		08/27/2013
						To: 15-696 Dearborn Rd										
(709) Blackwater Rd	1.90	690	R			From: 15-692 Masons Mill Rd					NA			NA		08/27/2013
						To: 15-711 Tardy Mountain Rd										
(710) Oliver Rd	0.28	260	R			From: 15-1331 Gibson Rd					NA			NA		09/19/2013
						To: 0.72 ME 15-1331										
(710) Oliver Rd	0.80	90	R			From: Dead End					NA			NA		05/20/2010
						To: Dead End										
(711) Clarion Rd	0.40	6900	F	98%	0%	0%	0%	1%	0%	C	0.088	0.545	7000	F	2016	
						From: NCL Altavista; US 29 Wards Rd										
						To: 15-712 E. Dearing Ford Rd										
(711) Tardy Mountain Rd	1.50	470	R			From: 15-712 W. Dearing Ford Rd					NA			NA		09/19/2013
						To: 15-710 Oliver Rd										
(711) Tardy Mountain Rd	3.00	130	R			From: 15-626 Goodman Crossing Rd					NA			NA		05/20/2010
						To: 15-682 Leesville Rd										
(711) Tardy Mountain Rd	2.00	260	R			From: SR 43 W, Bedford Hwy					NA			NA		09/19/2013
						To: 15-682 Leesville Rd										
(712) Mt Herman Rd	0.41	170	F	99%	0%	0%	0%	0%	0%	F	0.151	0.615	170	F	2016	
						From: SR 43 MID										
						To: SR 43 MID										

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Campbell County</b>																
(712) Dearing Ford Rd	0.69	1400	F	99%	0%	From: SR 43 E, Bedford Hwy To: 15-714 Lynch Mill Rd				C	0.103		0.55	1400	F	2016
(712) Dearing Ford Rd	1.98	1300	F	99%	0%	From: 15-714 Lynch Mill Rd To: 15-711 E, Clarion Rd				F	0.096		0.572	1300	F	2016
(712) Dearing Ford Rd	1.33	1100	F	99%	0%	From: 15-711 E, Clarion Rd To: Bus US 29 NORTH To: Bus US 29 SOUTH				F	0.093		0.567	1100	F	2016
(712) Riverbend Rd	1.59	790	F	99%	0%	From: Bus US 29 NORTH To: 15-699 Gladys Rd				F	0.104		0.509	800	F	2016
(712) Riverbend Rd	0.12	60	R			From: 15-699 Gladys Rd To: Dead End							NA	NA		11/14/2013
(713) Powell Rd	1.00	400	R			From: 15-626 Goodman Xing Rd To: 15-627 Wileman Rd							NA	NA		09/19/2013
(714) Lynch Mill Rd	1.03	2600	F	98%	0%	From: NCL Altavista To: 15-712 Dearing Ford Rd				C	0.106		0.531	2700	F	2016
(714) Lynch Mill Rd	0.68	2500	F	98%	0%	From: 15-712 Dearing Ford Rd To: 15-626 Goodman Crossing Rd				F	0.102		0.558	2500	F	2016
(715) South Timberlake Rd	0.72	290	R			From: 15-681 Viohl Rd To: Dead End							NA	NA		05/04/2010
(716) Misty Mountain Rd	0.27	48	R			From: Cul-de-Sac To: 15-631 Mt Airy Rd							NA	NA		09/19/2013
(718) Taylor Ford Rd	1.69	200	R			From: Dead End To: 15-630 Chellis Ford Rd							NA	NA		06/15/2010
(719) Farmcrest Rd	0.70	140	R			From: Dead End To: 15-606 New Chapel Rd							NA	NA		10/15/2013
(720) Golf Course Rd	0.70	200	R			From: Dead End To: 15-601 Juniper Cliff Rd							NA	NA		10/17/2013
(721) Pilot View Rd	0.22	230	R			From: 15-646 Spring Mill Rd To: 15-926 Carriage Lane							NA	NA		10/09/2013
(721) Pilot View Rd	0.18	70	R			From: 15-926 Carriage Lane To: Dead End							NA	NA		10/09/2013
(722) Tobacco Lane	0.42	60	R			From: Dead End To: 15-643 Lewis Ford Rd							NA	NA		10/15/2013
(723) Viewmont Dr	0.60	240	R			From: Dead End To: US 29 Wards Rd							NA	NA		05/20/2010
(724) Bandy Rd	0.11	40	R			From: 15-699 Gladys Rd To: 15-761 Long Island Rd							NA	NA		09/17/2013
(725) Ridge Rd	1.10	420	F	97%	0%	From: 15-811 Ridge Rd; Evington Rd To: 15-682				C	0.124		0.6	430	F	2016
(726) Mt Athos Rd	0.34	7000	F	96%	1%	From: US 460 To: 15-609 Stage Rd				C	0.108		0.737	7400	F	2016

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Campbell County</b>																
(726) Mt Athos Rd	2.43	5700	F	96%	1%	1%	2%	1%	0%	F	0.123	0.869	6000	F	2016	
						From: 15-609 Stage Rd										
						To: 2.43 MN 15-609										
(726) Mt Athos Rd	1.52	440	F	96%	1%	1%	2%	1%	0%	F	0.102	0.704	450	F	2016	
						From: Appomattox County Line										
						To: Dead End										
(727) Crows Rd	1.70	180	R								NA		NA		09/17/2013	
						From: 15-701 East Ferry Rd										
						To: Dead End										
(728) Pannills Rd	0.30	20	R								NA		NA		09/25/2013	
						From: 15-633 Epsons Rd										
						To: Dead End										
(729) Pleasant Hill Rd	0.20	130	R								NA		NA		08/13/2013	
						From: 0.20 ME of Dead End										
(729) Pleasant Hill Rd	0.26	140	R								NA		NA		08/13/2013	
						From: US 501 Campbell Hwy										
						To: Dead End										
(730) Joy Rd	0.20	120	R								NA		NA		10/17/2013	
						From: 15-646 Morris Church Rd										
						To: 15-601 Juniper Cliff Rd										
(731) Manley Branch Rd	1.40	60	R								NA		NA		10/15/2013	
						From: 15-604 Red Oak School Rd										
						To: 15-646 Spring Mill Rd										
(732) Dry Mountain Rd	1.25	130	R								NA		NA		09/25/2013	
						From: Dead End										
						To: 15-635 Collins Ferry Rd										
(733) Leewood Rd	0.70	120	R								NA		NA		09/12/2013	
						From: 15-712 Dearing Ford Rd										
						To: Dead End										
(734) Peerman School Rd	1.40	340	R								NA		NA		09/19/2013	
						From: Dead End										
						To: US 29 Wards Rd										
(735) Lazy Creeks Dr	0.42	110	R								NA		NA		09/10/2013	
						From: Cul-de-Sac										
						To: 15-622 Depot Rd										
(736) Liberty Lake Rd	1.15	70	R								NA		NA		10/15/2013	
						From: Dead End										
						To: 15-615 Red House Rd										
(737) Wheeler Rd	3.10	270	R								NA		NA		05/11/2010	
						From: 15-651 Bear Creek Rd										
						To: 15-656 Plum Branch Rd										
(738) Greenhouse Rd	0.13	970	F	99%	0%	0%	1%	0%	0%	F	0.13	0.54	980	F	2016	
						From: SR 24 Colonial Hwy										
						To: Y Int; Gap										
(738) Greenhouse Rd	0.06	850	F	99%	0%	0%	1%	0%	0%	F	0.106	0.521	870	F	2016	
						From: 15-754 Gap										
						To: 0.06 MN of 05-754										
(738) Greenhouse Rd	1.54	1300	F	99%	0%	0%	1%	0%	0%	F	0.107	0.502	1300	F	2016	
						From: 15-685 Calohan Rd										
						To: US 29 S, Wards Rd										
(738) English Tavern Rd	0.78	3500	F	99%	0%	0%	1%	0%	0%	F	0.097	0.621	3500	F	2016	
						From: US 29 MID										
						To: 15-622 N, Depot Rd										
(738) English Tavern Rd	0.43	3200	F	99%	0%	0%	1%	0%	0%	F	0.097	0.586	3300	F	2016	
						From: 15-680 Suburban Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Campbell County</b>																
(738) English Tavern Rd	1.62	3800	F	99%	0%	0%	1%	0%	0%	C	0.098		0.573	4100	F	2016
(739)	0.04	14000	G	98%	0%	1%	0%	0%	0%	F	0.086		0.515	15000	G	2016
(740) Orrix Creek Rd	1.00	140	R									NA		NA		06/22/2010
(742) Taylor Place	0.54	260	R									NA		NA		06/10/2010
(744) Laxton Rd	0.04	1300	R									NA		NA		04/27/2010
(745) Mountain Rd	0.50	110	R									NA		NA		05/11/2010
(746) Grist Mill Rd	0.08	45	R									NA		NA		05/06/2010
(747) Ewing Dr	0.69	220	R									NA		NA		05/20/2010
(748) Crown Lane	0.40	10	R									NA		NA		08/27/2013
(749) Owl Rd	1.00	170	R									NA		NA		06/08/2010
(750) Nickland Dr	0.36	290	R									NA		NA		09/03/2013
(750) Nickland Dr	0.44	270	R									NA		NA		09/03/2013
(751) Stone Rd	2.00	180	R									NA		NA		09/17/2013
(752) Mt Olivet Church Rd	0.10	220	R									NA		NA		10/03/2013
(752) Mt Olivet Church Rd	0.30	270	R									NA		NA		10/03/2013
(752) Mt Olivet Church Rd	0.40	360	R									NA		NA		10/03/2013
(754) Anstey Rd	0.36	210	R									NA		NA		09/03/2013
(754) Anstey Rd	0.15	340	R									NA		NA		09/03/2013
(754) Anstey Rd	0.10	60	R									NA		NA		09/03/2013
(755) Ball Park Rd	0.60	90	R									NA		NA		06/08/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Campbell County</b>																
(756) Red Bottom Rd	1.80	160	R								NA			NA		06/08/2010
(757) Country Rd	3.00	130	R								NA			NA		10/09/2013
(759) Grass St	0.09	120	R								NA			NA		06/02/2010
(760) Runway Rd	0.11	6	R								NA			NA		06/02/2010
(761) Long Island Rd	1.20	680	F	91%	0%	1%	2%	6%	0%	C	0.087		0.656	690	F	2016
(761) Long Island Rd	3.15	720	F	92%	1%	1%	1%	6%	0%	F	0.087		0.619	720	F	2016
(761) Long Island Rd	1.97	1100	F	92%	1%	1%	1%	6%	0%	F	0.091		0.635	1200	F	2016
(761) Long Island Rd	1.67	2400	F	92%	1%	1%	1%	6%	0%	C	0.083		0.683	2400	F	2016
(762) Tip Lane	0.58	40	R								NA			NA		10/17/2013
(763) Midgett Farm Rd	0.51	180	R								NA			NA		06/10/2010
(769) Beechwood Dr	0.08	460	R								NA			NA		04/20/2010
(769) Beechwood Dr	0.05	580	R								NA			NA		04/20/2010
(769) Beechwood Dr	0.03	710	R								NA			NA		04/20/2010
(769) Beechwood Dr	0.06	920	R								NA			NA		04/20/2010
(769) Beechwood Dr	0.26	1300	R								NA			NA		04/20/2010
(770) Bumgarner Dr	0.38	1500	R								NA			NA		11/19/2013
(771) Roundtree Rd	1.80	210	R								NA			NA		10/15/2013
(772) Harper Valley Rd	0.65	60	R								NA			NA		10/17/2013
(775) Ruckers Rd	1.25	80	R								NA			NA		10/09/2013
(776) Rock Hill Rd	1.10	100	R								NA			NA		10/15/2013



Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Campbell County</b>																
(778) Hughes Rd	0.75	80	R								NA			NA		10/01/2013
(779) Oakland Circle	0.53	270	R								NA			NA		04/20/2010
(781) Mortimer Dr	1.30	200	R								NA			NA		06/22/2010
(782) Terrace Hill Dr	0.06	220	R								NA			NA		04/20/2010
(782) Terrace Hill Dr	0.17	250	R								NA			NA		04/20/2010
(783) Wilkinson Dr	0.07	110	R								NA			NA		06/15/2010
(784) Winebarger Circle	0.42	200	R								NA			NA		05/06/2010
(785) Loblolly Rd	0.80	90	R								NA			NA		10/17/2013
(786) Beth Lane	0.80	50	R								NA			NA		10/17/2013
(787) Archer Mill Rd	0.60	160	R								NA			NA		10/03/2013
(788) Hardwood Trail	0.80	60	R								NA			NA		10/15/2013
(789) Lake Court Ave	0.15	360	R								NA			NA		11/14/2013
(789) Lake Court Ave	0.15	150	R								NA			NA		05/06/2010
(790) Homeplace Rd	2.40	160	R								NA			NA		10/01/2013
(791) Honeywood Dr	0.55	450	R								NA			NA		05/04/2010
(792) Flying W Rd	0.70	160	R								NA			NA		10/17/2013
(793) Napier Rd	0.40	190	R								NA			NA		10/03/2013
(794) Peel Rd	0.30	8	R								NA			NA		10/15/2013
(795) Quick Rd	1.10	50	R								NA			NA		10/17/2013

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Campbell County</b>																
(796) Tanzalon Dr	0.20	260	R			From: Dead End					NA			NA		04/29/2010
						To: Bus US 460										
(797) County Airport Rd	0.45	60	R			From: 15-650 Mollies Creek Rd					NA			NA		06/02/2010
						To: 0.45 ME 15-650										
(797) County Airport Rd	0.25	50	R			From: Dead End					NA			NA		10/01/2013
						To: 15-615 Red House Rd										
(798) Daniel Rd	0.25	50	R			From: Dead End					NA			NA		10/01/2013
						To: Dead End										
(799) Pettigrew Dr	1.12	270	R			From: Dead End					NA			NA		05/11/2010
						To: 15-609 Stage Rd										
(800) Tallyho Rd	0.66	1400	R			From: US 460 Lynchburg Hwy					NA			NA		06/10/2010
						To: SR 24 Village Hwy										
(800) Stratford Rd	0.13	590	R			From: Appomattox County Line					NA			NA		06/10/2010
						To: Charlotte County Line										
(801) Pump Rd	0.30	50	R			From: 15-600 Sugar Hill Rd					NA			NA		10/17/2013
						To: 15-800 Tallyho Rd										
(802) Haney Rd	0.11	380	R			From: US 460 Lynchburg Hwy					NA			NA		06/10/2010
						To: Dead End										
(803) Oak St	0.06	50	R			From: 15-759 Grass St					NA			NA		06/02/2010
						To: Dead End										
(803) Oak St	0.08	30	R			From: 15-606 New Chapel Rd					NA			NA		06/02/2010
						To: Dead End										
(804) Carwile Rd	0.96	300	R			From: Dead End					NA			NA		10/15/2013
						To: Dead End										
(805) Cheatham Rd	1.40	150	R			From: 15-615 Red House Rd					NA			NA		10/15/2013
						To: 15-606 New Chapel Rd										
(806) Cyrus Rd	0.75	290	R			From: Dead End					NA			NA		05/11/2010
						To: Dead End										
(808) Kent Rd	0.41	50	R			From: SR 24 Colonial Hwy					NA			NA		08/27/2013
						To: 15-643 Lewis Ford Rd										
(809) Raintree Dr	0.55	80	R			From: Dead End					NA			NA		10/01/2013
						To: Dead End										
(810) Cowan Rd	0.33	100	R			From: SR 24 Colonial Hwy					NA			NA		08/27/2013
						To: Bedford County Line										
(811) Evington Rd	2.85	730	F	96%	0%	1%	1%	1%	0%	C	0.119		0.511	740	F	2016
						To: 15-725 Ridge Rd										
(811) Ridge Rd	0.11	260	F	96%	0%	1%	1%	1%	0%	F	0.089		0.661	260	F	2016
						To: SR 24 Colonial Hwy										
(812) Evington Rd	0.44	780	R			From: 15-811 Ridge Rd					NA			NA		06/22/2010
						To: SR 24 Colonial Hwy										

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Campbell County</b>																
(814) Penuel Rd	0.35	270	R								NA		NA			09/19/2013
(815) Rosser St	0.13	80	R								NA		NA			05/20/2010
(816) Babcock Rd	0.60	260	R								NA		NA			05/20/2010
(817) Pleasant Valley Rd	0.55	420	F	94%	0%	1%	3%	2%	0%	C	0.122	0.574	440	F		2016
(818) Wildlife Dr	0.57	110	R								NA		NA			10/15/2013
(819) Drinkard Rd	0.40	90	R								NA		NA			10/09/2013
(820) Ford Rd	0.70	40	R								NA		NA			10/15/2013
(821) Swan Creek Rd	0.81	140	R								NA		NA			09/25/2013
(822) Hawk Rd	0.30	40	R								NA		NA			06/08/2010
(823) Butterfly Lane	0.55	110	R								NA		NA			09/19/2013
(824) Devils Ridge Rd	1.65	290	R								NA		NA			09/25/2013
(825) Little Lane	0.20	60	R								NA		NA			08/27/2013
(826) Dry Fork Rd	0.33	30	R								NA		NA			09/25/2013
(827) Woodlawn Circle	0.35	150	R								NA		NA			05/06/2010
(828) Silver Spring Dr	0.24	240	R								NA		NA			08/13/2013
(829) Grove Ave	0.42	2300	R								NA		NA			11/14/2013
(830) Forest Ave	0.26	310	R								NA		NA			11/14/2013
(831) Merritt Lane	0.29	70	R								NA		NA			09/12/2013
(832) Mountain Lane	0.14	300	R								NA		NA			05/20/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck----- 2Axle 3+Axle 1Trail 2Trail	QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
<b>Campbell County</b>													
(832) Mountain Lane	0.08	120	R			From: 15-815 Rosser St To: Dead End		NA			NA		05/20/2010
(833) Gold Dust Trail	0.08	260	R			From: SR 24 Village Hwy To: 15-815 Rosser St		NA			NA		05/20/2010
(833) Gold Dust Trail	0.13	120	R			From: 15-815 Rosser St To: Dead End		NA			NA		09/10/2013
(834) Bull Hill Rd	1.10	110	R			From: 15-615 Red House Rd To: Dead End		NA			NA		10/15/2013
(835) Jefferson Manor Dr	0.36	550	R			From: 15-1670 Royal Ct To: 15-1526 Independence Circle		NA			NA		11/12/2013
(835) Jefferson Manor Dr	0.11	680	R			From: 15-1526 Independence Circle To: 15-770 Bumgarner Dr		NA			NA		11/12/2013
(835) Jefferson Manor Dr	0.12	1900	R			From: 15-770 Bumgarner Dr To: 15-1527 Jane Randolph St		NA			NA		11/12/2013
(835) Jefferson Manor Dr	0.28	2000	R			From: 15-1527 Jane Randolph St To: 15-622 Waterlick Rd		NA			NA		11/12/2013
(836) Spicer Rd	0.25	560	R			From: US 460 Lynchburg Hwy To: 15-1015 Berkshire Dr		NA			NA		10/03/2013
(836) Spicer Rd	0.48	260	R			From: 15-1015 Berkshire Dr To: Cul-de-Sac		NA			NA		10/03/2013
(837) Top Ridge Rd	0.18	120	R			From: FR-794 Top Ridge Rd To: 15-677 Old Rustburg Rd		NA			NA		08/13/2013
(838) Rails End Lane	0.13	190	R			From: Dead End To: 15-891 Back Alley		NA			NA		05/20/2010
(838) Rails End Lane	0.07	390	R			From: 15-891 Back Alley To: US 501 Campbell Hwy		NA			NA		05/20/2010
(838) Kabler Lane	0.17	910	R			From: US 501 Campbell Hwy To: Dead End		NA			NA		05/20/2010
(839) Hensley Dr	0.30	60	R			From: 15-682 Leesville Rd To: Dead End		NA			NA		09/19/2013
(840) Windsong Rd	0.68	330	R			From: Dead End To: SR 43 Bedford Hwy		NA			NA		09/12/2013
(842) Greenwell Ct	0.54	150	R			From: Bus US 460 SOUTH To: Bus US 460 NORTH		NA			NA		05/06/2010
(846) Clover Lane	0.09	30	R			From: 15-665 Wolf Pitt Rd To: Dead End		NA			NA		08/13/2013
(847) Blue Ridge Lane	0.60	240	R			From: Dead End To: 15-682		NA			NA		08/27/2013
<b>Town of Brookneal</b>													
(849) Hunter Rd	0.10	350	R			From: 15-601 Juniper Cliff Rd To: 15-1126 Foster St		NA			NA		12/03/2013

Virginia Department of Transportation  
 Traffic Engineering Division  
 2016  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Brookneal</b>																
(849) Hunter Rd	0.45	230	R								NA			NA		12/03/2013
<b>Cambell County</b>																
(850) Smokey Hollow Rd	2.52	280	R								NA			NA		05/06/2010
(851) Quail Rd	2.27	270	R								NA			NA		10/09/2013
(851) Holiday Lane	0.55	390	R								NA			NA		10/09/2013
(852) Long Mountain Dr	0.43	130	R								NA			NA		05/11/2010
(853) Brooklawn Dr	0.16	360	R								NA			NA		05/06/2010
(853) Brooklawn Dr	0.10	210	R								NA			NA		05/06/2010
(853) Woodlawn Circle	0.09	320	R								NA			NA		05/06/2010
(854) Camp Nine Rd	0.40	190	R								NA			NA		10/01/2013
(858) Alum Springs Rd	0.50	530	F	99%	0%	0%	0%	0%	0%	F	0.113		0.674	570	F	2016
(858) Alum Springs Rd	0.65	2900	F	99%	0%	0%	0%	0%	0%	C	0.094		0.611	3000	F	2016
(859) Powtan Rd	0.19	350	R								NA			NA		04/20/2010
(859) Powtan Rd	0.03	940	R								NA			NA		04/20/2010
(859) Powtan Rd	0.07	920	R								NA			NA		04/20/2010
(859) Powtan Rd	0.18	1000	R								NA			NA		04/20/2010
(859) Powtan Rd	0.06	1800	R								NA			NA		04/20/2010
(860) Wren Rd	0.10	20	R								NA			NA		10/17/2013
(860) Wren Rd	0.40	30	R								NA			NA		10/17/2013
(862) Mountain View Dr	0.04	740	R								NA			NA		04/20/2010
(863) Lyn-Dan Dr	0.10	80	R								NA			NA		10/29/2013
(864) Rosedale Lane	0.10	50	R								NA			NA		06/24/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Cambell County</b>																
(865) Beale Rd	0.10	50	R			From: Dead End					NA		NA			09/12/2013
						To: 15-713 Powell Rd										
(866) Valentine Dr	0.20	120	R			From: 15-714 Lynch Mill Rd					NA		NA			09/12/2013
						To: 15-733 Leewood Rd										
(867) Ravenwood Lane	0.45	50	R			From: Dead End					NA		NA			10/15/2013
						To: 15-604 Red Oak School Rd										
(868) Sun Valley Rd	0.43	210	R			From: 15-605 Swinging Bridge Rd					NA		NA			06/02/2010
						To: Dead End										
(869) Cherokee Dr	0.35	190	R			From: Dead End					NA		NA			08/13/2013
						To: US 501; 15-1029										
(870) Fowler St	0.20	200	R			From: Dead End					NA		NA			08/29/2013
						To: 15-858 Alum Springs Rd										
(871) Barnside Dr	0.33	60	R			From: Dead End					NA		NA			06/24/2010
						To: 15-623; 15-1587										
<b>Town of Brookneal</b>																
(874) Laughlin Rd	0.10	60	R			From: US 501 Lynchburg Ave					NA		NA			12/03/2013
						To: Dead End										
<b>Cambell County</b>																
(875) Otter River Rd	0.12	20	R			From: 15-712 Riverbend Rd					NA		NA			11/14/2013
						To: Dead End										
<b>Town of Brookneal</b>																
(876) Claytor Rd	0.03	140	R			From: Dead End					NA		NA			12/03/2013
						To: US 501 Lynchburg Ave										
<b>Cambell County</b>																
(877) Whitestone Dr	0.50	2000	R			From: Bus US 460					NA		NA			05/04/2010
						To: 15-1545 Arrowhead Dr										
(877) Whitestone Dr	0.16	1900	R			From: 15-1570 Hickock Rd					NA		NA			05/04/2010
						To: 15-1597 Buxton Dr										
(878) Hamlette Rd	0.34	90	R			From: Dead End					NA		NA			06/08/2010
						To: 15-792 Flying W Rd										
(879) Hazel Rd	0.30	160	R			From: SR 24 Colonial Hwy					NA		NA			06/22/2010
						To: Dead End										
(880) Clinton Dr	0.20	130	R			From: SR 24 Colonial Hwy					NA		NA			12/17/2013
						To: Dead End										
(881) Moore Lane	0.63	80	R			From: 15-600 Dog Creek Rd					NA		NA			06/08/2010
						To: Dead End										
(882) Wyndolm Rd	0.17	50	R			From: Dead End					NA		NA			08/27/2013
						To: 15-694 Langdon Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Campbell County</b>																
(883) Thistle Rd	0.40	120	R									NA		NA		10/01/2013
(884) Bocock Rd	0.24	460	R									NA		NA		08/13/2013
(885) Prestwood Rd	0.16	320	R									NA		NA		10/29/2013
(886) Drummer St	0.10	45	R									NA		NA		05/20/2010
(886) Drummer St	0.06	80	R									NA		NA		05/20/2010
(887) Airpark Dr	0.22	630	R									NA		NA		10/29/2013
(888) Hawkins Rd	1.03	590	R									NA		NA		05/20/2010
(888) Hawkins Rd	0.35	670	R									NA		NA		05/20/2010
(889) High View Place	0.14	140	R									NA		NA		11/19/2013
(890) Garrett Lane	0.40	50	R									NA		NA		10/17/2013
(891) Communications Lane	0.03	160	R									NA		NA		05/20/2010
(892) Woodhaven Dr	0.11	560	R									NA		NA		05/06/2010
(892) Woodhaven Dr	0.15	290	R									NA		NA		05/06/2010
(892) Woodhaven Dr	0.44	220	R									NA		NA		05/06/2010
(893) Plateau Dr	0.20	80	R									NA		NA		06/22/2010
(893) Plateau Dr	0.30	170	R									NA		NA		06/22/2010
(894) Kelly Rd	0.40	90	R									NA		NA		05/20/2010
(895) Lively Lane	0.10	1300	R									NA		NA		05/06/2010
(896) Old Pocket Rd	1.02	310	R									NA		NA		09/19/2013
(897) Pauls Rd	0.60	290	R									NA		NA		05/11/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Campbell County</b>																
(898) Trestle Rd	0.50	80	R								NA		NA			05/06/2010
(899) Pocket Lane	0.06	10	R								NA		NA			06/15/2010
(900) Magnolia Dr	0.15	80	R								NA		NA			06/15/2010
(901) Lily Lane	0.25	60	R								NA		NA			10/17/2013
(902) Charlotte Dr	0.13	80	R								NA		NA			09/03/2013
(902) Pin Oak Dr	0.13	80	R								NA		NA			09/03/2013
(903) Jay Lane	0.35	90	R								NA		NA			10/17/2013
(904) Canal Trace	0.30	140	R								NA		NA			05/20/2010
(905) Watts Town Rd	0.25	130	R								NA		NA			06/15/2010
(906) Eastward Dr	0.34	140	R								NA		NA			09/19/2013
(907) Winston Lane	0.06	80	R								NA		NA			09/19/2013
(908) Murrell Lane	0.67	70	R								NA		NA			09/03/2013
(908) June Way	0.22	70	R								NA		NA			09/03/2013
(909) Dillards Lane	0.11	160	R								NA		NA			09/25/2013
(910) Scott Lane	0.68	60	R								NA		NA			06/02/2010
(911) Withers Rd	0.08	100	R								NA		NA			09/10/2013
(912) Castle Craig Dr	0.68	330	R								NA		NA			09/03/2013
(913)	0.05	7	R								NA		NA			06/10/2010
(913)	0.15	2	R								NA		NA			06/10/2010



Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Cambell County</b>																
(914) One Mile Rd	1.00	140	R								NA			NA		09/03/2013
(915) Troublesome Creek Rd	0.25	120	R								NA			NA		05/20/2010
(916) Hightrail Lane	0.12	110	R								NA			NA		05/06/2010
(917) Railview Rd	1.63	320	F	94%	3%	1%	1%	1%	0%	F	0.145		0.514	320	F	2016
(917) Railview Rd	0.91	830	F	94%	3%	1%	1%	1%	0%	C	0.173		0.587	840	F	2016
(918) Pine Acres Dr	0.25	120	R								NA			NA		10/03/2013
(919) Mimosa Lane	0.50	110	R								NA			NA		10/01/2013
(920) Lavender Lane	0.45	190	R								NA			NA		05/11/2010
(921) Candlemakers Lane	0.48	200	R								NA			NA		08/13/2013
(923) Elmwood Lane	0.32	140	R								NA			NA		09/03/2013
(924) Brentwood Lane	0.22	70	R								NA			NA		12/17/2013
(925) Yuille Lane	0.39	140	R								NA			NA		10/01/2013
(926) Carriage Lane	0.14	120	R								NA			NA		10/09/2013
(927) Burnt House Rd	0.15	120	R								NA			NA		10/01/2013
<b>Town of Brookneal</b>																
(928) Booker Rd	0.05	630	R								NA			NA		06/02/2010
<b>Cambell County</b>																
(929) Daddy Rabbit Lane	0.10	80	R								NA			NA		06/22/2010
(930) Plantation Dr	0.15	120	R								NA			NA		09/10/2013
(931) Pebble Rd	0.35	50	R								NA			NA		10/15/2013

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Campbell County</b>																
(932) Ivy Knoll Dr	0.22	110	R			From 15-652 Pigeon Run Rd					NA			NA		09/17/2013
						To Dead End										
(933) Thomasville Rd	0.03	90	R			From Dead End					NA			NA		10/17/2013
						To US 501 Brookneal Hwy										
(934) Berkeley Lane	0.20	100	R			From Dead End					NA			NA		08/27/2013
						To 15-811 Evington Rd										
(936) Twin Lakes Rd	0.10	290	R			From Dead End					NA			NA		05/04/2010
						To 15-682 Leesville Rd										
(937) Rhonda Rd	0.61	210	R			From Dead End					NA			NA		10/15/2013
						To 15-615 Red House Rd										
(939) Central Dr	0.07	130	R			From US 29 Wards Rd					NA			NA		09/03/2013
						To Dead End										
(941) Cricket Lane	0.30	90	R			From Dead End					NA			NA		05/06/2010
						To 15-680 Poor House Rd										
(942) Lake Crest Dr	0.25	310	R			From Dead End					NA			NA		10/01/2013
						To 15-648 Suck Creek Rd										
(943) Short Rd	0.25	60	R			From Dead End					NA			NA		10/17/2013
						To 15-602 Davidson Rd										
(944) Falkland Pl Rd	0.43	80	R			From Dead End					NA			NA		08/27/2013
						To 15-694 Langdon Rd										
(945) Lark Lane	0.10	20	R			From Dead End					NA			NA		11/14/2013
						To 15-640 Mansion Bridge Rd										
(946) Hall Rd	0.10	30	R			From Dead End					NA			NA		09/25/2013
						To 15-633 Goat Island Rd										
(947) Rocky Ridge Rd	0.40	60	R			From 15-701 East Ferry Rd					NA			NA		09/17/2013
						To Dead End										
(948) McDaniel Lane	0.36	48	R			From Dead End					NA			NA		05/20/2010
						To US 29 Wards Rd										
(950) Kings Way Rd	0.20	80	R			From 15-690 Clarks Rd					NA			NA		06/22/2010
						To Dead End										
(951) Mountain Laurel Dr	0.40	80	R			From SR 24 Village Hwy					NA			NA		06/24/2010
						To Dead End										
(958)	0.08	3	R			From Dead End					1		0.5	NA		10/23/2013
						To 15-622 Waterlick Rd										
(959) Missionary Manor	0.30	80	R			From 15-683 Lawyers Rd					0.308		0.5	NA		09/03/2013
						To Dead End										
(960) Turf Rd	0.08	40	R			From Dead End					NA			NA		05/06/2010
						To 15-670 Sunnymede Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Campbell County</b>																
(960) Turf Rd	0.20	160	R				From: 15-670 Sunnymead Rd					NA		NA		05/06/2010
							To: Dead End									
(970) 11795 Brookneal Hwy	0.15	1100	R				From: Dead End					NA		NA		10/01/2013
							To: US 501 Brookneal Hwy									
(972) Price Ave	0.16	740	R				From: US 501 Brookneal Hwy					NA		NA		06/02/2010
							To: Dead End									
(973) Old Rustburg Rd	0.12	30	R				From: Dead End					NA		NA		05/06/2010
							To: 15-664 Old Rustburg Rd									
(1000) Fastener Dr	0.11	310	R				From: 15-681 Viohl Rd					NA		NA		05/04/2010
							To: Dead End									
(1001) Anselm Dr	0.25	100	R				From: Dead End					NA		NA		10/09/2013
							To: SR 24 Village Hwy									
(1002) Whip Poor Will Lane	0.27	110	R				From: SR 24 Village Hwy					NA		NA		10/09/2013
							To: Dead End									
(1003) Hummingbird Lane	0.08	40	R				From: Cul-de-Sac					NA		NA		10/09/2013
							To: 15-1002 Whip Poor Will Lane									
(1004)	0.21	140	R				From: 15-696 Marysville Rd					NA		NA		11/14/2013
							To: Cul-de-Sac									
(1005) Cardwell Lane	0.01	20	R				From: Dead End					NA		NA		10/15/2013
							To: 15-1006 Garland Dr									
(1005) Cardwell Lane	0.09	90	R				From: 15-1006 Garland Dr					NA		NA		10/15/2013
							To: 15-737 Wheeler Rd									
(1006) Garland Dr	0.20	40	R				From: 15-1005 Cardwell Lane					NA		NA		10/15/2013
							To: 15-1007 Drury Rd									
(1007) Drury Rd	0.01	3	R				From: Dead End					NA		NA		10/15/2013
							To: 15-1006 Garland Dr									
(1007) Drury Rd	0.10	50	R				From: 15-1006 Garland Dr					NA		NA		10/15/2013
							To: 15-737 Wheeler Rd									
(1010) Somerset Place	0.35	170	R				From: Cul-de-Sac					NA		NA		05/11/2010
							To: 15-651 Bear Creek Rd									
(1011) Fairway Court	0.06	30	R				From: Cul-de-Sac					NA		NA		05/11/2010
							To: 15-1010 Somerset Place									
(1013)	0.78	280	R				From: Cul-de-Sac					NA		NA		09/12/2013
							To: SR 24 Colonial Hwy									
(1015) Berkshire Dr	0.29	200	R				From: Cul-de-Sac					NA		NA		05/11/2010
							To: 15-836 Spicer Rd									
(1016) Kiowa Rd	0.32	70	R				From: Cul-de-Sac					NA		NA		10/03/2013
							To: US 460 Lynchburg Hwy									

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Campbell County</b>																
1017	Circle Dr	0.20	420	R								NA		NA		10/03/2013
1018	Lakeside Dr	0.59	140	R								NA		NA		10/03/2013
1019	Westview Circle	0.09	50	R								NA		NA		10/03/2013
1019	Westview Circle	0.10	200	R								NA		NA		10/03/2013
1019	Westview Circle	0.15	160	R								NA		NA		10/03/2013
1019	Westview Circle	0.15	130	R								NA		NA		10/03/2013
1019	Westview Circle	0.18	100	R								NA		NA		10/03/2013
1020	Lake Pl	0.07	90	R								NA		NA		10/03/2013
1023	Settlers Row	0.23	90	R								NA		NA		10/09/2013
1024	Hiley Terrace	0.53	340	R								NA		NA		10/09/2013
1025	Haven Ct	0.33	30	R								NA		NA		10/09/2013
1026	Hut Place	0.11	46	R								NA		NA		10/09/2013
1027	Brandi Ct	0.09	60	R								NA		NA		10/09/2013
1028	Lindsay Lane	0.19	90	R								NA		NA		05/11/2010
1029	Opossum Creek Lane	0.08	50	R								NA		NA		08/13/2013
1030	Creekview Lane	0.13	50	R								NA		NA		08/13/2013
1031	Hickory Dr	0.26	70	R								NA		NA		05/11/2010
1032	Walnut Lane	0.40	90	R								NA		NA		10/03/2013
1033	Pecan Dr	0.55	100	R								NA		NA		05/11/2010
1034	Shannon Forrest Dr	0.22	200	R								NA		NA		09/17/2013

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Cambell County</b>																
(1035) Dianne Dr	0.28	140	R								NA		NA			10/03/2013
(1036) Beasley Rd	0.53	240	R								NA		NA			08/13/2013
(1037) Cynthia Ct	0.07	70	R								NA		NA			08/13/2013
(1038) Maple Lane	0.20	70	R								NA		NA			05/11/2010
(1040) Doewood Pl	0.16	190	R								NA		NA			10/03/2013
(1043) Cresthaven Terrace	0.42	440	R								NA		NA			12/10/2013
(1044) Crest Side Dr	0.34	250	R								NA		NA			12/10/2013
(1045) Crest Field Dr	0.22	370	R								NA		NA			12/10/2013
(1046) Little Crest Lane	0.08	60	R								NA		NA			12/10/2013
(1049) Pinoak Lane	0.15	60	R								NA		NA			05/11/2010
<b>Town of Brookneal</b>																
(1101) Charlotte St	0.29	820	R								NA		NA			12/03/2013
(1101) Charlotte St	0.05	240	R								NA		NA			12/03/2013
(1101) Charlotte St	0.09	50	R								NA		NA			06/02/2010
(1102) Depot St	0.04	570	R								NA		NA			06/02/2010
(1102) Cook Ave	0.10	1100	F	95%	1%	3%	0%	1%	0%	C	0.093	0.614	1100	F		2016
(1102) Cook Ave	0.48	450	F	95%	1%	3%	0%	1%	0%	F	0.134	0.65	460	F		2016
(1102) Cook Ave	0.10	290	R								NA		NA			06/02/2010
(1102) Cook Ave	0.14	270	R								NA		NA			06/02/2010
(1103) W Rush St	0.05	260	R								NA		NA			12/12/2013
(1103) W Rush St	0.06	670	R								NA		NA			12/12/2013

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Brookneal</b>																
(1103) E Rush St	0.06	1100	R								NA		NA			12/12/2013
(1103) E Rush St	0.08	810	R								NA		NA			12/12/2013
(1104) Virginia Ave	0.09	100	R								NA		NA			12/12/2013
(1104) Virginia Ave	0.23	120	R								NA		NA			12/12/2013
(1104) Virginia Ave	0.07	80	R								NA		NA			12/12/2013
(1105) Marshall St	0.09	40	R								NA		NA			12/03/2013
(1105) Marshall St	0.09	70	R								NA		NA			06/02/2010
(1105) Marshall St	0.06	50	R								NA		NA			12/03/2013
(1106) Mattox St	0.14	30	R								NA		NA			12/03/2013
(1106) Mattox St	0.16	280	R								NA		NA			12/03/2013
(1107) Church St	0.03	10	R								NA		NA			06/08/2010
(1107) Church St	0.14	70	R								NA		NA			12/12/2013
(1107) Church St	0.17	220	R								NA		NA			12/12/2013
(1108) Terry Rd	0.12	150	R								NA		NA			12/03/2013
(1108) Terry Rd	0.04	8	R								NA		NA			12/03/2013
(1109) Earl St	0.13	100	R								NA		NA			12/03/2013
(1110) Carson St	0.26	70	R								NA		NA			12/05/2013
(1110) Jarvis St	0.06	140	R								NA		NA			12/05/2013
(1111) Main St	0.23	1400	F	98%	0%	1%	0%	0%	0%	F	0.093	0.566	1500	F		2016
(1111) Main St	0.27	1700	F	98%	0%	1%	0%	0%	0%	C	0.086	0.528	1700	F		2016
(1112) Alabama Ave	0.06	560	R								NA		NA			12/12/2013

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Brookneal</b>																
(1112) Alabama Ave	0.06	180	R								NA		NA			12/12/2013
(1113) Clark St	0.24	100	R								NA		NA			12/05/2013
(1114) W Williams St	0.06	30	R								NA		NA			12/05/2013
(1114) W Williams St	0.07	40	R								NA		NA			12/05/2013
(1114) E Williams St	0.11	80	R								NA		NA			12/05/2013
(1115) Old Main St	0.28	110	R								NA		NA			06/08/2010
(1115) Old Main St	0.17	200	R								NA		NA			06/08/2010
(1116) Caroline Ave	0.12	240	R								NA		NA			12/03/2013
(1116) Caroline Ave	0.05	220	R								NA		NA			12/03/2013
(1116) Caroline Ave	0.08	210	R								NA		NA			12/03/2013
(1116) Caroline Ave	0.03	270	R								NA		NA			12/03/2013
(1117) Adams Ferry Rd	0.09	40	R								NA		NA			06/08/2010
(1118) Smith St	0.09	400	R								NA		NA			12/12/2013
(1119) Webb St	0.09	60	R								NA		NA			12/05/2013
(1119) Webb St	0.06	40	R								NA		NA			12/05/2013
(1120) Campbell St	0.03	20	R								NA		NA			12/12/2013
(1121) Water St	0.08	130	R								NA		NA			12/05/2013
(1122) Laprade St	0.07	45	R								NA		NA			12/03/2013
(1122) Laprade St	0.05	30	R								NA		NA			12/03/2013
(1123) Sycamore St	0.15	40	R								NA		NA			12/03/2013
(1124) West End St	0.06	110	R								NA		NA			12/03/2013

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Brookneal</b>																
(1125) Brook St	0.17	110	R								NA		NA			12/12/2013
(1125) Brook St	0.19	210	R								NA		NA			12/12/2013
(1126) Foster St	0.10	70	R								NA		NA			12/03/2013
(1127) Hale St	0.15	50	R								NA		NA			12/03/2013
(1128) Virginia Ave	0.05	40	R								NA		NA			12/05/2013
(1129) Pick St	0.10	40	R								NA		NA			12/05/2013
(1130) Southeast St	0.02	170	R								NA		NA			06/02/2010
(1130) Southeast St	0.05	170	R								NA		NA			06/02/2010
(1130) Southeast St	0.06	300	R								NA		NA			06/02/2010
(1130) Southeast St	0.06	140	R								NA		NA			06/02/2010
(1130) Southeast St	0.04	40	R								NA		NA			06/02/2010
(1131) Falling Hill Rd	0.25	170	R								NA		NA			12/05/2013
(1131) Falling Hill Rd	0.06	200	R								NA		NA			12/05/2013
(1132) C F Gray St	0.05	30	R								NA		NA			12/03/2013
(1132) C F Gray St	0.11	60	R								NA		NA			12/03/2013
(1132) W Forest St	0.06	110	R								NA		NA			12/03/2013
(1132) W Forest St	0.11	160	R								NA		NA			12/05/2013
(1132) W Forest St	0.06	180	R								NA		NA			12/05/2013
(1132) W Forest St	0.08	190	R								NA		NA			12/05/2013
(1132) W Forest St	0.07	200	R								NA		NA			12/05/2013
(1132) E Forest St	0.07	100	R								NA		NA			12/05/2013
(1132) E Forest St	0.01	10	R								NA		NA			12/05/2013



Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Brookneal</b>																
(1132) E Forest St	0.02	10	R				0.08 ME SR 40 Wickliffe Ave					NA		NA		12/05/2013
							15-1144 Riverside Dr									
(1133) Reke Owen St	0.27	70	R				15-1102 Cook Ave					NA		NA		12/05/2013
							Dead End									
(1134) Barksdale St	0.09	50	R				Dead End					NA		NA		12/05/2013
							15-1110 Jarvis St; Carson St									
(1135) Carolina Ave	0.09	360	R				Dead End					NA		NA		12/12/2013
							15-1103 Rush St									
(1136) Daniel St	0.03	20	R				Dead End					NA		NA		12/05/2013
							15-1131 Ridge St									
(1137) Third St	0.09	100	R				15-1125 Brooke St					NA		NA		12/12/2013
							15-1107 Church St									
(1137) Third St	0.04	60	R				15-1142 Central St					NA		NA		12/12/2013
							Dead End									
(1138) Todd St	0.12	1400	R				Dead End					NA		NA		12/12/2013
							15-1111; 15-1115									
(1139) Harrison St	0.15	350	R				US 501 Lynchburg Ave					NA		NA		06/02/2010
							15-1132, W Forest St									
(1139) Harrison St	0.05	320	R				15-1140 Lynn St					NA		NA		06/02/2010
							15-1130 Southeast St									
(1139) Willow Lane	0.07	270	R				15-1101 Charlotte St					NA		NA		06/02/2010
							15-1139 Willow Lane; Harrison St									
(1140) Lynn St	0.11	40	R				15-1143 Lacy St					NA		NA		12/05/2013
							15-1112 Alabama Ave									
(1141) Foundry St	0.07	150	R				15-1103 Rush St					NA		NA		12/12/2013
							Dead End									
(1141) Foundry St	0.05	410	R				Dead End					NA		NA		12/12/2013
							15-1137 Third St									
(1142) Central St	0.07	50	R				15-1102 Cook Ave					NA		NA		12/17/2013
							15-1114, W Williams St									
(1143) Lacy St	0.05	30	R				15-1132, W Forest St					NA		NA		12/05/2013
							15-1140 Lynn St									
(1143) Lacy St	0.05	40	R				15-1129 Pick St					NA		NA		12/05/2013
							15-1114, E Williams St									
(1144) Riverside Dr	0.06	20	R				15-1132, E Forest St					NA		NA		12/05/2013

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Brookneal</b>																
(1145) Parkway Dr	0.20	150	R								NA			NA		12/03/2013
(1145) Parkway Dr	0.11	20	R								NA			NA		12/03/2013
(1146) B St	0.12	20	R								NA			NA		12/03/2013
(1147) Commerce St	0.02	220	R								NA			NA		12/12/2013
(1148) Daniel St	0.05	170	R								NA			NA		06/02/2010
(1149) Radio Rd	0.35	240	R								NA			NA		06/28/2007
<b>Campbell County</b>																
(1150) Village Terrace	0.28	100	R								NA			NA		10/09/2013
(1154) Chase Hill Lane	0.12	60	R								NA			NA		09/03/2013
(1155) Plain Ridge Dr	0.32	250	R								NA			NA		08/27/2013
(1160) Gateway Hills Rd	0.34	140	R								NA			NA		08/27/2013
(1164) Hunters Mill Lane	0.72	710	R								NA			NA		06/24/2010
(1165) Runners Stone Dr	0.62	200	R								NA			NA		12/10/2013
(1166) Bridge Tree Court	0.57	320	R								NA			NA		12/10/2013
(1170) Run Away Bay Rd	1.27	130	R								NA			NA		06/15/2010
(1171) Thomas Court	0.11	100	R								NA			NA		06/15/2010
(1171) Thomas Court	0.24	8	R								NA			NA		06/15/2010
(1172) Hidden Cove Lane	0.49	100	R								NA			NA		06/15/2010
(1172) Hidden Cove Lane	0.09	20	R								NA			NA		06/15/2010
(1173) Acres Court	0.33	48	R								NA			NA		06/15/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Campbell County</b>																
(1174) Chase Run	0.28	49	R			From 15-1170 Run Away Bay Rd					NA			NA		06/15/2010
						To Cul-de-Sac										
(1175) Dalton Lane	0.14	30	R			From 15-1173 Acres Court					NA			NA		06/15/2010
						To Cul-de-Sac										
(1176) Bay View Rd	0.57	70	R			From 15-1172 Hidden Cove Lane					NA			NA		06/15/2010
						To Cul-de-Sac										
(1177) Clear Pointe Rd	1.71	49	R			From 15-1176 Bay View Rd					NA			NA		06/15/2010
						To Cul-de-Sac										
(1178) Waterway Court	0.17	10	R			From 15-1176 Bay View Rd					NA			NA		06/15/2010
						To Cul-de-Sac										
(1179) Jacobs Hollow	0.14	10	R			From 15-1170 Run Away Bay Rd					NA			NA		06/15/2010
						To Cul-de-Sac										
(1180) Indigo Run	0.23	40	R			From Cul-de-Sac					NA			NA		06/15/2010
						To 15-1170 Run Away Bay Rd										
(1181) Jeramiah Run	0.52	70	R			From Cul-de-Sac					NA			NA		06/15/2010
						To 15-1170 Run Away Bay Rd										
(1182) Peninsula Pointe	0.41	50	R			From Cul-de-Sac					NA			NA		06/15/2010
						To 15-1181 Jeramiah Run										
(1190) Fernbrooke Dr	0.23	90	R			From US 29 Wards Rd					NA			NA		09/19/2013
						To Cul-de-Sac										
(1312) Woodruff Dr	0.15	70	R			From 15-733 Leewood Rd					NA			NA		09/12/2013
						To Dead End										
(1317) Caperton Way	0.07	220	R			From Cul-de-Sac					NA			NA		06/24/2010
						To Bedford County Line										
(1318) Oak Ridge Dr	0.56	300	R			From Dead End					NA			NA		09/12/2013
						To 15-714 Lynch Mill Rd										
(1326) Hogan Hill Lane	0.17	70	R			From Dead End					NA			NA		09/12/2013
						To SR 43 Bedford Hwy										
(1328) Dewberry Lane	0.17	8	R			From 15-712 Dearing Ford Rd					NA			NA		11/14/2013
						To Dead End										
(1330) Woodlake Circle	0.07	70	R			From 15-1332 Holly Hills Dr					NA			NA		09/12/2013
						To Cul-de-Sac										
(1331) Gibson Rd	0.13	110	R			From Dead End					NA			NA		09/19/2013
						To 15-710 Oliver Rd										
(1332) Holly Hills Dr	0.16	300	R			From 15-1337 Chimney Ridge Ct					NA			NA		09/12/2013
						To 15-1333 Quail Ridge Dr										
(1332) Holly Hills Dr	0.28	590	R			From 15-1333 Quail Ridge Dr					NA			NA		09/12/2013
						To FR-626 Holly Hills Dr										

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Campbell County</b>																
(1333) Quail Ridge Dr	0.11	100	R								NA			NA		09/12/2013
(1333) Quail Ridge Dr	0.12	220	R								NA			NA		09/12/2013
(1334) Three Chop Circle	0.08	40	R								NA			NA		09/12/2013
(1335) Whispering Pine Circle	0.08	60	R								NA			NA		09/12/2013
(1336) Glade Ct	0.13	70	R								NA			NA		09/12/2013
(1337) Chimney Ridge Ct	0.24	130	R								NA			NA		09/12/2013
(1338) North Gate Rd	0.44	240	R								NA			NA		09/19/2013
(1339) North Gate Court	0.47	100	R								NA			NA		09/19/2013
(1340) Levonne St	0.08	130	R								NA			NA		09/25/2013
(1341) Gail Lane	0.04	50	R								NA			NA		09/25/2013
(1341) Gail Lane	0.05	60	R								NA			NA		09/25/2013
(1345) Hallwood Dr	0.12	260	R								NA			NA		09/05/2013
(1400) Federal Hill Dr	0.74	200	R								NA			NA		05/04/2010
(1401) Sunburst Hills Rd	0.50	300	R								NA			NA		05/04/2010
(1401) Sunburst Hills Rd	0.09	390	R								NA			NA		05/04/2010
(1401) Sunburst Hills Rd	0.12	470	R								NA			NA		05/04/2010
(1402) Salem Rd	0.18	130	R								NA			NA		08/29/2013
(1402) Salem Rd	0.10	350	R								NA			NA		08/29/2013
(1403) Luenburg Dr	0.15	140	R								NA			NA		08/29/2013
(1404) Rowland Dr	0.03	40	R								NA			NA		08/29/2013

Virginia Department of Transportation  
 Traffic Engineering Division  
 2016  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Cambell County</b>																
(1407) Carters Crossing Lane	0.14	140	R			From: Cul-de-Sac					NA			NA		12/10/2013
						To: 15-858 Alum Springs Rd										
(1408) George St	0.13	500	R			From: Dead End					NA			NA		11/05/2013
(1408) George St	0.20	740	R			From: 15-1421 Holcombe Rd					NA			NA		11/05/2013
(1408) George St	0.35	190	R			From: 15-679 Russell Woods Dr					NA			NA		11/05/2013
(1408) George St	0.20	60	R			From: 15-1416 Willis Dr					NA			NA		11/05/2013
						To: Dead End										
(1409)	0.07	110	R			From: 15-1412					NA			NA		10/23/2013
						To: 15-682 Leesville Rd										
(1410) Roger Dr	0.31	270	R			From: Cul-de-Sac					NA			NA		10/23/2013
						To: 15-681 Sunburst Rd										
(1411)	0.29	930	R			From: 15-1413					NA			NA		10/23/2013
						To: 15-682 Leesville Rd										
(1412)	0.17	80	R			From: Cul-de-Sac					NA			NA		10/23/2013
						To: 15-1409										
(1413)	0.21	660	R			From: 15-1414					NA			NA		10/23/2013
						To: 15-1411										
(1414)	0.06	100	R			From: Cul-de-Sac					NA			NA		10/23/2013
						To: 15-1413										
(1415) Enterprise Dr	0.25	8500	R			From: Bus US 460 Timberlake Rd					0.093		0.599	NA		12/10/2013
(1415) Enterprise Dr	0.33	7200	R			From: 15-9070 Bee Dr					0.095		0.600	NA		12/10/2013
						To: 15-1520 Laxton Rd										
(1416) Willis Dr	0.37	30	R			From: 15-679 Russell Woods Dr					NA			NA		11/05/2013
(1416) Willis Dr	0.07	50	R			From: 0.37 MN 15-679					NA			NA		11/05/2013
						To: 15-1408 George St										
(1417) Avondale Dr	0.30	60	R			From: SCL Lynchburg					NA			NA		11/05/2013
						To: SCL Lynchburg										
(1419) Pearson Dr	0.40	310	R			From: 15-677 Sunnymeade Rd					NA			NA		10/29/2013
(1419) Pearson Dr	0.09	90	R			From: 15-1420 Little Raven Dr					NA			NA		10/29/2013
						To: Dead End										
(1420) Little Raven Dr	0.07	50	R			From: 15-1419 Pearson Dr					NA			NA		10/29/2013
						To: Dead End										
(1421) Holcombe Rd	0.19	80	R			From: 15-1408 George St					NA			NA		11/05/2013
						To: 15-1422 Hopkins Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Campbell County</b>																
(1422) Hopkins Rd	0.30	140	R				From: Dead End					NA		NA		11/05/2013
(1422) Hopkins Rd	0.10	170	R				From: 15-1421 Holcombe Rd					NA		NA		11/05/2013
							To: 15-679 Russell Woods Dr									
(1423) Clearview Circle	0.63	290	R				From: 15-1423 Begin Loop					NA		NA		10/29/2013
(1423) Clearview Circle	0.06	210	R				From: 15-1424 Idaho Rd					NA		NA		10/29/2013
(1423) Clearview Circle	0.07	430	R				From: 15-1423 End Loop					NA		NA		10/29/2013
							To: 15-677 Sunnymead Rd									
(1424) Idaho Rd	0.03	50	R				From: 15-1423 Clearview Circle					NA		NA		10/29/2013
							To: Cul-de-Sac									
(1425) Wilderness Rd	0.57	350	R				From: Cul-de-Sac					NA		NA		10/29/2013
							To: 15-677 Sunnymead Rd									
(1426) Kaela Dr	0.09	170	R				From: 15-1423 Clearview Circle					NA		NA		10/29/2013
							To: 15-1425 Wilderness Rd									
(1427)	0.15	110	R				From: 15-1442					NA		NA		10/29/2013
							To: Cul-de-Sac									
(1428) Edgewood Dr	0.16	310	R				From: ECL Lynchburg					NA		NA		11/05/2013
							To: 15-1431 Edgewood Ct									
(1429) Myrtle Lane	0.32	70	R				From: SCL Lynchburg					NA		NA		11/05/2013
							To: SCL Lynchburg									
(1430) Quartz Rd	0.06	10	R				From: Dead End					NA		NA		10/29/2013
							To: US 29 Wards Rd									
(1431) Edgewood Ct	0.06	80	R				From: Dead End					NA		NA		11/05/2013
(1431) Edgewood Ct	0.09	90	R				From: 15-1428 Edgewood Dr					NA		NA		11/05/2013
							To: Dead End									
(1432)	0.26	230	R				From: 15-738 English Tavern Rd					NA		NA		10/29/2013
							To: Cul-de-Sac									
(1433) Rangoon St	0.28	510	R				From: Dead End					NA		NA		10/29/2013
							To: US 29 Wards Rd									
(1434) Russel Springs Dr	0.68	1600	R				From: 15-738 English Tavern Rd					NA		NA		10/29/2013
							To: 15-1435 Addie Way									
(1435) Addie Way	0.59	620	R				From: 15-1434 Russel Springs Dr					NA		NA		10/29/2013
(1435) Addie Way	0.17	690	R				From: 15-1434 Russel Springs Dr					NA		NA		06/22/2010
							To: Cul-de-Sac									
(1436) Brenna Lane	0.13	160	R				From: Cul-de-Sac					NA		NA		10/29/2013
							To: 15-1434 Russel Springs Dr									

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Campbell County</b>																
(1437) Shelly Ct	0.13	160	R								NA		NA			10/29/2013
(1438) Bellwood Dr	0.21	330	R								NA		NA			06/22/2010
(1439) Ballard Court	0.05	100	R								NA		NA			06/22/2010
(1440) Bentrige Court	0.08	110	R								NA		NA			06/22/2010
(1441) Delaney Dr	0.20	200	R								NA		NA			10/29/2013
(1442) Mantle Dr	0.53	660	R								NA		NA			10/29/2013
(1443) Jeter Ct	0.17	80	R								NA		NA			10/29/2013
(1450) Brookwood Dr	0.35	160	R								NA		NA			09/10/2013
(1471) Chinkapin Rd	0.11	110	R								NA		NA			10/29/2013
(1472) Elder Lane	0.05	20	R								NA		NA			10/29/2013
(1473) Dunivan Dr	0.70	260	R								NA		NA			10/29/2013
(1480) Ross Woods Dr	0.14	90	R								NA		NA			08/13/2013
(1481) Knoll Woods Dr	0.55	340	R								NA		NA			08/13/2013
(1481) Knoll Woods Dr	0.27	630	R								NA		NA			08/13/2013
(1481) Knoll Woods Dr	0.07	650	R								NA		NA			08/13/2013
(1482) Grant Ave	0.04	20	R								NA		NA			08/13/2013
(1483) Soldier Ave	0.04	70	R								NA		NA			08/13/2013
(1484) Armistead Ln	0.36	200	R								NA		NA			09/10/2013
(1485) Mosby Ct	0.05	30	R								NA		NA			09/10/2013

Virginia Department of Transportation  
 Traffic Engineering Division  
 2016  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Campbell County</b>																
(1486) Semmes Ct	0.05	40	R			From: Cul-de-Sac					NA		NA			09/10/2013
						To: 15-1484										
(1487) Kershaw Dr	0.03	60	R			From: Dead End					NA		NA			09/10/2013
						To: 15-1484										
(1487) Kershaw Dr	0.03	3	R			From: Dead End					NA		NA			09/10/2013
						To: Dead End										
(1497) Chelsea Dr	0.29	490	R			From: Bedford County Line					NA		NA			05/04/2010
						To: Cul-de-Sac										
(1498) Britt Pl	0.10	180	R			From: Bedford County Line					NA		NA			05/04/2010
						To: Cul-de-Sac										
(1499) Eton Dr	0.07	100	R			From: 09-1500 Abbey Pl					NA		NA			05/04/2010
						To: 15-1498 Britt Pl										
(1500) New London Place	0.04	40	R			From: Dead End					NA		NA			09/05/2013
						To: 15-1614 Birch Haven Dr										
(1500) New London Place	0.07	210	R			From: 15-1580 New London Dr					NA		NA			09/05/2013
						To: 15-1580 New London Dr										
(1500) New London Place	0.06	50	R			From: Dead End					NA		NA			09/05/2013
						To: Dead End										
(1501) Sherbrooke Dr	0.20	1100	R			From: 15-682 Leesville Rd					NA		NA			11/05/2013
						To: 15-1502 Deerwood Dr										
(1501) Sherbrooke Dr	0.30	960	R			From: 15-1503 Hermitage Rd					NA		NA			11/05/2013
						To: 15-1503 Hermitage Rd										
(1501) Light House Rd	0.46	1400	R			From: SCL Lynchburg					NA		NA			11/05/2013
						To: 15-1501 Sherbrooke Dr										
(1502) Deerwood Dr	0.21	310	R			From: 15-1540 East Overbrook Rd					NA		NA			11/05/2013
						To: 15-1541 Hermitage Rd										
(1502) Deerwood Dr	0.15	110	R			From: 15-1503 Hermitage Rd					NA		NA			11/05/2013
						To: 15-1503 Hermitage Rd										
(1502) Soundview Dr	0.03	30	R			From: Dead End					NA		NA			11/05/2013
						To: Dead End										
(1503) Hermitage Rd	0.07	80	R			From: 15-1501 Light House Rd; Sherbrooke Dr					NA		NA			11/05/2013
						To: 15-1502 Soundview Dr; Deerwood Dr										
(1504) Sunny Bank Dr	0.42	630	R			From: Bus US 460					NA		NA			04/29/2010
						To: Dead End										
(1505) Farfields Dr	0.50	530	R			From: Bus US 460					NA		NA			11/14/2013
						To: 15-1506 Preston Pl										
(1505) Farfields Dr	0.09	490	R			From: 15-1507 Kendrick Pl					NA		NA			11/14/2013
						To: 15-1507 Kendrick Pl										
(1505) Farfields Dr	0.09	440	R			From: 15-1508 Callaway Ct					NA		NA			11/14/2013
						To: 15-1508 Callaway Ct										



Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Campbell County</b>																
(1505) Farfields Dr	0.08	360	R			From: 15-1508 Callaway Ct					NA			NA		11/14/2013
(1505) Farfields Dr	0.49	80	R			From: Begin Loop					NA			NA		11/14/2013
						To: End Loop										
(1506) Preston Pl	0.05	30	R			From: Dead End					NA			NA		11/14/2013
(1506) Preston Pl	0.04	30	R			From: 15-1505 Farfields Dr					NA			NA		11/14/2013
						To: Dead End										
(1507) Kendrick Pl	0.04	20	R			From: Dead End					NA			NA		11/14/2013
(1507) Kendrick Pl	0.04	30	R			From: 15-1505 Farfields Dr					NA			NA		11/14/2013
						To: Dead End										
(1508) Callaway Ct	0.10	130	R			From: 15-1505 Farfields Dr					NA			NA		11/14/2013
						To: Dead End										
(1509) Saratoga Dr	0.12	120	R			From: Dead End					NA			NA		11/07/2013
(1509) Saratoga Dr	0.14	350	R			From: 15-1553 Cheyenne Dr					NA			NA		11/07/2013
(1509) Saratoga Dr	0.10	140	R			From: 15-1510 Cavalry Lane					NA			NA		11/07/2013
						To: Cul-de-Sac										
(1510) Cavalry Lane	0.03	70	R			From: Cul-de-Sac					NA			NA		11/07/2013
(1510) Cavalry Lane	0.07	150	R			From: 15-1553 Cheyenne Dr					NA			NA		11/07/2013
						To: 15-1509 Saratoga Dr										
(1511) Oakdale Circle	0.27	500	R			From: 15-1544 S. Oakdale Circle; Cora Lee Rd					NA			NA		04/27/2010
						To: Bus US 460; 15-1544										
(1512) Hicks Rd	0.11	70	R			From: Dead End					NA			NA		08/29/2013
						To: US 460; 15-1580										
(1513) Green Hill Dr	0.17	170	R			From: Dead End					NA			NA		11/19/2013
						To: 15-622 Waterlick Rd										
(1514) Patricia Dr	0.10	390	R			From: 15-622 Waterlick Rd					NA			NA		10/23/2013
(1514) Patricia Dr	0.06	200	R			From: 15-1579 Bonneville Pl					NA			NA		10/23/2013
						To: 15-1578 Patricia Dr										
(1515) Farmington Rd	0.19	250	R			From: 15-859 Powtan Rd					NA			NA		04/20/2010
						To: 15-769 Beechwood Dr										
(1516) Maybrook Dr	0.07	60	R			From: Dead End					NA			NA		11/14/2013
						To: 15-892 Woodhaven Dr										
(1517) Westfield Dr	0.08	70	R			From: Dead End					NA			NA		11/14/2013
						To: 15-892 Woodhaven Dr										

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Campbell County</b>																
(1518) Tomahawk Dr	0.13	500	R								NA			NA		04/20/2010
						From: 15-1547 Indian Ridge Dr										
						To: 15-1564 Teal Place										
(1518) Tomahawk Dr	0.20	1200	R								NA			NA		04/20/2010
						From: Bus US 460										
						To: Dead End										
(1519) Barbour Dr	0.40	200	R								NA			NA		04/29/2010
						From: 15-622 Waterlick Rd										
(1519) Mistletoe Dr	0.10	500	R								NA			NA		04/29/2010
						From: 15-1574; 15-1575										
(1519) Mistletoe Dr	0.13	230	R								NA			NA		04/29/2010
						To: 15-1574 Bob Circle										
(1520) Rainbow Forest Dr	1.58	1000	F	99%	0%	0%	0%	0%	0%	F	0.121		0.609	1100	F	2016
						From: 15-622 Waterlick Rd										
						To: 15-1557 Crossway Rd										
(1520) Rainbow Forest Dr	0.48	3700	F	99%	0%	0%	0%	0%	0%	F	0.104		0.639	4000	F	2016
						From: 15-1551 Kenwood Dr										
(1520)	0.79	12000	F	99%	0%	0%	0%	0%	0%	C	0.088		0.593	13000	F	2016
						To: Bus US 460										
(1521) Wilson Dr	0.18	100	R								NA			NA		10/23/2013
						From: 15-682 Leesville Rd										
						To: Dead End										
(1522) Oak Trail	0.25	170	R								NA			NA		11/07/2013
						From: 15-1531; 15-1534										
						To: 15-1520 Rainbow Forest Dr										
(1523) White Pine Dr	0.10	170	R								NA			NA		10/23/2013
						From: 15-1596 Hillsman Lane										
(1523) White Pine Dr	0.28	160	R								NA			NA		10/23/2013
						From: 15-1524 Charldon Rd										
						To: 15-622 Waterlick Rd										
(1524) Charldon Rd	0.27	590	R								NA			NA		10/23/2013
						From: 15-682 Leesville Rd										
(1524) Charldon Rd	0.28	200	R								NA			NA		10/23/2013
						From: 15-1523 White Pine Dr										
						To: 15-622 Waterlick Rd										
(1525) Mountain Peak Dr	0.13	470	R								NA			NA		04/29/2010
						From: 15-1547 Indian Ridge Dr										
(1525) Mountain Peak Dr	0.20	1400	R								NA			NA		04/29/2010
						From: 15-1563 Westridge Circle										
						To: Bus US 460										
(1526) Independence Cicle	0.33	100	R								NA			NA		11/12/2013
						From: 15-835 Jefferson Manor Dr										
						To: 15-1527 Jane Randolph St										
(1527) Jane Randolph St	0.08	1100	R								NA			NA		11/12/2013
						From: Bedford County Line										
(1527) Jane Randolph St	0.03	650	R								NA			NA		11/12/2013
						From: 15-1529 Hydaway Dr										
(1527) Jane Randolph St	0.09	790	R								NA			NA		11/12/2013
						From: 15-1526 Independence Circle										
						To: 15-835 Jefferson Manor Dr										
(1528) Ventura Dr	0.21	210	R								NA			NA		04/20/2010
						From: Dead End										
						To: 15-859 Powtan Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Campbell County</b>																
(1529) Hydaway Dr	0.13	650	R			From: 15-1527 Jane Randolph St					NA			NA		11/12/2013
(1529) Hydaway Dr	0.12	800	R			To: 15-1530 Chucks Lane					NA			NA		11/12/2013
(1529) Locksley Pl	0.27	750	R			From: 15-622 Waterlick Rd					NA			NA		11/12/2013
						To: 15-1573 Holly Pl										
(1530) Chucks Lane	0.05	60	R			From: Dead End					NA			NA		11/12/2013
						To: 15-1529 Hydaway Dr										
(1531) Dawnridge Dr	0.88	300	R			From: 15-1520 S, Rainbow Forest Dr					NA			NA		11/07/2013
						To: 15-1520 N, Rainbow Forest Dr										
(1532) Jefferson Dr	0.34	180	R			From: 15-1532 Begin Loop					NA			NA		11/07/2013
(1532) Jefferson Dr	0.06	1500	R			To: 15-1533 Horizon Dr					NA			NA		11/07/2013
(1532) Jefferson Dr	0.15	1200	R			From: 15-1532 End Loop					NA			NA		11/07/2013
(1532) Jefferson Dr	0.08	1300	R			To: 15-1535 Pine Dr					NA			NA		11/07/2013
(1532) Jefferson Dr	0.08	1400	R			From: 15-1531 Dawnridge Dr					NA			NA		11/07/2013
						To: 15-1520 Rainbow Forest Dr										
(1533) Horizon Dr	0.04	220	R			From: Dead End					NA			NA		11/12/2013
(1533) Horizon Dr	0.21	1300	R			To: 15-1572 Timber Ridge Dr					NA			NA		11/12/2013
(1533) Horizon Dr	0.09	1200	R			From: 15-1589 Sunrise Dr					NA			NA		11/07/2013
						To: 15-1532 Jefferson Dr										
(1534) Lantern Lane	0.10	120	R			From: 15-1535 Horseman Dr					NA			NA		04/29/2010
						To: 15-1522; 15-1531										
(1535) Horseman Dr	0.12	200	R			From: 15-1536 Sleepy Hollow Rd					NA			NA		04/29/2010
(1535) Horseman Dr	0.29	210	R			To: 15-1534 Lantern Lane					NA			NA		04/29/2010
(1535) Pine Dr	0.25	70	R			From: Dead End; Gap 15-1532 Jefferson Dr					NA			NA		04/29/2010
						To: 15-1531 Dawnridge Dr										
(1536) Sleepy Hollow Rd	0.09	60	R			From: Dead End					NA			NA		04/29/2010
(1536) Sleepy Hollow Rd	0.11	340	R			To: 15-1535 Horseman Dr					NA			NA		04/29/2010
(1536) Sleepy Hollow Rd	0.05	600	R			From: 15-1537 Fox Hall Lane					NA			NA		04/29/2010
						To: 15-1520 Rainbow Forest Dr										
(1537) Fox Hall Lane	0.05	30	R			From: 15-1536 Sleepy Hollow Rd					NA			NA		04/29/2010
						To: Dead End										
(1538) Briar Cliff Circle	0.29	350	R			From: 15-682 Leesville Rd					NA			NA		10/23/2013
						To: Dead End										

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Campbell County</b>																
(1539) Briar Cliff Circle	0.37	390	R			From: 15-1538 Briar Cliff Circle To: 15-682 Leesville Rd					NA			NA		10/23/2013
(1540) East Overbrook Rd	0.09	110	R			From: 15-1502 Deerwood Dr To: 15-1542 Westlake Dr					NA			NA		11/07/2013
(1540) East Overbrook Rd	0.12	140	R			From: 15-1542 Westlake Dr To: 15-1543 Eastlake Dr					NA			NA		11/07/2013
(1540) East Overbrook Rd	0.09	310	R			From: 15-1543 Eastlake Dr To: SCL Lynchburg					NA			NA		11/07/2013
(1541) Hermitage Rd	0.09	330	R			From: 15-1502 Deerwood Dr To: 15-1542 Westlake Dr					NA			NA		11/07/2013
(1541) Hermitage Rd	0.10	150	R			From: 15-1542 Westlake Dr To: 15-1543 Eastlake Dr					NA			NA		11/07/2013
(1541) Hermitage Rd	0.04	210	R			From: 15-1543 Eastlake Dr To: SCL Lynchburg					NA			NA		11/07/2013
(1542) Westlake Dr	0.13	100	R			From: 15-1540 East Overbrook Rd To: 15-1541 Hermitage Rd					NA			NA		11/07/2013
(1543) Eastlake Dr	0.16	80	R			From: 15-1541 Hermitage Rd To: 15-1540 East Overbrook Rd					NA			NA		11/07/2013
(1544) Cora Lee Rd	0.61	190	R			From: 15-1646 Vernon Circle To: 15-1511 S, Oakdale Circle					NA			NA		04/27/2010
(1544) Oakdale Circle	0.17	2200	R			From: 15-1511 S, Oakdale Circle To: Bus US 460; 15-1511 N					NA			NA		04/27/2010
(1545) Arrowhead Dr	0.08	30	R			From: Dead End To: 15-1566 Belmont Place					NA			NA		11/14/2013
(1545) Arrowhead Dr	0.05	330	R			From: 15-1566 Belmont Place To: 15-1565 Dogwood Place					NA			NA		11/14/2013
(1545) Arrowhead Dr	0.41	890	R			From: 15-1565 Dogwood Place To: 15-877 Whitestone Dr					NA			NA		11/14/2013
(1546) Poplar Terrace Dr	0.11	110	R			From: Dead End To: 15-1547 Indian Ridge Dr					NA			NA		04/20/2010
(1546) Poplar Terrace Dr	0.10	1500	R			From: 15-1547 Indian Ridge Dr To: 15-859 Powtan Rd					NA			NA		04/20/2010
(1547) Indian Ridge Dr	0.75	690	R			From: 15-1518 Tomhawk Dr To: 15-1520 Rainbow Forest Dr					NA			NA		04/20/2010
(1548) Ash Grove Dr	0.09	80	R			From: Dead End To: 15-1547 Indian Ridge Dr					NA			NA		04/20/2010
(1549) Smith Rd	0.28	330	R			From: Dead End To: 15-622 Waterlick Rd					NA			NA		11/19/2013
(1550) Pine Haven Dr	0.22	580	R			From: Bus US 460 To: Dead End					NA			NA		05/04/2010
(1551) Kenwood Dr	0.06	30	R			From: Dead End To: 15-1552 Windsor Lane					NA			NA		11/07/2013

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Campbell County</b>																
(1551) Kenwood Dr	0.25	250	R									NA		NA		11/07/2013
(1552) Windsor Lane	0.10	50	R									NA		NA		11/07/2013
(1552) Windsor Lane	0.17	710	R									NA		NA		11/07/2013
(1553) Cheyenne Dr	0.09	90	R									NA		NA		11/07/2013
(1553) Cheyenne Dr	0.20	230	R									NA		NA		11/07/2013
(1553) Cheyenne Dr	0.06	360	R									NA		NA		11/07/2013
(1554) Irma Dr	0.08	100	R									NA		NA		04/20/2010
(1555) Yellowstone Dr	0.07	60	R									NA		NA		04/20/2010
(1555) Yellowstone Dr	0.10	350	R									NA		NA		04/20/2010
(1556) Cambridge Pl	0.09	60	R									NA		NA		04/20/2010
(1557) Crossway Rd	0.14	2000	R									NA		NA		04/27/2010
(1558) Wellington Dr	0.27	340	R									NA		NA		04/27/2010
(1558) Wellington Dr	0.17	810	R									NA		NA		04/27/2010
(1558) Wellington Dr	0.07	900	R									NA		NA		04/27/2010
(1558) Wellington Dr	0.08	1000	R									NA		NA		04/27/2010
(1558) Wellington Dr	0.20	1300	R									NA		NA		04/27/2010
(1558) Wellington Dr	0.14	1200	R									NA		NA		04/27/2010
(1559) Collington Dr	0.13	110	R									NA		NA		04/27/2010
(1559) Collington Dr	0.14	500	R									NA		NA		04/27/2010
(1559) Collington Dr	0.04	350	R									NA		NA		04/27/2010
(1559) Collington Dr	0.39	290	R									NA		NA		04/27/2010
(1560) Winding Way Rd	0.22	420	R									NA		NA		04/27/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Campbell County</b>																
(1560) Winding Way Rd	0.05	590	R								NA			NA		04/27/2010
						From: End Loop										
(1560) Winding Way Rd	0.47	380	R								NA			NA		04/27/2010
						From: 15-1558 Wellington Dr										
(1560) Winding Way Rd	0.11	340	R								NA			NA		04/27/2010
						From: 15-1559 Collington Dr										
						To: Begin Loop										
(1561) Echo Lane	0.04	10	R								NA			NA		04/27/2010
						From: Dead End										
						To: 15-1559 Collington Dr										
(1562) Shelor Dr	0.20	160	R								NA			NA		04/29/2010
						From: Dead End										
						To: Bus US 460										
(1563) Westridge Circle	0.11	740	R								NA			NA		04/29/2010
						From: 15-1525 Mountain Peak Dr										
(1563) Westridge Circle	0.13	560	R								NA			NA		04/29/2010
						From: Begin Loop										
(1563) Westridge Circle	0.26	330	R								NA			NA		04/29/2010
						From: 15-1555 Yellowstone Dr										
(1563) Westridge Circle	0.05	300	R								NA			NA		04/29/2010
						From: 15-1567 Skylark Lane										
						To: End Loop										
(1564) Teal Place	0.03	30	R								NA			NA		04/20/2010
						From: Dead End										
						To: 15-1518 Tomahawk Dr										
(1565) Dogwood Pl	0.15	160	R								NA			NA		05/06/2010
						From: 15-1545 Arrowhead Dr										
						To: Dead End										
(1566) Belmont Pl	0.18	170	R								NA			NA		05/06/2010
						From: Dead End										
						To: 15-1545 Arrowhead Dr										
(1567) Skylark Lane	0.04	10	R								NA			NA		04/29/2010
						From: 15-1563 Westridge Circle										
						To: Dead End										
(1568) Lynview Dr	0.10	610	R								NA			NA		05/04/2010
						From: 15-1570 Hickock Rd										
(1568) Lynview Dr	0.20	730	R								NA			NA		05/04/2010
						From: 15-1569 Lisa Lane										
						To: 15-682 Leesville Rd										
(1569) Lisa Lane	0.09	180	R								NA			NA		05/04/2010
						From: Dead End										
						To: 15-1568 Lynview Dr										
(1570) Hickock Rd	0.13	130	R								NA			NA		05/04/2010
						From: Cul-de-Sac										
(1570) Hickock Rd	0.15	760	R								NA			NA		05/04/2010
						From: 15-1568 Lynview Dr										
(1570) Hickock Rd	0.14	530	R								NA			NA		05/04/2010
						From: 15-877 Whitestone Dr										
(1570) Hickock Rd	0.04	230	R								NA			NA		05/04/2010
						From: 15-1597 Buxton Dr										
						To: Dead End										
(1571) Londonberry Rd	0.28	630	R								NA			NA		11/12/2013
						From: 15-622 E. Waterlick Rd										
						To: 15-1573 E. Holly Place										

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Campbell County</b>																
(1571) Kirkley Circle	0.50	210	R								NA		NA			11/12/2013
(1571) Kirkley Place	0.28	1000	R								NA		NA			11/12/2013
(1572) Timber Ridge Dr	0.01	10	R								NA		NA			11/12/2013
(1572) Timber Ridge Dr	0.13	1200	R								NA		NA			11/12/2013
(1573) Holly Pl	0.02	430	R								NA		NA			11/12/2013
(1573) Holly Pl	0.08	1200	R								NA		NA			11/12/2013
(1573) Holly Pl	0.08	730	R								NA		NA			11/12/2013
(1573) Holly Pl	0.06	1000	R								NA		NA			11/12/2013
(1574) Bob Circle	0.20	60	R								NA		NA			04/29/2010
(1574) Bob Circle	0.14	180	R								NA		NA			04/29/2010
(1574) Bob Circle	0.11	100	R								NA		NA			04/29/2010
(1575) Robert Dr	0.05	60	R								NA		NA			04/29/2010
(1575) Bob Circle	0.06	190	R								NA		NA			04/29/2010
(1576) Viking Lane	0.03	30	R								NA		NA			04/29/2010
(1577) Deborah Dr	0.35	70	R								NA		NA			10/23/2013
(1577) Deborah Dr	0.09	200	R								NA		NA			10/23/2013
(1578) Patricial Dr	0.17	60	R								NA		NA			10/23/2013
(1579) Bonneville Pl	0.06	230	R								NA		NA			10/23/2013
(1579) Bonneville Pl	0.08	110	R								NA		NA			10/23/2013
(1580) New London Dr	0.34	3000	R								NA		NA			09/05/2013
(1580) New London Dr	0.02	7600	G	94%	3%	2%	0%	0%	0%	F	0.106	0.622	8100	G	2016	

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Campbell County</b>																
(1581) Wildwood Rd	0.03	40	R			From: Dead End					NA			NA		09/05/2013
(1581) Wildwood Rd	0.13	320	R			From: 15-1584 Woodbourne Dr					NA			NA		09/05/2013
(1581) Wildwood Rd	0.07	2000	R			From: 15-1583 Bedford Springs Rd					NA			NA		08/29/2013
(1581) Wildwood Rd	0.03	2300	R			From: 15-1401 Sunburst Hills Rd					NA			NA		08/29/2013
(1581) Wildwood Rd	0.10	2600	R			From: 15-1582 Lake Forest Dr					NA			NA		09/05/2013
(1581) Wildwood Rd	0.13	2900	R			From: 15-1588 North Lake Dr					NA			NA		09/05/2013
(1582) Lake Forest Dr	0.09	200	R			From: 15-1580 New London Dr					NA			NA		09/05/2013
(1582) Lake Forest Dr	0.22	310	R			From: 15-1583 Bedford Springs Rd					NA			NA		09/05/2013
(1582) Lake Forest Dr	0.24	490	R			From: 15-1586 Lake Forest Pl					NA			NA		09/05/2013
(1583) Bedford Springs Rd	0.01	40	R			From: 15-1585 Burr Oak Rd					NA			NA		09/05/2013
(1583) Bedford Springs Rd	0.06	320	R			From: 15-1581 Wildwood Rd					NA			NA		09/05/2013
(1583) Bedford Springs Rd	0.11	440	R			From: Dead End					NA			NA		08/15/2013
(1583) Bedford Springs Rd	0.22	410	R			From: 15-1590 Catalpa Rd					NA			NA		08/15/2013
(1583) Bedford Springs Rd	0.23	1800	R			From: 15-1587 Tanglewood Dr					NA			NA		09/05/2013
(1584) Woodbourne Dr	0.24	200	R			From: 15-1582 Lake Forest Dr					NA			NA		09/05/2013
(1585) Burr Oak Rd	0.35	140	R			From: 15-1585 Burr Oak Rd					NA			NA		09/05/2013
(1585) Burr Oak Rd	0.06	1200	R			From: 15-1581 Wildwood Rd					NA			NA		09/05/2013
(1585) Burr Oak Rd	0.10	1200	R			From: 15-1590 Catalpa Rd					NA			NA		08/15/2013
(1585) Burr Oak Rd	0.09	100	R			From: 15-1615 Juniper Dr					NA			NA		08/15/2013
(1586) Lake Forest Pl	0.06	70	R			From: 15-1584 Woodbourne Dr					NA			NA		09/05/2013
(1587) Tanglewood Dr	0.37	520	R			From: 15-1583 Bedford Springs Rd					NA			NA		09/05/2013
(1587) Tanglewood Dr	0.07	280	R			From: 15-1582 Lake Forest Dr					NA			NA		09/05/2013
(1587) Tanglewood Dr	0.21	240	R			From: Cul-de-Sac					NA			NA		09/05/2013
(1587) Tanglewood Dr	0.21	240	R			From: 15-1582 Lake Forest Dr					NA			NA		09/05/2013
(1587) Tanglewood Dr	0.21	240	R			From: 15-623; 15-871					NA			NA		08/29/2013
(1587) Tanglewood Dr	0.07	280	R			From: 15-1592 Jean Place					NA			NA		08/29/2013
(1587) Tanglewood Dr	0.21	240	R			From: 15-1591 Euphan Ave					NA			NA		08/29/2013
(1587) Tanglewood Dr	0.21	240	R			From: 15-1583 Bedford Springs Rd					NA			NA		08/29/2013



Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>Campbell County</b>																	
(1588) North Lake Dr	0.03	230	R			From: 15-1581 Wildwood Rd					NA			NA		09/05/2013	
						To: Dead End: Gap											
(1588) South Lake Dr	0.30	130	R			From: Dead End					NA			NA		09/05/2013	
						To: Dead End											
(1589) Sunrise Dr	0.27	80	R			From: 15-1533 S, Horizon Dr					NA			NA		11/12/2013	
						To: 15-1533 N, Horizon Dr											
(1589) Sunrise Dr	0.05	40	R			From: Dead End					NA			NA		11/07/2013	
						To: Dead End											
(1590) Catalpa Rd	0.06	90	R			From: Cul-de-Sac					NA			NA		08/15/2013	
						To: 15-1615 Juniper Dr											
(1590) Catalpa Rd	0.17	190	R			From: 15-1585 Burr Oak Rd					NA			NA		08/15/2013	
						To: 15-1583 Bedford Springs Rd											
(1590) Catalpa Rd	0.13	260	R			From: 15-1587 Tanglewood Dr					NA			NA		08/15/2013	
						To: Dead End											
(1591) Bradford Lane	0.19	170	R			From: Dead End					NA			NA		08/29/2013	
						To: Dead End											
(1592) Jean Place	0.04	60	R			From: 15-1587 Tanglewood Dr					NA			NA		08/29/2013	
						To: Bus US 460											
(1593)	0.20	30	R			From: Cul-de-Sac					NA			NA		11/14/2013	
						To: 15-623 Town Fork Rd											
(1594) London Terrace	0.27	50	R			From: Dead End					NA			NA		08/27/2013	
						To: Dead End											
(1595) Valleywood Dr	0.03	350	R			From: Bedford County Line					NA			NA		11/12/2013	
						To: 15-1527 Jane Randolph St											
(1595) Valleywood Dr	0.02	300	R			From: Dead End					NA			NA		11/12/2013	
						To: Dead End											
(1596) Hillsman Lane	0.06	60	R			From: Dead End					NA			NA		10/23/2013	
						To: 15-1523 White Pine Dr											
(1596) Hillsman Lane	0.13	130	R			From: Dead End					NA			NA		10/23/2013	
						To: Dead End											
(1597) Buxton Dr	0.12	440	R			From: 15-1570 Hickock Rd					NA			NA		10/23/2013	
						To: 15-877 Whitestone Dr											
(1597) Buxton Dr	0.06	780	R			From: 15-682 Leesville Rd					NA			NA		10/23/2013	
						To: Bedford County Line											
(1598) Poplar Forest Dr	0.16	1100	R			From: Bedford County Line					NA			NA		04/27/2010	
						To: 15-1558 S, Wellington Dr											
(1598) Poplar Forest Dr	0.26	1000	R			From: 15-1558 N, Wellington Dr					NA			NA		04/27/2010	
						To: Dead End											
(1598) Poplar Forest Dr	0.10	80	R			From: Cul-de-Sac					NA			NA		04/27/2010	
						To: Dead End											
(1599) Braxton Lane	0.06	120	R			From: 15-1558 Wellington Dr					NA			NA		11/12/2013	
						To: 15-1558 Wellington Dr											

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Campbell County</b>																
1600 Greystone Dr	0.34	680	R			From: 15-682 Leesville Rd					NA			NA		11/05/2013
						To: Dead End										
1601 Greendale Dr	0.26	260	R			From: 15-622 Lynbrook Rd					NA			NA		09/10/2013
1601 Greendale Dr	0.20	250	R			From: 15-1604 Crestview Dr					NA			NA		09/10/2013
1601 Greendale Dr	0.08	100	R			From: 15-1602 Hyland Dr					NA			NA		09/10/2013
						To: Cul-de-Sac										
1602 Hyland Dr	0.09	210	R			From: 15-1603 Glenacre Dr					NA			NA		09/10/2013
1602 Hyland Dr	0.14	620	R			From: 15-1601 Greendale Dr					NA			NA		09/10/2013
						To: US 29 Wards Rd										
1603 Glenacre Dr	0.14	210	R			From: 15-1604 Crestview Dr					NA			NA		09/10/2013
						To: 15-1602 Hyland Dr										
1604 Crestview Dr	0.17	100	R			From: Dead End					NA			NA		09/10/2013
1604 Crestview Dr	0.19	110	R			From: 15-1603 Glenacre Dr					NA			NA		09/10/2013
						To: 15-1601 Greendale Dr										
1605 Meadowbrook Lane	0.45	160	R			From: Dead End					NA			NA		09/10/2013
						To: 15-622 Lynbrook Rd										
1606 Southern Dr	0.19	210	R			From: 15-738 English Tavern Rd					NA			NA		09/10/2013
						To: Cul-de-Sac										
1607 Guffey Terrace	0.11	240	R			From: 15-1616 Goldfinch Dr					NA			NA		08/29/2013
1607 Guffey Terrace	0.08	50	R			From: 15-1608 Robinson Dr					NA			NA		08/29/2013
						To: Dead End										
1608 Robinson Dr	0.12	110	R			From: Cul-de-Sac					NA			NA		08/29/2013
1608 Robinson Dr	0.09	200	R			From: 15-1609 Yeatts Ct					NA			NA		08/29/2013
						To: 15-1607 Guffey Terrace										
1609 Yeatts Ct	0.07	60	R			From: 15-1608 Robinson Dr					NA			NA		08/29/2013
						To: Cul-de-Sac										
1610 Sandy Dr	0.65	410	R			From: End Loop					NA			NA		08/29/2013
						To: 15-858 Alum Springs Rd										
1611 Gable Dr	0.05	50	R			From: 15-1610 Sandy Dr					NA			NA		08/29/2013
						To: Cul-de-Sac										
1612 Campbell Dr	0.04	50	R			From: 15-1610 Sandy Dr					NA			NA		08/29/2013
						To: Cul-de-Sac										
1613 Gentry Dr	0.08	80	R			From: Cul-de-Sac					NA			NA		08/29/2013
						To: 15-1610 Sandy Dr										

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Campbell County</b>																
1614	Birch Haven Dr	0.15	120	R									NA	NA		09/05/2013
1615	Juniper Dr	0.11	140	R									NA	NA		08/15/2013
1615	Juniper Dr	0.15	400	R									NA	NA		08/15/2013
1615	Juniper Dr	0.15	1000	R									NA	NA		08/15/2013
1616	Goldfinch Dr	0.11	600	R									NA	NA		08/15/2013
1616	Goldfinch Dr	0.05	310	R									NA	NA		08/15/2013
1616	Goldfinch Dr	0.11	200	R									NA	NA		08/15/2013
1617	Pheasant Ridge Rd	0.12	190	R									NA	NA		08/15/2013
1617	Pheasant Ridge Rd	0.13	300	R									NA	NA		08/15/2013
1618	Sparrow Dr	0.17	80	R									NA	NA		08/15/2013
1619	Fox Crest Dr	0.21	100	R									NA	NA		08/15/2013
1619	Fox Crest Dr	0.18	160	R									NA	NA		08/15/2013
1620	Deer Creek Dr	0.14	280	R									NA	NA		10/23/2013
1620	Deer Creek Dr	0.12	1000	R									NA	NA		10/23/2013
1621	Lee Pl	0.06	110	R									NA	NA		10/23/2013
1621	Lee Pl	0.10	900	R									NA	NA		10/23/2013
1622	Oak Hill Dr	0.11	210	R									NA	NA		11/05/2013
1622	Oak Hill Dr	0.11	160	R									NA	NA		11/05/2013
1625	Deerfield Dr	0.25	200	R									NA	NA		04/27/2010
1625	Deerfield Dr	0.08	380	R									NA	NA		04/27/2010
1626	Holly Haven Dr	0.07	90	R									NA	NA		04/27/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Campbell County</b>																
(1626) Holly Haven Dr	0.12	230	R			From: 15-1627 Laurel Lane To: 15-1520					NA			NA		04/27/2010
(1627) Laurel Lane	0.11	110	R			From: Cul-de-Sac To: 15-1626 Holly Haven Dr					NA			NA		04/27/2010
(1628) Summerdale Ln	0.69	160	R			From: 15-623 Town Fork Rd To: Cul-de-Sac					NA			NA		12/10/2013
(1629) Gracie Ct	0.11	40	R			From: Cul-de-Sac To: 15-1628					NA			NA		12/10/2013
(1630) Valley Dr	0.04	350	R			From: Cul-de-Sac To: 15-1632 Sharon Dr; Dana Dr					NA			NA		09/17/2013
(1630) Valley Dr	0.08	560	R			From: 15-1631 Withrow Dr To: 15-685 Wisecarver Rd					NA			NA		09/17/2013
(1630) Valley Dr	0.06	620	R			From: Cul-de-Sac To: 15-1630 Valley Dr					NA			NA		09/17/2013
(1631) Withrow Dr	0.13	180	R			From: Dead End To: 15-1630 Valley Dr					NA			NA		09/17/2013
(1632) Dana Dr	0.12	160	R			From: 15-1630 Valley Dr To: Dead End					NA			NA		09/17/2013
(1632) Sharon Dr	0.14	180	R			From: Cul-de-Sac To: 15-738 Greenhouse Rd					NA			NA		09/17/2013
(1639) Howards Manor Dr	0.44	210	R			From: Cul-de-Sac To: 15-1641 Waverly Dr					NA			NA		09/17/2013
(1640) Acorn Dr	0.37	150	R			From: 15-1641 Waverly Dr To: 15-738 Greenhouse Rd					NA			NA		09/17/2013
(1640) Acorn Dr	0.40	220	R			From: 15-1640 Acorn Dr To: 15-738 Greenhouse Rd					NA			NA		09/17/2013
(1641) Waverly Dr	0.15	60	R			From: 15-685 Calohan Rd To: Cul-de-Sac					NA			NA		06/22/2010
(1642) Holland Court	0.28	330	R			From: 15-1642 Holland Court To: Cul-de-Sac					NA			NA		06/22/2010
(1643) Barringer Dr	0.59	250	R			From: 15-1544 Cora Lee Rd To: Cul-de-Sac					NA			NA		06/22/2010
(1646) Vernon Circle	0.06	260	R			From: Bus US 460 To: Cul-de-Sac					NA			NA		04/27/2010
(1649) Crowell Lane	0.48	1600	R			From: 15-624 Timberlake Dr To: 15-622					NA			NA		04/29/2010
(1650) Windcrest Dr	0.06	2000	R			From: 15-1651 Churchill Dr To: 15-1654 Bradley Ct					NA			NA		11/19/2013
(1651) Churchill Dr	0.07	130	R			From: 15-1653 Patton Dr To: 15-1653 Patton Dr					NA			NA		11/19/2013

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Campbell County</b>																
(1651) Churchill Dr	0.09	400	R			From: 15-1653 Patton Dr					NA			NA		11/19/2013
(1651) Churchill Dr	0.05	420	R			To: 15-1652 MacArthur Dr					NA			NA		11/19/2013
(1651) Churchill Dr	0.08	1200	R			From: 15-1650 Windcrest Dr					NA			NA		11/19/2013
(1651) Churchill Dr	0.11	1200	R			To: 15-1655 Eisenhower Dr					NA			NA		11/19/2013
(1651) Churchill Dr	0.02	1300	R			From: 15-1656 Pershing Dr					NA			NA		11/19/2013
(1651) Churchill Dr						To: 15-770 Bumgarner Dr										
(1652) MacArthur Dr	0.12	150	R			From: 15-1651 Churchill Dr					NA			NA		11/19/2013
(1652) MacArthur Dr						To: Cul-de-Sac										
(1653) Patton Dr	0.09	130	R			From: 15-1651 Churchill Dr					NA			NA		11/19/2013
(1653) Patton Dr						To: Dead End										
(1654) Bradley Ct	0.06	90	R			From: 15-1651 Churchill Dr					NA			NA		11/19/2013
(1654) Bradley Ct						To: Cul-de-Sac										
(1655) Eisenhower Dr	0.07	100	R			From: 15-1651 Churchill Dr					NA			NA		11/19/2013
(1655) Eisenhower Dr						To: Dead End										
(1656) Pershing Dr	0.08	210	R			From: 15-1651 Churchill Dr					NA			NA		11/19/2013
(1656) Pershing Dr						To: Dead End										
(1657) James Wood Dr	0.27	200	R			From: 15-770 Bumgarner Dr					NA			NA		11/19/2013
(1657) James Wood Dr						To: Cul-de-Sac										
(1658) James Wood Ct	0.07	90	R			From: 15-1657 James Wood Dr					NA			NA		05/04/2010
(1658) James Wood Ct						To: Cul-de-Sac										
(1660) Moss Creek Dr	0.20	1300	R			From: 15-1661 Willow Oak Terrace					NA			NA		11/19/2013
(1660) Moss Creek Dr						To: 15-622 Waterlick Rd										
(1661) Willow Oak Terrace	0.16	110	R			From: Cul-de-Sac					NA			NA		11/19/2013
(1661) Willow Oak Terrace	0.25	250	R			To: 15-1663 S, White Cypress Dr					NA			NA		11/19/2013
(1661) Willow Oak Terrace	0.33	240	R			From: 15-1664 Willow Lane					NA			NA		11/19/2013
(1661) Willow Oak Terrace	0.03	560	R			To: 15-1663 N, White Cypress Dr					NA			NA		11/19/2013
(1661) Willow Oak Terrace	0.03	90	R			From: 15-1660 Moss Creek Dr					NA			NA		11/19/2013
(1661) Willow Oak Terrace						To: 15-1662 Briery Creek Dr										
(1662) Briery Creek Dr	0.07	60	R			From: Cul-de-Sac					NA			NA		11/19/2013
(1662) Briery Creek Dr						To: 15-1661 Willow Oak Terrace										
(1663) White Cypress Dr	0.18	590	R			From: 15-1661 S, Willow Oak Terrace					NA			NA		11/19/2013
(1663) White Cypress Dr	0.26	270	R			To: 15-1664 Willow Lane					NA			NA		11/19/2013
(1663) White Cypress Dr						From: 15-1661 N, Willow Oak Terrace										

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Campbell County</b>																
(1664) Willow Lane	0.07	70	R			From: 15-1663 White Cypress Dr To: 15-1661 Willow Oak Terrace					NA			NA		11/19/2013
(1670) Royal Ct	0.11	110	R			From: Cul-de-Sac To: 15-1671 Brian Dr					NA			NA		11/12/2013
(1670) Royal Ct	0.15	240	R			From: 15-1671 Brian Dr To: 15-835 Jefferson Manor Dr					NA			NA		11/12/2013
(1670) Royal Ct	0.14	100	R			From: 15-835 Jefferson Manor Dr To: Cul-de-Sac					NA			NA		11/19/2013
(1671) Brian Dr	0.09	90	R			From: 15-1670 Royal Ct To: Dead End					NA			NA		11/19/2013
(1675) Village Dr	0.07	1000	R			From: Cul-de-Sac To: Bus US 460					NA			NA		05/06/2010
(1701) Rector Rd	0.28	220	R			From: 15-1704 Light Dr To: 15-1703 Frost Dr					NA			NA		06/10/2010
(1701) Rector Rd	0.09	500	R			From: 15-1703 Frost Dr To: SR 24 Village Hwy					NA			NA		06/10/2010
(1702) Kimball Rd	0.04	10	R			From: Dead End To: 15-1704 Light Dr					NA			NA		10/09/2013
(1702) Kimball Rd	0.27	140	R			From: 15-1704 Light Dr To: 15-1703 Frost Dr					NA			NA		10/09/2013
(1703) Frost Dr	0.09	270	R			From: 15-1701 Rector Rd To: 15-1702 Kimball Rd					NA			NA		06/10/2010
(1703) Frost Dr	0.29	160	R			From: 15-1702 Kimball Rd To: Cul-de-Sac					NA			NA		10/09/2013
(1704) Light Dr	0.08	60	R			From: 15-1701 Rector Rd To: 15-1702 Kimball Rd					NA			NA		10/09/2013
(1704) Light Dr	0.24	40	R			From: 15-1702 Kimball Rd To: Dead End					NA			NA		10/09/2013
(1708) Riviera Dr	0.09	550	R			From: 15-646 Doss Rd To: 15-1710 Embrey Ct					NA			NA		06/10/2010
(1708) Riviera Dr	0.08	360	R			From: 15-1710 Embrey Ct To: 15-1709 Oxford Place					NA			NA		06/10/2010
(1708) Riviera Dr	0.08	210	R			From: 15-1709 Oxford Place To: 15-1712 Windsor Forest Dr					NA			NA		06/10/2010
(1708) Riviera Dr	0.10	60	R			From: 15-1712 Windsor Forest Dr To: Cul-de-Sac					NA			NA		06/10/2010
(1709) Oxford Place	0.14	190	R			From: Dead End To: 15-1708 Riviera Dr					NA			NA		06/10/2010
(1710) Embrey Ct	0.08	130	R			From: Dead End To: 15-1708 Riviera Dr					NA			NA		06/10/2010
(1711) Hillcrest Dr	0.20	110	R			From: 15-646 Doss Rd To: Dead End					NA			NA		06/10/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Cambell County</b>																
(1712) Windsor Forest Dr	0.21	130	R								NA		NA			06/10/2010
(1713) Trotter Ln	0.22	80	R								NA		NA			10/09/2013
(1714) Stallion Ct	0.06	40	R								NA		NA			10/09/2013
(1715) Coffey Rd	0.14	130	R								NA		NA			06/10/2010
(1715) Coffey Rd	0.09	310	R								NA		NA			06/10/2010
(1716) Cannon St	0.06	40	R								NA		NA			06/10/2010
(1717) Webster Dr	0.14	60	R								NA		NA			06/10/2010
(1717) Webster Dr	0.14	290	R								NA		NA			06/10/2010
(9069) William Campbell Dr	0.31	590	R								NA		NA			03/21/2013
(9070) Bee Dr	0.35	1200	R								NA		NA			03/11/2010
<b>Town of Brookneal</b>																
(9071) Brookneal Elem Sch	0.09	180	R								NA		NA			03/21/2013
<b>Cambell County</b>																
(9073)	0.17	390	R								NA		NA			03/11/2010
(9074) Rustburg Middle School	0.12	580	R								NA		NA			03/11/2010
(9074) Rustburg Middle School	0.11	670	R								NA		NA			03/11/2010
(9075)	0.04	10	R								NA		NA			03/11/2010
(9076) Yellow Branch School	0.15	990	R								NA		NA			03/11/2010
(9076) Dennis Riddle Rd	0.41	880	R								NA		NA			03/11/2010
(9077) Constitution Lane	0.12	350	R								NA		NA			03/11/2010
(9488) Rustburg High School	0.31	1000	R								NA		NA			03/11/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Altavista</b>																
(9489) Ninth St; Altavista High School		720	R								NA			NA		03/21/2013
<b>Cambell County</b>																
(9675)	0.12	270	R								NA			NA		03/11/2010
(9898)	0.29	1200	R								NA			NA		03/11/2010
<b>City of Lynchburg</b>																
(1118) Pawnee Dr	0.86	390	F	98%	1%	1%	0%	0%	0%	F	0.126		0.596	420	F	2016
(2118) 9th St	0.18	1300	G	98%	1%	1%	0%	0%	0%	C	0.133		0.536	1400	G	2016
(3118) Alta Lane	0.85	2300	F	99%	0%	0%	0%	0%	0%	C	0.100		0.577	2400	F	2016
(4118) Del Ray Circle	0.16	2500	F	99%	0%	0%	0%	0%	0%	F	0.104		0.504	2600	F	2016
(5118) 8th St	0.59	1500	F	94%	1%	4%	0%	0%	0%	C	0.087		0.5	1600	F	2016
(6118) Langhorne Rd	0.16	2300	F	97%	1%	2%	0%	0%	0%	F	0.109		0.713	2400	F	2016
(6118) Villa Rd	0.12	2100	F	97%	1%	2%	0%	0%	0%	F	0.096		0.729	2200	F	2016
(7118) Long Meadow Dr	0.73	2000	F	97%	0%	1%	1%	1%	0%	F	0.108		0.517	2100	F	2016
(8118) Sussex St	0.79	3400	F	97%	0%	1%	1%	1%	0%	F	0.092		0.667	3600	F	2016
(9118) University Blvd	0.42	10000	F	93%	2%	4%	0%	0%	0%	C	0.092		0.51	11000	F	2016
(10118) Pleasant Valley Rd	0.52	560	F	94%	0%	1%	3%	2%	0%	F	0.104		0.620	600	F	2016
(10118) Pleasant Valley Rd	0.13	560	N	94%	0%	1%	3%	2%	0%	N	0.104		0.620	600	N	2016
(10118) Pleasant Valley Rd	0.15	560	N	94%	0%	1%	3%	2%	0%	N	0.104		0.620	600	N	2016
(6001118) V E S Rd	0.92	2800	F	97%	1%	2%	0%	0%	0%	C	0.101		0.534	3000	F	2016
(6002118) Trents Ferry Rd	1.88	1500	F	97%	1%	1%	1%	0%	0%	C	0.106		0.757	1600	F	2016
(6003118) Link Rd	0.78	9000	F	99%	0%	1%	0%	0%	0%	F	0.087		0.558	9600	F	2016



Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Lynchburg</b>																
6003 118 Link Rd	1.32	7400	F	99%	0%	1%	0%	0%	0%	C	0.087		0.502	7900	F	2016
6004 118 Wiggington Rd	1.04	4700	F	98%	1%	1%	1%	0%	0%	F	0.115		0.827	5000	F	2016
6004 118 Wiggington Rd	0.76	3800	F	98%	1%	1%	1%	0%	0%	C	0.103		0.822	4000	F	2016
6004 118 Wiggington Rd	1.82	1700	F	98%	1%	1%	1%	0%	0%	F	0.115		0.665	1800	F	2016
6004 118 Hawkins Mill Rd	0.36	2100	F	97%	2%	1%	0%	0%	0%	C	0.122		0.641	2200	F	2016
6004 118 Coffee Rd	0.89	2400	F	97%	2%	1%	0%	0%	0%	F	0.121		0.59	2500	F	2016
6004 118 Coffee Rd	0.33	3900	F	97%	2%	1%	0%	0%	0%	F	0.121		0.59	4200	F	2016
6009 118 Graves Mill Rd	0.60	6100	F	97%	0%	1%	1%	1%	0%	F	0.102		0.550	6500	F	2016
6009 118 Graves Mill Rd	0.66	5400	F	97%	0%	1%	1%	1%	0%	F	0.107		0.543	5700	F	2016
6009 118 Graves Mill Rd	0.27	10000	F	97%	0%	1%	1%	1%	0%	F	0.1		0.631	11000	F	2016
6009 118 Graves Mill Rd	0.18	27000	F	97%	0%	1%	1%	1%	0%	C	0.100		0.526	28000	F	2016
6009 118 Graves Mill Rd	1.04	22000	F	97%	0%	1%	1%	1%	0%	F	0.093		0.545	23000	F	2016
6012 118 Church St	0.23	4100	G	96%	1%	2%	0%	1%	0%	C	0.118			4400	G	2016
6012 118 Church St	0.47	6800	G	98%	0%	1%	1%	1%	0%	F	0.098			7300	G	2016
6012 118 Rivermont Ave	0.90	14000	F	98%	0%	1%	1%	1%	0%	C	0.092		0.569	15000	F	2016
6012 118 Bedford Ave	0.96	3600	F	96%	1%	2%	0%	1%	0%	C	0.091		0.504	3800	F	2016
6012 118 Rivermont Ave	1.01	15000	F	96%	1%	2%	0%	1%	0%	F	0.094		0.517	15000	F	2016
6020 118 Rivermont Ave	0.96	9000	F	96%	1%	2%	0%	1%	0%	F	0.095		0.612	9500	F	2016
6022 118 Hollins Mill Rd	1.16	3500	F	96%	1%	2%	0%	1%	0%	F	0.1		0.521	3700	F	2016
6022 118 Federal St	0.40	3900	F	96%	1%	2%	0%	1%	0%	F	0.091		0.528	4100	F	2016
6023 118 Murrell Rd	0.37	11000	F	96%	1%	2%	0%	1%	0%	F	0.086		0.534	12000	F	2016
6027 118 12th St	0.80	6600	F	97%	0%	2%	0%	0%	0%	F	0.086		0.533	7000	F	2016

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Lynchburg</b>																
6027 118 12th St	0.25	7300	G	97%	0%	2%	0%	0%	0%	F	0.094		0.612	7700	G	2016
6028 118 Commerce St	0.33	4700	G	97%	0%	2%	0%	0%	0%	F	0.107		0.671	5000	G	2016
6028 118 Commerce St	0.30	4000	G	97%	0%	2%	0%	0%	0%	F	0.122		0.758	4200	G	2016
6029 118 Fort Ave	0.43	7900	F	97%	0%	2%	0%	0%	0%	F	0.082		0.561	8400	F	2016
6029 118 Park Ave	0.28	5600	F	97%	0%	2%	0%	0%	0%	F	0.084		0.511	6000	F	2016
6029 118 Park Ave	0.36	4600	F	97%	0%	2%	0%	0%	0%	F	0.085		0.538	4900	F	2016
6031 118 Lakeside Dr	0.41	13000	F	97%	0%	2%	0%	0%	0%	F	0.087		0.656	14000	F	2016
6031 118 Lakeside Dr	0.34	5800	G	97%	0%	2%	0%	0%	0%	C	0.093		0.543	6200	G	2016
6031 118 Park Ave	0.36	7600	G	98%	1%	1%	0%	0%	0%	F	0.083		0.5	8200	G	2016
6031 118 Park Ave	0.35	5500	F	97%	0%	2%	0%	0%	0%	F	0.090		0.539	5900	F	2016
6032 118 Main St	0.25	2500	F	98%	1%	1%	0%	0%	0%	F	0.103		0.543	2600	F	2016
6032 118 Main St	0.28	7000	F	98%	1%	1%	0%	0%	0%	F	0.086		0.757	7400	F	2016
6032 118 Main St	0.55	6900	G	98%	1%	1%	0%	0%	0%	F	0.097			7300	G	2016
6033 118 Florida Ave	1.28	4700	F	98%	1%	1%	0%	0%	0%	C	0.103		0.648	5000	F	2016
6033 118 Florida Ave	0.88	3800	F	98%	1%	1%	0%	0%	0%	F	0.105		0.661	4100	F	2016
6034 118 Martin St	0.58	850	F	97%	1%	1%	0%	0%	0%	C	0.107		0.632	900	F	2016
6035 118 Candler Mtn Rd	1.09	7400	F	98%	1%	0%	1%	0%	0%	C	0.097		0.517	7900	F	2016
6035 118 Candler Mtn Rd	0.74	11000	F	98%	1%	0%	1%	0%	0%	F	0.097		0.554	12000	F	2016
6036 118 Clay St	0.50	2000	F	97%	1%	2%	0%	0%	0%	C	0.102		0.540	2100	F	2016
6036 118 Grace St	0.88	4300	F	98%	1%	1%	0%	0%	0%	C	0.091		0.625	4600	F	2016
6037 118 Stadium Dr	0.38	5700	F	98%	1%	1%	0%	0%	0%	F	0.094		0.533	6100	F	2016

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Lynchburg</b>																
6038 118	Wythe St	0.27	8500	F	96%	1%	1%	1%	0%	C	0.094		0.516	9000	F	2016
6040 118	James St	0.22	3700	F	96%	2%	2%	0%	0%	C	0.093		0.537	3900	F	2016
6042 118	Cranehill Dr	1.04	1700	F	98%	1%	1%	0%	0%	C	0.118		0.767	1900	F	2016
6044 118	Old Forest Rd	0.94	21000	F	98%	1%	1%	0%	0%	F	0.087		0.51	22000	F	2016
6044 118	Old Forest Rd	0.45	20000	F	99%	0%	1%	0%	0%	C	0.087		0.501	21000	F	2016
6044 118	Old Forest Rd	0.21	14000	F	99%	0%	1%	0%	0%	F	0.089		0.520	15000	F	2016
6044 118	Old Forest Rd	1.61	8100	F	99%	0%	1%	0%	0%	F	0.090		0.585	8600	F	2016
6045 118	Greenwood Dr	0.38	2800	F	97%	1%	2%	0%	0%	C	0.096		0.577	3000	F	2016
6045 118	Thomas Rd	0.71	4100	F	97%	1%	2%	0%	0%	F	0.099		0.578	4400	F	2016
6045 118	Richmond Rd	0.35	3900	F	98%	1%	1%	0%	0%	C	0.102		0.513	4200	F	2016
6046 118	Sandusky Dr	0.77	2800	F	98%	0%	1%	0%	0%	C	0.096		0.554	3000	F	2016
6046 118	Sandusky Dr	0.49	4400	F	97%	2%	1%	0%	0%	C	0.093		0.526	4700	F	2016
6048 118	Perrymont Ave	0.84	3200	F	98%	1%	1%	0%	0%	C	0.100		0.541	3400	F	2016
6050 118	Odd Fellows Rd	0.60	7400	F	84%	3%	3%	4%	6%	F	0.11		0.628	7900	F	2016
6050 118	Odd Fellows Rd	0.67	1400	F	84%	3%	3%	4%	6%	C	0.1		0.610	1500	F	2016
6052 118	Campbell Ave	0.33	9200	F	99%	0%	1%	0%	0%	C	0.09		0.656	9800	F	2016
6052 118	Campbell Ave	0.41	9700	F	99%	0%	1%	0%	0%	F	0.095		0.635	10000	F	2016
6054 118	Fenwick Dr	0.23	3400	F	99%	1%	1%	0%	0%	F	0.107		0.501	3600	F	2016
6054 118	Sheffield Dr	0.73	2800	F	99%	1%	1%	0%	0%	C	0.112		0.526	3000	F	2016
6056 118	Greenview Dr	1.29	19000	G	98%	0%	1%	0%	0%	C	0.086		0.515	20000	G	2016
6066 118	Leesville Rd	1.14	9500	F	98%	0%	1%	0%	0%	F	0.098		0.564	10000	F	2016

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Lynchburg</b>																
6066 118 Leesville Rd	1.15	7400	F	98%	0%	From: North St				C	0.091		0.574	7800	F	2016
						To: Timberlake Rd										
6070 118 Wards Ferry Rd	1.29	11000	F	99%	0%	From: CBusUS 460 Logans Lane				F	0.088		0.518	12000	F	2016
						To: Harvard St										
6070 118 Wards Ferry Rd	1.06	9800	F	99%	0%	From: Harvard St				C	0.095		0.539	10000	F	2016
						To: US 29; Wards Rd										
6071 118 Harvard St	0.08	190	F	97%	0%	From: Wards Ferry Rd				F	0.102		0.682	200	F	2016
						To: College Park Dr										
6072 118 Old Graves Mill Rd	1.70	11000	F	97%	0%	From: Timberlake Rd				C	0.097		0.658	11000	F	2016
						To: Graves Mill Rd										
6073 118 McConville Rd	1.80	5300	F	99%	0%	From: Graves Mill Rd				C	0.102		0.707	5700	F	2016
						To: Wyndale Dr										
6073 118 Wyndale Dr	0.24	4500	F	99%	1%	From: McConville Rd				C	0.111		0.588	4800	F	2016
						To: Lakeside Dr										
6074 118 Evergreen Rd	0.33	2000	F	98%	1%	From: Link Rd				F	0.099		0.676	2200	F	2016
						To: Indian Hill Rd										
6074 118 Indian Hill Rd	0.98	2200	F	98%	1%	From: Evergreen Rd				F	0.111		0.599	2300	F	2016
						To: Burnt Bridge Rd										
6074 118 Burnt Bridge Rd	0.97	1600	F	98%	1%	From: Indian Hill Rd				C	0.119		0.632	1800	F	2016
						To: Bus US 501, Boonsboro Rd										
6075 118 Langhorne Lane	0.34	2100	F	97%	1%	From: Richmond St				C	0.1		0.571	2200	F	2016
						To: Eldon St										
6075 118 Eldon St	0.07	2400	F	97%	1%	From: Langhorne Lane				F	0.102		0.614	2500	F	2016
						To: Memorial Ave										
6076 118 Linkhorne Rd	0.59	5700	F	97%	1%	From: Old Forest Rd				F	0.102		0.511	6100	F	2016
						To: Cranehill Dr										
6077 118 Jefferson St	0.41	1000	F	97%	1%	From: 7Th St				F	0.121		0.561	1100	F	2016
						To: Concord Tpke										
6078 118 Washington St	0.11	2400	F	92%	0%	From: Main St				F	0.11		0.527	2600	F	2016
						To: Jefferson St										
6078 118 Concord Tpke	1.66	2100	F	92%	0%	From: Rockwell Rd				F	0.109		0.545	2300	F	2016
						To: US 460										
6078 118 Concord Tpke	1.07	2000	F	92%	0%	From: US 460				C	0.114		0.639	2100	F	2016
						To: 12Th St										
6080 118 Court St	0.50	2200	F	92%	0%	From: 5Th St				F	0.094		0.635	2300	F	2016
						To: Lakeside Dr										
6081 118 Forest Brook Rd	0.92	4900	F	97%	1%	From: Lakeside Dr				C	0.098		0.586	5200	F	2016
						To: Old Forest Rd										
6082 118 Hill St	0.58	5700	F	98%	1%	From: Old Forest Rd				F	0.095		0.697	6000	F	2016
						To: Langhorne Rd										

Virginia Department of Transportation  
 Traffic Engineering Division  
 2016  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>City of Lynchburg</b>																	
6083 118 Edgewood Ave	0.73	1800	From	Fort Ave							C	0.099		0.507	1900	F	2016
			To	Wards Rd													
<b>Town of Altavista</b>																	
1 162 7th St	0.43	4200	From	SR 43 Bedford Ave							C	0.1		0.554	4200	F	2016
			To	Franklin Ave													
1 162 7th St	0.44	3100	From	Franklin Ave							F	0.114		0.512	3100	F	2016
			To	Lola Ave													
1 162 7th St	0.50	2000	From	Lola Ave							F	0.104		0.53	2100	F	2016
			To	Bus US 29													
2 162 11th St	0.10	240	From	SR 43 Bedford Ave							C	0.1		0.621	250	F	2016
			To	Broad St													
3 162 12th St	0.08	48	From	Dead End							F	0.205		0.625	49	F	2016
			To	Franklin Ave													
4 162 Avondale Dr	0.17	2100	From	Lola Ave Ext							F	0.095		0.665	2200	F	2016
			To	Frazier Rd													
4 162 Avondale Dr	0.60	400	From	Frazier Rd							C	0.109		0.521	410	F	2016
			To	Ogden Rd													
5 162 Broad St	0.13	270	From	11th St							C	0.125		0.546	280	F	2016
			To	Lynch Rd													
6 162 Franklin Ave	0.07	840	From	Bus US 29 Main St							F	0.102		0.55	850	F	2016
			To	7th St													
6 162 Franklin Ave	0.46	1500	From	7th St							C	0.106		0.641	1600	F	2016
			To	12th St													
7 162 Frazier Rd	0.09	1900	From	Avondale Dr							F	0.093		0.765	1900	F	2016
			To	Lola Ave													
7 162 Frazier Rd	0.62	3000	From	Lola Ave							C	0.113		0.584	3000	F	2016
			To	Lynch Mill Rd													
8 162 Lola Ave	0.07	2900	From	Bus US 29 Main St							F	0.090		0.57	2900	F	2016
			To	7th Street													
8 162 Lola Ave	0.36	3100	From	7th St							F	0.101		0.592	3100	F	2016
			To	11th St													
8 162 Lola Ave	0.13	3500	From	11th St							C	0.106		0.617	3500	F	2016
			To	Avondale Dr													
9 162 Lynch Rd	0.13	250	From	Broad St							C	0.086		0.652	250	G	2016
			To	0.13 ME Broad St													
10 162 Ogden Rd	0.38	1100	From	Avondale Dr							C	0.119		0.772	1200	F	2016
			To	Lynch Mill Rd													
425 162 Pittsylvania Ave	0.42	7100	From	SCL Altavista							C	0.085		0.597	7200	F	2016
			To	Main St													
1466 162 Lynch Mill Rd	0.40	3800	From	NCL Altavista							C	0.098		0.641	3800	F	2016
			To	Frazier Rd													

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Altavista</b>																
1466 162 Lynch Mill Rd	0.49	4000	F	97%	0%	From: Frazier Rd				F	0.108		0.524	4100	F	2016
						To: Clairon Rd										
1466 162 Lynch Mill Rd	0.30	5500	F	97%	0%	From: Clairon Rd				F	0.09		0.507	5600	F	2016
						To: Main St										
1468 162 Clarion Rd	0.77	4500	F	99%	0%	From: Lynch Mill Rd				C	0.094		0.526	4500	F	2016
						To: NCL Altavista										
<b>City of Lynchburg</b>																
4th St		60	F			From: Wise St					0.170			70	F	2016
						To: Monroe St										
Caroline St		710	F			From: York St					0.107		0.528	760	F	2016
						To: Chambers St										
Chambers St		830	F			From: Caroline St					0.092		0.59	890	F	2016
						To: 2Nd St										
Clayton Ave		470	F			From: Morningside Dr					0.113		0.548	500	F	2016
						To: Spottswood Pl										
Danridge Dr		1400	F			From: Berkley Pl					0.107		0.576	1500	F	2016
						To: Craigmont Dr										
Enterprise Dr		15000	G			From: 15-1520					0.1		0.593	15000	G	2016
						To: Bedford County Line										
Fairview Ave		300	F			From: Maryland Ave					0.093		0.532	320	F	2016
						To: Mackel St										
Fleetwood Dr		1200	F			From: Ridgeway Dr					0.106		0.712	1200	F	2016
						To: Hillwood Dr										
Georgia Ave		160	F			From: Campbell Ave					0.16		0.655	180	F	2016
						To: Nevada Ave										
Gorman Dr		270	F			From: Glen Oak Lane					0.151		0.5	280	F	2016
						To: Northwood Cir										
Hawthorne Rd		110	F			From: Montgomery Rd					0.143		0.622	120	F	2016
						To: Woodcrest Dr										
Hayes Dr		130	F			From: Rhonda Dr					0.122		0.682	140	F	2016
						To: Crawford Dr										
John Scott Dr		430	G	97%	2%	From: Old Trents Ferry Rd				C	0.111		0.558	480	G	2016
						To: Dead End										
Leyburn Ave		210	F			From: Mosby Ave					0.12		0.815	220	F	2016
						To: Sackett St										
Locksview Dr		750	F			From: Bell Tavern Rd					0.100		0.533	800	F	2016
						To: Norvell House Ct										

Virginia Department of Transportation  
 Traffic Engineering Division  
 2016  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Campbell Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Lynchburg</b>																
Maryland Ave		300	F			From: Craig St				0.127			0.517	320	F	2016
						To: Fairview Ave										
McKinney Ave		270	F			From: Clarke St				0.101			0.833	280	F	2016
						To: Dodd St										
Mimosa Dr		710	F			From: Burnt Bridge Rd				0.108			0.533	750	F	2016
						To: Woodcrest Dr										
Morningside Dr		510	F			From: McGuffey Lane				0.203			0.922	540	F	2016
						To: Eastwood Lane										
Myrtle St		570	F			From: Westview Dr				0.097				610	F	2016
						To: Toledo Ave										
New Hampshire Ave		370	F			From: Oakridge Blvd				0.12			0.551	390	F	2016
						To: Tremont St										
Oxford St		310	F			From: McKinney Ave				0.104			0.578	330	F	2016
						To: Radcliffe Ave										
Page St		2800	F			From: Hillcrest Rd				0.109			0.845	2900	F	2016
						To: 2Nd St										
Rhode Island Ave		110	F			From: Tremont St				0.128			0.516	110	F	2016
						To: Fort Ave										
Sanhill Dr		510	F			From: Rhonda Dr				0.117			0.540	540	F	2016
						To: Apache Lane										
Texas Ave		220	F			From: Campbell Ave				0.114			0.593	230	F	2016
						To: Nevada Ave										
Warren Ave		200	F			From: Wingfield Ave				0.148			0.508	210	F	2016
						To: Perry Ave										
<b>Town of Altavista</b>																
Lakewood Dr		210	F			From: Sourwood Lane				0.116			0.588	210	F	2016
						To: Dogwood Lane										
Tabby Ln		210	F			From: Laurel Lane				0.117			0.519	220	F	2016
						To: Woodhaven Lane										
West Rd		210	F			From: Forest St				0.108			0.638	220	F	2016
						To: Lynch Rd										