

2018
Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates
where available

Jurisdiction Report
75

City of Virginia Beach

Prepared By
Virginia Department of Transportation
Traffic Engineering Division

In Cooperation With
U.S. Department of Transportation
Federal Highway Administration

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a "Combined Traffic Estimates for Parallel Roadways on this Route" or "Combined Traffic" identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate "NA" for not available.

VDOT's traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating "NA" for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate "NA" for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.






QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source








Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

-  Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
-  US Route
-  Virginia State Route
-  Frontage Road (F precedes frontage route number)
-  Secondary Route

Special Routes

-  Bus - Business Route
-  Bypass - Bypass Route
-  Truck - Truck Route
-  ALT - Alternate Route
-  Wve - Wve Route connector
-  P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
-  The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
Traffic Engineering Division
2018
Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
	From: NCL Chesapeake															
13 Military Hwy	City of Virginia Beach	0.67	28000	G	98%	1%	1%	1%	1%	0%	C	0.094	F	0.603	31000	G
	To: Indian River Rd															
13 Military Hwy	City of Virginia Beach	1.02	43000	F	98%	1%	1%	1%	1%	0%	F	0.097	F	0.607	46000	F
	To: SCL Norfolk															
	From: NCL Norfolk															
13 166 Northampton Blvd	City of Virginia Beach	0.95	56000	F	96%	0%	1%	0%	2%	0%	F	0.072	F	0.593	57000	F
	To: SR 166 Diamond Springs Rd															
13 Northampton Blvd	City of Virginia Beach	2.14	37000	A	96%	0%	1%	0%	2%	0%	C	0.096	A	0.645	38000	A
	To: SR 225 Independence Blvd															
13 Northampton Blvd	City of Virginia Beach	1.19	24000	F	96%	0%	1%	0%	2%	0%	F	0.074	F	0.576	25000	F
	To: US 60 Shore Dr															
13 Northampton Blvd	City of Virginia Beach	0.78	10000	F	96%	0%	1%	0%	2%	0%	F	0.081	F	0.505	10000	F
	To: NCL Virginia Beach															
	From: I-64															
17 464 Ramp	City of Virginia Beach (Maint: 64)	0.20														
	To: IS-00064-E(B)/IS-00464-N001B(L)/FROM RT 464 N															
	From: ECL Norfolk; Newtown Rd															
58 Virginia Beach Blvd	City of Virginia Beach	1.33	33000	F	99%	0%	1%	0%	0%	0%	F	0.093	F	0.536	31000	F
	To: SR 190 Witchduck Rd															
58 Virginia Beach Blvd	City of Virginia Beach	1.11	34000	F	99%	0%	1%	0%	0%	0%	C	0.101	B	0.538	35000	F
	To: SR 225 Independence Blvd															
58 Virginia Beach Blvd	City of Virginia Beach	2.18	39000	F	99%	0%	0%	0%	0%	0%	F	0.097	F	0.5	37000	F
	To: Rosemont Rd															
58 Virginia Beach Blvd	City of Virginia Beach	0.41	48000	F	99%	0%	0%	0%	0%	0%	F	0.099	F	0.502	45000	F
	To: Plaza Trail North															
58 Virginia Beach Blvd	City of Virginia Beach	1.37	34000	F	99%	0%	0%	0%	0%	0%	F	0.097	F	0.557	32000	F
	To: Lynnhaven Pkwy															
58 Virginia Beach Blvd	City of Virginia Beach	1.06	36000	F	99%	0%	0%	0%	0%	0%	F	0.086	F	0.57	34000	F
	To: SR 279 Great Neck Rd															
58 Virginia Beach Blvd	City of Virginia Beach	0.14	32000	G	99%	0%	0%	0%	0%	0%	F	0.085	F	0.572	30000	G
	To: Bus US 58; Va Beach Blvd															
58 Laskin Rd	City of Virginia Beach	1.47	29000	A	99%	0%	0%	0%	0%	0%	C	0.095	A	0.596	30000	A
	To: First Colonial Rd															
58 Laskin Rd	City of Virginia Beach	1.53	27000	F	99%	0%	0%	0%	0%	0%	F	0.080	F	0.567	28000	F
	To: Birdneck Rd															
58 Laskin Rd	City of Virginia Beach	0.97	28000	F	99%	0%	0%	0%	0%	0%	F	0.078	F	0.558	29000	F
	To: US 60 Pacific Ave															

Virginia Department of Transportation
Traffic Engineering Division
2018
Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
West 58 Ramp	From: US 58 and US 58 Bus City of Virginia Beach (Maint: 75) To: I-264 West	0.22	16000	F								0.072	F	17000	F	
Bus 58 Virginia Beach Blvd	From: US 58 Laskin Rd City of Virginia Beach To: First Colonial Rd	1.40	26000	F	97%	1%	1%	1%	0%	0%	F	0.076	F	0.55	28000	F
Bus 58 Virginia Beach Blvd	From: First Colonial Rd City of Virginia Beach To: Oceana Blvd	0.44	18000	F	97%	1%	1%	1%	0%	0%	F	0.079	F	0.541	17000	F
Bus 58 Virginia Beach Blvd	From: Oceana Blvd City of Virginia Beach To: Birdneck Rd	0.96	12000	F	97%	1%	1%	1%	0%	0%	F	0.080	F	0.540	12000	F
Bus 58 Virginia Beach Blvd	From: Birdneck Rd City of Virginia Beach To: Atlantic Ave	1.17	10000	F	97%	1%	1%	1%	0%	0%	C	0.079	F	0.547	9700	F
Bus 58 Ramp	From: C7US 58 TO ROUTE 264 WEST City of Virginia Beach (Maint: 75) To: US 58-W503A TO ROUTE 58 BUS VA BEACH BL	0.09	NA									NA		NA		
60 Shore Dr	From: ECL Norfolk City of Virginia Beach To: SR 166 Diamond Springs Rd	0.22	30000	G	99%	0%	1%	0%	0%	0%	F	0.09	F	0.508	32000	G
60 Shore Dr	From: SR 166 Diamond Springs Rd City of Virginia Beach To: SR 225 Independence Blvd	1.81	24000	F	99%	0%	1%	0%	0%	0%	F	0.089	F	0.543	25000	F
60 Shore Dr	From: SR 225 Independence Blvd City of Virginia Beach To: US 13 Northampton Blvd	1.05	17000	F	99%	0%	1%	0%	0%	0%	F	0.084	F	0.566	18000	F
60 Shore Dr	From: US 13 Northampton Blvd City of Virginia Beach To: Bay Lake Rd	0.66	35000	A	99%	0%	1%	0%	0%	0%	C	0.102	A	0.595	37000	A
60 Shore Dr	From: Bay Lake Rd City of Virginia Beach To: SR 279 Great Neck Rd	2.60	33000	F	99%	0%	1%	0%	0%	0%	F	0.087	F	0.556	34000	F
60 Shore Dr	From: SR 279 Great Neck Rd City of Virginia Beach To: Seashore State Park Entrance	1.18	13000	F	99%	0%	1%	0%	0%	0%	F	0.085	F	0.503	13000	F
60 Shore Dr	From: Seashore State Park Entrance City of Virginia Beach To: Atlantic Ave	3.58	9600	F	99%	0%	1%	0%	0%	0%	F	0.092	F	0.508	10000	F
60 Atlantic Ave	From: Atlantic Ave City of Virginia Beach To: 83rd St	2.07	14000	F	99%	0%	1%	0%	0%	0%	F	0.082	F	0.5	15000	F
60 Atlantic Ave	From: 83rd St City of Virginia Beach To: 50th St	0.59	18000	F	99%	0%	1%	0%	0%	0%	F	0.08	F	0.538	19000	F
60 Pacific Ave	From: Pacific Ave City of Virginia Beach To: Atlantic Ave	0.73	20000	F	99%	0%	1%	0%	0%	0%	F	0.077	F	0.527	22000	F
	From: Atlantic Ave City of Virginia Beach To: US 58 Laskin Rd															

Virginia Department of Transportation
 Traffic Engineering Division
 2018
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Princess Anne Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
60 Pacific Ave	From:	US 58 Laskin Rd															
	City of Virginia Beach	0.65	15000	F	99%	0%	1%	0%	0%	0%	F	0.074	F	0.572	16000	F	
60 Pacific Ave	To:	22nd St															
	City of Virginia Beach	0.07	17000	F	99%	0%	1%	0%	0%	0%	F	0.072	F	0.605	17000	F	
60 Pacific Ave	To:	21st St															
	City of Virginia Beach	0.27	16000	F	99%	0%	1%	0%	0%	0%	F	0.075	F	0.553	17000	F	
60 Atlantic Ave	To:	17th St															
	City of Virginia Beach	1.15	5800	F	98%	0%	1%	0%	0%	0%	F	0.083	F	0.555	6200	F	
East 64 Hampton Roads Beltway	From:	ECL Norfolk															
	City of Virginia Beach (Maint: 64)	1.35	73000	A	97%	0%	1%	1%	1%	0%	C	0.098	A		79000	A	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			144000	A	97%	0%	1%	1%	1%	0%	C	0.084	A	0.551	155000	A	
East 64 Hampton Roads Beltway	To:	Indian River Rd															
	City of Virginia Beach (Maint: 64)	1.57	69000	F	97%	0%	1%	1%	1%	0%	F	0.079	F		74000	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			134000	F	99%	0%	0%	0%	1%	0%	F	0.093	A	0.52	147000	F	
East 64 Ramp	To:	ECL Chesapeake															
	City of Virginia Beach (Maint: 64)	0.21	6200	F								0.097	F		6600	F	
East 64 Ramp	To:	134-7 W, Indian River Rd															
	City of Virginia Beach (Maint: 64)	0.20	15000	F								0.096	F		16000	F	
West 64 Hampton Roads Beltway	From:	ECL Norfolk															
	City of Virginia Beach (Maint: 64)	1.75	71000	A	97%	0%	1%	1%	1%	0%	C	0.099	A		76000	A	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			144000	A	97%	0%	1%	1%	1%	0%	C	0.084	A	0.551	155000	A	
West 64 Hampton Roads Beltway	To:	Indian River Rd															
	City of Virginia Beach (Maint: 64)	1.17	65000	F	100%	0%	0%	0%	0%	0%	C	0.082	F		72000	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			134000	F	99%	0%	0%	0%	1%	0%	F	0.091	B	0.551	147000	F	
West 64 Ramp	To:	ECL Chesapeake															
	City of Virginia Beach (Maint: 64)	0.22	5700	F								0.120	F		6100	F	
West 64 Ramp	To:	134-7 W, Indian River Rd															
	City of Virginia Beach (Maint: 64)	0.20	12000	F								0.091	F		13000	F	
149 Princess Anne Rd	From:	SR 165: N Landing Rd															
	City of Virginia Beach	1.92	11000	F	97%	1%	1%	1%	0%	0%	C	0.098	F	0.576	12000	F	
		To:	Princess Anne Rd														

Virginia Department of Transportation
Traffic Engineering Division
2018
Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
	From: ECL Chesapeake															
165 North Landing Rd	City of Virginia Beach	1.49	10000	F	99%	0%	1%	0%	0%	F	0.110	F	0.617	11000	F	
	To: 134-8667 Salem Rd															
165 North Landing Rd	City of Virginia Beach	2.64	12000	F	99%	0%	1%	0%	0%	C	0.110	F	0.626	13000	F	
	From: SR 149 Princess Anne Rd															
165 Princess Anne Rd	City of Virginia Beach	2.68	31000	F	98%	0%	1%	1%	0%	F	0.087	F	0.553	33000	F	
	To: Dam Neck Rd															
165 Princess Anne Rd	City of Virginia Beach	1.46	50000	F	98%	0%	1%	1%	0%	C	0.098	A	0.546	53000	F	
	To: Independence Blvd South															
165 Princess Anne Rd	City of Virginia Beach	0.48	45000	F	98%	0%	1%	1%	0%	F	0.098	A	0.546	48000	F	
	To: Lynnhaven Pkwy															
165 Princess Anne Rd	City of Virginia Beach	0.40	53000	F	98%	0%	1%	1%	0%	F	0.098	A	0.546	57000	F	
	To: Ferrell Pkwy															
165 Princess Anne Rd	City of Virginia Beach	0.69	34000	F	98%	0%	1%	1%	0%	F	0.095	F	0.597	37000	F	
	To: 134-8640 Providence Rd															
165 Princess Anne Rd	City of Virginia Beach	1.07	26000	F	98%	0%	1%	1%	0%	C	0.095	F	0.564	28000	F	
	To: 134-7837 Edwin Dr															
165 Princess Anne Rd	City of Virginia Beach	1.19	27000	F	98%	0%	1%	1%	0%	F	0.096	F	0.580	29000	F	
	To: SR 190 Kempsville Rd															
165 Princess Anne Rd	City of Virginia Beach	1.62	24000	F	98%	1%	1%	0%	0%	C	0.105	F	0.624	26000	F	
	To: 134-8730 Cheyenne Rd															
165 Princess Anne Rd	City of Virginia Beach	0.31	25000	F	98%	1%	1%	0%	0%	F	0.091	F	0.676	27000	F	
	To: ECL Norfolk; Newtown Rd															
	From: CL Virginia Beach															
166 13 Northampton Blvd	City of Virginia Beach	0.95	56000	F	96%	0%	1%	0%	2%	F	0.072	F	0.593	57000	F	
	To: US 13; Diamond Springs Rd															
166 Diamond Springs Rd	City of Virginia Beach	1.32	27000	F	97%	0%	1%	1%	1%	C	0.08	F	0.590	29000	F	
	To: US 60 Shore Dr															
	From: ECL Chesapeake															
190 Kempsville Rd	City of Virginia Beach	1.00	23000	F	99%	0%	1%	0%	0%	F	0.101	F	0.501	24000	F	
	To: Centerville Tpke															
190 Kempsville Rd	City of Virginia Beach	1.52	28000	F	99%	0%	0%	1%	0%	C	0.091	F	0.517	30000	F	
	To: Indian River Rd															
190 Kempsville Rd	City of Virginia Beach	1.29	28000	F	99%	0%	1%	0%	0%	F	0.087	F	0.545	30000	F	
	To: Providence Rd															
190 Kempsville Rd	City of Virginia Beach	0.98	32000	F	99%	0%	1%	0%	0%	C	0.09	F	0.542	35000	F	
	To: SR 165 Princess Anne Rd															

Virginia Department of Transportation
 Traffic Engineering Division
 2018
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Princess Anne Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
190	Witchduck Rd	From: SR 165 Princess Anne Rd To: City of Virginia Beach	0.72	30000	F	99%	0%	1%	0%	0%	F	0.083	F	0.578	32000	F
190	Witchduck Rd	From: I-264 To: City of Virginia Beach	0.60	29000	G	98%	0%	1%	0%	1%	C	0.076	F	0.507	32000	G
190	Witchduck Rd	From: US 58 Virginia Beach Blvd To: City of Virginia Beach	1.29	16000	F	99%	0%	0%	0%	0%	F	0.089	F	0.518	17000	F
190	Pembroke Blvd	From: 134-8740 Jericho Rd To: SR 225 Independence Blvd	0.71	9300	F	99%	0%	0%	0%	0%	C	0.085	F	0.521	10000	F
190	Ramp	From: SR 190-N013A FROM WITC To: City of Virginia Beach (Maint: 75) I-264-E FROM RT 190	0.21	7200	F							0.108	F		7700	F
190	Ramp	From: SR 190 TO I-264 To: City of Virginia Beach (Maint: 75) I-264-W FROM RT 190	0.21	13000	F							0.082	F		14000	F
North 190	Ramp	From: SR 190 TO I-264 To: City of Virginia Beach (Maint: 75) SR 190-S013A SR 190- 13A FROM WITC	0.03	NA								NA			NA	
South 190	Ramp	From: SR 190 TO I-264 To: City of Virginia Beach (Maint: 75) SR 190-N013A FROM WITC	0.04	NA								NA			NA	
225	Independence Blvd	From: South Blvd To: City of Virginia Beach	0.07	76000	N	99%	0%	1%	0%	0%	N	0.081	F	0.524	82000	N
225	Independence Blvd	From: I-264 To: City of Virginia Beach	0.73	76000	G	99%	0%	1%	0%	0%	F	0.081	F	0.524	82000	G
225	Independence Blvd	From: US 58 Virginia Beach Blvd To: City of Virginia Beach	1.35	48000	B	99%	0%	1%	0%	0%	C	0.099	A	0.532	53000	B
225	Independence Blvd	From: Pembroke Blvd To: City of Virginia Beach	0.91	42000	F	99%	0%	1%	0%	0%	F	0.088	F	0.508	46000	F
225	Independence Blvd	From: Haygood Rd To: City of Virginia Beach	1.81	38000	F	99%	0%	1%	0%	0%	F	0.09	F	0.509	41000	F
225	Independence Blvd	From: US 13 Northampton Blvd To: City of Virginia Beach	0.53	20000	F	99%	0%	1%	0%	0%	F	0.094	F	0.675	22000	F
North 225	Ramp	From: SR 225; 134-11; 134-8736; 134-87 To: City of Virginia Beach (Maint: 75) I-264-E FROM HOLLAND RD	0.25	6100	F							0.093	F		6500	F
North 225	Ramp	From: SR 225 TO AND FROM RT To: City of Virginia Beach (Maint: 75) I-264-W FROM HOLLAND ROAD	0.19	16000	F							0.092	F		18000	F

Virginia Department of Transportation
Traffic Engineering Division
2018
Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
South 225 Ramp	City of Virginia Beach (Maint: 75)	0.17	7500	F										8000	F	
South 225 Ramp	City of Virginia Beach (Maint: 75)	0.24	14000	F										15000	F	
East 264 Virginia Beach Norfolk Expwy	City of Norfolk (Maint: 75)	0.74	103000	G	97%	0%	0%	2%	1%	0%	F	0.085	F	111000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		207000	G	98%	0%	0%	1%	0%	0%	F	0.076	F	0.529	221000	G
East 264 Virginia Beach Norfolk Expwy	City of Virginia Beach (Maint: 75)	1.40	95000	G	94%	0%	1%	1%	4%	0%	F	0.094	F	99000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		189000	G	94%	0%	1%	1%	4%	0%	F	0.078	F	0.568	200000	G
East 264 Virginia Beach Norfolk Expwy	City of Virginia Beach (Maint: 75)	1.28	94000	F	94%	0%	1%	1%	4%	0%	F	0.087	F	100000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		188000	F	94%	0%	1%	1%	4%	0%	F	0.086	B	0.570	202000	F
East 264 Virginia Beach Norfolk Expwy	City of Virginia Beach (Maint: 75)	2.34	76000	F	94%	0%	1%	1%	4%	0%	F	0.087	F	81000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		152000	F	94%	0%	1%	1%	4%	0%	F	0.080	F	0.517	163000	F
East 264 Virginia Beach Norfolk Expwy	City of Virginia Beach (Maint: 75)	1.84	69000	A	98%	0%	1%	0%	1%	0%	C	0.095	A	75000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		141000	A	98%	0%	1%	0%	1%	0%	C	0.092	A	0.513	152000	A
East 264 Virginia Beach Norfolk Expwy	City of Virginia Beach (Maint: 75)	0.54	61000	F	94%	0%	1%	1%	4%	0%	F	0.085	F	66000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		123000	F	94%	0%	1%	1%	4%	0%	F	0.08	F	0.516	133000	F
East 264 Virginia Beach Norfolk Expwy	City of Virginia Beach (Maint: 75)	0.63	51000	F	97%	0%	0%	2%	1%	0%	F	0.088	F	55000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		105000	F	98%	0%	0%	1%	0%	0%	F	0.08	F	0.528	114000	F
East 264 Virginia Beach Norfolk Expwy	City of Virginia Beach (Maint: 75)	1.42	33000	F	94%	0%	1%	1%	4%	0%	F	0.090	F	36000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		73000	F	94%	0%	1%	1%	4%	0%	F	0.081	F	0.506	78000	F
East 264 Virginia Beach Norfolk Expwy	City of Virginia Beach (Maint: 75)	1.36	29000	F	94%	0%	1%	1%	4%	0%	F	0.095	F	31000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		58000	F	94%	0%	1%	1%	4%	0%	F	0.084	F	0.556	63000	F

Virginia Department of Transportation
 Traffic Engineering Division
 2018
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Princess Anne Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
East 264	From: Birdneck Rd Virginia Beach Norfolk Expwy City of Virginia Beach (Maint: 75) Combined Traffic Estimates for 2 Parallel Roadways on this Route: To: Parks Ave	0.64	15000	F	94%	0%	1%	1%	4%	0%	F	0.089	F	16000	F	
			29000	F	94%	0%	1%	1%	4%	0%	F	0.079	F	31000	F	
East 264	From: I-264-E013X I-264-E014B TO RT 64 Ramp City of Virginia Beach (Maint: 75) To: SR 403 FROM RT 264	0.22	11000	G								0.098	F	11000	G	
East 264	From: I-264-E013X Ramp City of Virginia Beach (Maint: 75) To: SR 403 Newtown Rd	0.25	9100	G								0.087	F	9100	G	
East 264	From: I-264-E015A FROM RT 264 Ramp City of Virginia Beach (Maint: 75) To: SR 403 FROM RT 264	0.03	NA									NA		NA		
East 264	From: I-264-E TO RT 190 Ramp City of Virginia Beach (Maint: 75) To: SR 190 FROM I-264	0.14	10000	F								0.079	F	11000	F	
East 264	From: I-264 East Ramp City of Virginia Beach (Maint: 75) To: Independence Blvd South	0.46	21000	F								0.096	F	23000	F	
East 264	From: I-264 East Ramp City of Virginia Beach (Maint: 75) To: SR 225 Independence Blvd	0.16	12000	F								0.08	F	13000	F	
East 264	From: I-264-E017A TO ALICIA DRIVE Ramp City of Virginia Beach (Maint: 75) To: 134-8700 Bonney Rd	0.50	2500	F								0.135	F	2700	F	
East 264	From: I-264 East Ramp City of Virginia Beach (Maint: 75) To: 134-13 Rosemont Rd	0.24	14000	F								0.106	F	15000	F	
East 264	From: I-264 East Ramp City of Virginia Beach (Maint: 75) To: Lynnhaven Pkwy South	0.13	10000	F								0.098	F	11000	F	
East 264	From: I-264 East Ramp City of Virginia Beach (Maint: 75) To: Lynnhaven Pkwy North	0.22	4300	F								0.094	F	4600	F	
East 264	From: I-264 East Ramp City of Virginia Beach (Maint: 75) To: Ramps to US 58 EB and US 58 WB	0.38	19000	F								0.086	F	20000	F	
East 264	From: I-264-E020B TO ROUTE 58 BUS VA BEACH BL Ramp City of Virginia Beach (Maint: 75) To: US 58 FROM ROUTE 264 WEST	0.01	NA									NA		NA		

Virginia Department of Transportation
Traffic Engineering Division
2018
Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
East 264 Ramp	From: I-264-E020A TO ROUTE 58 BUS VA BEACH BL City of Virginia Beach (Maint: 75) To: C7US 58 FROM ROUTE 264 EAST	0.17	NA											NA	NA	
East 264 Ramp	From: I-264 East City of Virginia Beach (Maint: 75) To: First Colonial Rd South	0.20	3500	F								0.1	F	3700	F	
East 264 Ramp	From: I-264 East City of Virginia Beach (Maint: 75) To: First Colonial Rd North	0.20	5300	F								0.083	F	5700	F	
East 264 Ramp	From: I-264 East City of Virginia Beach (Maint: 75) To: 134-8723 Birdneck Rd	0.11	14000	F								0.103	F	15000	F	
West 264 Virginia Beach Norfolk Expwy	From: I-64 Hampton Roads Beltway City of Norfolk (Maint: 75) To: SR 403 Newtown Rd; WCL Virginia Beach	0.30	103000	G	99%	0%	0%	0%	0%	F	0.082	F		111000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		207000	G	98%	0%	0%	1%	0%	F	0.076	F	0.529	221000	G	
West 264 Virginia Beach Norfolk Expwy	From: SR 403 Newtown Rd; ECL Norfolk City of Virginia Beach (Maint: 75) To: SR 190 Witchduck Rd	1.63	94000	G	93%	0%	1%	1%	4%	F	0.085	F		101000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		189000	G	94%	0%	1%	1%	4%	F	0.076	F	0.553	200000	G	
West 264 Virginia Beach Norfolk Expwy	From: SR 190 Witchduck Rd City of Virginia Beach (Maint: 75) To: SR 225 Independence Blvd	1.21	94000	F	93%	0%	1%	1%	4%	F	0.089	F		101000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		188000	F	94%	0%	1%	1%	4%	F	0.086	B	0.570	202000	F	
West 264 Virginia Beach Norfolk Expwy	From: SR 225 Independence Blvd City of Virginia Beach (Maint: 75) To: Rosemont Rd	2.74	77000	F	93%	0%	1%	1%	4%	F	0.088	F		82000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		152000	F	94%	0%	1%	1%	4%	F	0.080	F	0.517	163000	F	
West 264 Virginia Beach Norfolk Expwy	From: Rosemont Rd City of Virginia Beach (Maint: 75) To: Lynnhaven Pkwy	1.59	72000	A	98%	0%	1%	0%	1%	C	0.094	A		77000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		141000	A	98%	0%	1%	0%	1%	C	0.092	A	0.513	152000	A	
West 264 Virginia Beach Norfolk Expwy	From: Lynnhaven Pkwy City of Virginia Beach (Maint: 75) To: London Bridge Rd	0.56	62000	F	93%	0%	1%	1%	4%	F	0.08	F		67000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		123000	F	94%	0%	1%	1%	4%	F	0.079	F	0.51	133000	F	
West 264 Virginia Beach Norfolk Expwy	From: London Bridge Rd City of Virginia Beach (Maint: 75) To: US 58 Virginia Beach Blvd	0.79	54000	F	99%	0%	0%	0%	0%	F	0.075	F		58000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		105000	F	98%	0%	0%	1%	0%	F	0.08	F	0.528	114000	F	
West 264 Virginia Beach Norfolk Expwy	From: US 58 Virginia Beach Blvd City of Virginia Beach (Maint: 75) To: First Colonial Rd	1.19	39000	F	93%	0%	1%	1%	4%	F	0.075	F		42000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		73000	F	94%	0%	1%	1%	4%	F	0.081	F	0.506	78000	F	

Virginia Department of Transportation
Traffic Engineering Division
2018
Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
West 264	From: First Colonial Rd Virginia Beach Norfolk Expwy City of Virginia Beach (Maint: 75)	1.52	29000	F	93%	0%	1%	1%	4%	0%	F	0.077	F	32000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		58000	F	94%	0%	1%	1%	4%	0%	F	0.084	F	63000	F	
West 264	To: Birdneck Rd From: Virginia Beach Norfolk Expwy City of Virginia Beach (Maint: 75)	0.66	14000	F	93%	0%	1%	1%	4%	0%	F	0.082	F	15000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		29000	F	94%	0%	1%	1%	4%	0%	F	0.084	F	31000	F	
West 264	To: Parks Ave From: I-264 Collector Rd City of Virginia Beach (Maint: 75)	0.22	6900	G	99%	0%	0%	0%	0%	0%	F	0.103	F	310	G	
West 264	To: SR 403 Newtown Rd From: I-264-W TO RT 190 City of Virginia Beach (Maint: 75)	0.13	6900	F								0.091	F	7400	F	
West 264	To: SR 190 FROM I-264 From: I-264-W TO HOLLAND ROAD City of Virginia Beach (Maint: 75)	0.18	5900	F								0.107	F	6300	F	
West 264	To: SR 225 TO AND FROM RT From: I-264-W TO RT 225 City of Virginia Beach (Maint: 75)	0.25	7500	F								0.087	F	8000	F	
West 264	To: C7US 58 TO RT 44 From: I-264 West City of Virginia Beach (Maint: 75)	0.18	8200	F								0.091	F	8700	F	
West 264	To: 134-13 Rosemont Rd From: I-264 West City of Virginia Beach (Maint: 75)	0.16	6100	F								0.111	F	6600	F	
West 264	To: Lynnhaven Pkwy South From: I-264 West City of Virginia Beach (Maint: 75)	0.15	3400	F								0.126	F	3700	F	
West 264	To: Lynnhaven Pkwy From: I-264 West City of Virginia Beach (Maint: 75)	0.17	4000	F								0.081	F	4300	F	
279	To: First Colonial Rd From: US 58 Va Beach Blvd City of Virginia Beach	2.35	30000	F	99%	0%	1%	0%	0%	0%	F	0.093	F	32000	F	
279	To: First Colonial Rd From: First Colonial Rd City of Virginia Beach	0.99	37000	F	99%	0%	1%	0%	0%	0%	F	0.090	F	40000	F	
279	To: Shorehaven Dr From: Shorehaven Dr City of Virginia Beach	1.42	31000	F	99%	0%	1%	0%	0%	0%	F	0.085	F	33000	F	
279	To: Adam Keeling Rd From: Adam Keeling Rd City of Virginia Beach	0.79	26000	F	99%	0%	1%	0%	0%	0%	C	0.086	F	28000	F	
	To: US 60 Shore Dr															

Virginia Department of Transportation
 Traffic Engineering Division
 2018
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Princess Anne Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
North 403 Ramp	City of Virginia Beach (Maint: 75)	0.20	7000	G							0.088	F		8400	G	
	From: SR 403 TO RT 264															
	To: I-264-W013X FROM RT 403 NORTH-NEWTOWN R															
North 403 Ramp Spur	City of Virginia Beach (Maint: 75)	0.03	NA								NA			NA		
	From: SR 403 Newtown Rd															
	To: Rammp from SR 43 Newtown Rd to I-264 EB															
South 403 Ramp	City of Virginia Beach (Maint: 75)	0.04	NA								NA			NA		
	From: SR 403 TO RT 264															
	To: SR 403-N000C FROM NEWTOWN RD															
South 403 Ramp	City of Virginia Beach (Maint: 75)	0.14	5800	G							0.096	F		5800	G	
	From: SR 403 TO RT 264															
	To: I-264-E013X FROM RT 403 SOUTH-NEWTOWN R															
South 403 Ramp	City of Virginia Beach (Maint: 75)	0.17	8400	G							0.083	F		8400	G	
	From: SR 403 TO RT 264															
	To: I-264-W013X FROM RT 403 SOUTH-NEWTOWN R															
North 464 17 Ramp	City of Virginia Beach (Maint: 64)	0.20	11000	F							0.095	F		12000	F	
	From: I-464 North															
	To: I-64 East															

Virginia Department of Transportation
Traffic Engineering Division
2018
Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Virginia Beach																
(F143) Midtown Way	0.55	520	R								0.144	F	0.520	NA		06/19/2018
(1) Churchill Dr	0.58	4900	F	98%	1%	1%	0%	0%	0%	C	0.112	F	0.516	5300	F	2018
(4) Indian Creek Rd	2.42	400	F	93%	2%	1%	2%	3%	0%	C	0.109	F	0.723	430	F	2018
(5) Centerville Tpke	0.95	19000	F	96%	0%	1%	3%	1%	0%	C	0.085	F	0.692	20000	F	2018
(6) Newcastle Rd	0.22	390	F	97%	0%	1%	1%	0%	0%	C	0.105	F	0.533	410	F	2018
(7) Indian River Rd	0.54	28000	F	98%	0%	1%	1%	0%	0%	F	0.093	F	0.537	30000	F	2018
(7) Indian River Rd	0.57	29000	F	98%	0%	1%	1%	0%	0%	F	0.109	F	0.745	31000	F	2018
(7) Indian River Rd	0.86	45000	F	98%	0%	1%	1%	0%	0%	F	0.095	F	0.532	48000	F	2018
(7) Indian River Rd	0.10	75000	F	98%	0%	1%	1%	0%	0%	F	0.076	F	0.616	80000	F	2018
(7) Indian River Rd	1.05	60000	G	98%	0%	1%	1%	0%	0%	F	0.071	F	0.600	65000	G	2018
East (7) Ramp	0.24	5600	F								0.089	F		5600	F	2018
East (7) Ramp	0.18	4000	F								0.076	F		4300	F	2018
West (7) Ramp	0.19	13000	F								0.082	F		13000	F	2018
West (7) Ramp	0.28	17000	F								0.096	F		18000	F	2018
(8) Diamond Springs Rd	0.44	22000	F	98%	1%	1%	0%	0%	0%	F	0.088	F	0.536	23000	F	2018
(8) Diamond Springs Rd	1.19	21000	F	98%	1%	1%	0%	0%	0%	F	0.088	F	0.536	22000	F	2018
(9) First Colonial Rd	0.12	31000	F	98%	0%	1%	0%	0%	0%	F	0.081	F	0.537	33000	F	2018
(9) First Colonial Rd	0.47	36000	F	98%	1%	1%	0%	0%	0%	F	0.081	F	0.537	39000	F	2018
(9) First Colonial Rd	1.97	36000	G	98%	1%	1%	0%	0%	0%	C	0.082	F	0.514	39000	G	2018
(9) Ramp	0.17	4200	F								0.089	F		4200	F	2018

Virginia Department of Transportation
Traffic Engineering Division
2018
Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Virginia Beach																
(9) 134	Ramp	0.19	15000	F						F	0.083	F		15000	F	2018
(10) 134	Providence Rd	0.74	15000	F	99%	0%	1%	0%	0%	F	0.094	F	0.53	16000	F	2018
(10) 134	Providence Rd	2.28	20000	F	99%	0%	1%	0%	0%	C	0.115	F	0.596	21000	F	2018
(11) 134	Independence Blvd South	0.79	75000	F	98%	0%	1%	0%	0%	F	0.080	F	0.598	80000	F	2018
(12) 134	Holland Rd	0.47	35000	F	98%	0%	1%	1%	0%	F	0.077	F	0.603	37000	F	2018
(12) 134	Holland Rd	1.31	32000	F	98%	0%	1%	1%	0%	F	0.08	F	0.554	35000	F	2018
(12) 134	Holland Rd	1.14	30000	F	98%	0%	1%	1%	0%	F	0.081	F	0.507	32000	F	2018
(12) 134	Holland Rd	0.64	32000	F	98%	0%	1%	1%	0%	F	0.082	F	0.518	35000	F	2018
(12) 134	Holland Rd	0.43	25000	F	98%	0%	1%	1%	0%	C	0.084	F	0.522	27000	F	2018
(12) 134	Holland Rd	2.82	4400	F	98%	0%	1%	1%	0%	F	0.085	F	0.531	4700	F	2018
(13) 134	Rosemont Rd	1.17	28000	F	99%	0%	0%	0%	0%	C	0.086	F	0.565	30000	F	2018
(13) 134	Rosemont Rd	0.56	29000	F	99%	0%	0%	0%	0%	F	0.084	F	0.598	31000	F	2018
(13) 134	Rosemont Rd	0.18	34000	G	99%	0%	0%	0%	0%	F	0.084	F	0.598	36000	G	2018
North (13) 134	Ramp	0.18	3600	F							0.082	F		3600	F	2018
North (13) 134	Ramp	0.17	7900	F							0.111	F		7900	F	2018
South (13) 134	Ramp	0.10	4700	F							0.078	F		4700	F	2018
South (13) 134	Ramp	0.14	8700	F							0.106	F		8700	F	2018
(14) 134	Lynnhaven Pkwy	1.06	34000	G	99%	0%	0%	0%	0%	C	0.095	F	0.596	37000	G	2018
(14) 134	Lynnhaven Pkwy	0.51	32000	G	99%	0%	0%	0%	0%	F	0.095	F	0.596	34000	G	2018
(14) 134	Lynnhaven Pkwy	1.17	33000	F	99%	0%	0%	0%	0%	F	0.088	F	0.551	36000	F	2018
(14) 134	Lynnhaven Pkwy	0.25	43000	G	99%	0%	0%	0%	0%	F	0.084	F	0.516	46000	G	2018

Virginia Department of Transportation
Traffic Engineering Division
2018
Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Virginia Beach																
(14/134) Ramp	0.22	8300	F							0.091	F			8900	F	2018
North (14/134) Ramp	0.03	NA									NA			NA		
North (14/134) Ramp	0.10	10000	F							0.122	F			11000	F	2018
South (14/134) Ramp	0.03	NA									NA			NA		
South (14/134) Ramp	0.18	5000	F							0.095	F			5300	F	2018
(8578/134) 31st Street; Laskin Rd	0.06	3700	F	97%	1%	1%	1%	0%	0%	F	0.091	F	0.605	4000	F	2018
(8589/134) International Pkwy	1.01	9500	F	96%	1%	1%	1%	2%	0%	C	0.110	F	0.549	10000	F	2018
(8590/134) Indian River Rd	0.25	60000	F	97%	0%	1%	1%	1%	0%	F	0.076	F	0.587	65000	F	2018
(8590/134) Indian River Rd	0.56	15000	F	97%	0%	1%	1%	1%	0%	F	0.088	F	0.623	16000	F	2018
(8590/134) Indian River Rd	0.46	23000	F	97%	0%	1%	1%	1%	0%	F	0.082	F	0.678	25000	F	2018
(8590/134) Indian River Rd	0.93	15000	F	97%	0%	1%	1%	1%	0%	F	0.088	F	0.623	17000	F	2018
(8590/134) Indian River Rd	1.07	10000	F	97%	0%	1%	1%	1%	0%	F	0.088	F	0.618	11000	F	2018
(8590/134) Elbow Rd	0.12	16000	F	97%	0%	1%	1%	1%	0%	F	0.090	F	0.602	17000	F	2018
(8590/134) Indian River Rd	2.99	7100	F	97%	0%	1%	1%	1%	0%	F	0.089	F	0.526	7600	F	2018
(8590/134) Indian River Rd	4.78	6100	F	97%	0%	1%	1%	1%	0%	C	0.094	F	0.511	6600	F	2018
(8590/134) Indian River Rd	0.94	3400	F	98%	0%	1%	0%	0%	0%	C	0.087	F	0.58	3700	F	2018
(8612/134) Cleveland St	0.43	5700	F	98%	1%	1%	0%	0%	0%	F	0.1	F	0.699	6100	F	2018
(8612/134) Cleveland St	0.97	7600	F	98%	1%	1%	0%	0%	0%	F	0.089	F	0.522	8100	F	2018
(8612/134) Columbus St	0.22	9900	F	98%	1%	1%	0%	0%	0%	F	0.091	F	0.574	11000	F	2018
(8612/134) Columbus St	0.31	11000	F	98%	1%	1%	0%	0%	0%	C	0.099	F	0.565	12000	F	2018
(8627/134) S Independence Blvd	2.71	8100	F	98%	0%	1%	0%	0%	0%	F	0.11	F	0.533	8600	F	2018

Virginia Department of Transportation
Traffic Engineering Division
2018
Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
City of Virginia Beach																	
8627 134	S Independence Blvd	0.55	23000	F	98%	0%	1%	0%	0%	0%	F	0.092	F	0.587	25000	F	2018
							From: SR 165 Princess Anne Rd										
							To: Lynnhaven Pkwy										
8627 134	S Independence Blvd	1.55	25000	F	98%	0%	1%	0%	0%	0%	C	0.085	F	0.582	27000	F	2018
							From: S Plaza Trail										
							To: Holland Rd										
8627 134	S Independence Blvd	0.73	34000	F	98%	0%	1%	0%	0%	0%	F	0.088	F	0.656	37000	F	2018
							From: Norfolk County Line										
8638 134	Wesleyan Dr	0.42	20000	F	99%	0%	0%	0%	0%	0%	F	0.086	F	0.700	21000	F	2018
							From: Baker Rd										
8638 134	Wesleyan Dr	0.54	15000	F	99%	0%	0%	0%	0%	0%	C	0.091	F	0.681	16000	F	2018
							From: Diamond Springs Rd										
8638 134	Wesleyan Dr	1.16	20000	F	99%	0%	0%	0%	0%	0%	F	0.092	F	0.560	22000	F	2018
							From: Haygood Dr										
							To: Wesleyan Dr										
8638 134	Haygood Rd	1.08	16000	F	99%	0%	0%	0%	0%	0%	F	0.095	F	0.565	17000	F	2018
							From: SR 225 Independence Blvd										
8638 134	Wishart Rd	0.77	1100	F	98%	0%	1%	0%	0%	0%	C	0.111	F	0.528	1200	F	2018
							From: Witchduck Rd										
8640 134	Providence Rd	0.09	11000	F	98%	0%	1%	0%	0%	0%	F	0.100	F	0.591	12000	F	2018
							From: US 13 Gap										
8640 134	Providence Rd	2.03	14000	F	98%	0%	1%	0%	0%	0%	F	0.102	F	0.505	14000	F	2018
							From: SR 190 Kempsville Rd										
							To: SR 165 Princess Anne Rd										
8651 134	Baker Rd	1.73	4900	F	98%	0%	1%	0%	0%	0%	C	0.092	F	0.635	5300	F	2018
							From: Newtown Rd										
							To: US 13 Northampton Blvd										
8652 134	Burton Station Rd	0.75	3600	F	96%	1%	1%	1%	1%	0%	C	0.095	F	0.741	3800	F	2018
							From: ECL Norfolk										
							To: US 13 Northampton Blvd										
8661 134	Centerville Tpke	0.40	9600	F	96%	0%	1%	3%	1%	0%	F	0.101	F	0.669	10000	F	2018
							From: ECL Chesapeake										
8661 134	Centerville Tpke	0.75	16000	F	96%	0%	1%	3%	1%	0%	F	0.089	F	0.643	17000	F	2018
							From: Lynnhaven Pkwy										
8661 134	Centerville Tpke	0.88	17000	F	96%	0%	1%	3%	1%	0%	F	0.089	F	0.643	19000	F	2018
							From: SR 190 Kempsville Rd										
8661 134	Regent University Dr	1.16	4400	F	97%	0%	0%	2%	0%	0%	C	0.137	F	0.578	4700	F	2018
							From: Jake Sears Rd										
							To: Indian River Rd										
8667 134	Blackwater Rd	2.89	860	F	96%	1%	1%	1%	0%	0%	C	0.102	F	0.74	920	F	2018
							From: North Carolina State Line										
8667 134	Blackwater Rd	1.91	1300	F	96%	1%	1%	1%	1%	0%	C	0.104	F	0.676	1400	F	2018
							From: Indian Creek Rd										
8667 134	Blackwater Rd	4.43	2600	F	93%	1%	1%	4%	2%	0%	C	0.093	F	0.732	2700	F	2018
							From: Pungo Ferry Rd										
8667 134	Salem Rd	1.24	4900	F	93%	1%	1%	4%	2%	0%	F	0.119	F	0.639	5200	F	2018
							From: ECL Chesapeake										
							To: SR 190 N Landing Rd										
8667 134	Salem Rd	1.33	4400	F	98%	1%	1%	0%	0%	0%	F	0.100	F	0.575	4700	F	2018
							From: Landstown Rd										
8667 134	Salem Rd	1.49	15000	F	98%	1%	1%	0%	0%	0%	C	0.101	F	0.597	16000	F	2018
							From: Elbow Rd										
							To: Lynnhaven Pkwy										

Virginia Department of Transportation
Traffic Engineering Division
2018
Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Virginia Beach																
8668 134 Salem Rd	0.77	16000	F	98%	1%	Lynnhaven Pkwy 1% 0% 0% 0%				F	0.094	F	0.592	17000	F	2018
						To: SR 165 Princess Anne Rd										
8668 134 Head of River Rd	2.05	650	F	96%	0%	ECL Chesapeake 1% 2% 1% 0%				C	0.100	F	0.575	700	F	2018
						To: Blackwater Rd										
8669 134 Princess Anne Rd	5.72	3100	F	88%	1%	North Carolina State Line 1% 9% 1% 0%				C	0.083	F	0.726	3300	F	2018
						To: Pungo Ferry Rd										
8669 134 Princess Anne Rd	7.66	5700	F	97%	0%	Pungo Ferry Rd 1% 1% 1% 0%				C	0.09	F	0.631	6100	F	2018
						To: Indian River Rd										
8669 134 Princess Anne Rd	0.53	11000	F	97%	0%	Indian River Rd 1% 1% 1% 0%				F	0.089	F	0.607	11000	F	2018
						To: Caymen Lane										
8669 134 Princess Anne Rd	1.70	10000	F	97%	0%	Caymen Lane 1% 1% 1% 0%				F	0.091	F	0.585	11000	F	2018
						To: Sandbridge Rd										
8669 134 Princess Anne Rd	0.86	15000	F	97%	0%	Sandbridge Rd 1% 1% 1% 0%				F	0.082	F	0.526	16000	F	2018
						To: General Booth Blvd Princess Anne Rd										
8669 134 General Booth Blvd	0.67	36000	G	97%	0%	General Booth Blvd Princess Anne Rd 1% 1% 1% 0%				F	0.087	F	0.564	39000	G	2018
						To: London Bridge Rd										
8669 134 General Booth Blvd	1.46	27000	F	97%	0%	London Bridge Rd 1% 1% 1% 0%				F	0.087	F	0.564	29000	F	2018
						To: Dam Neck Rd										
8669 134 General Booth Blvd	0.58	50000	F	98%	0%	Dam Neck Rd 1% 0% 0% 0%				F	0.082	F	0.520	53000	F	2018
						To: Prosperity Rd										
8669 134 General Booth Blvd	1.18	22000	F	98%	0%	Prosperity Rd 1% 0% 0% 0%				C	0.090	F	0.519	24000	F	2018
						To: Birdneck Rd										
8669 134 General Booth Blvd	1.90	16000	F	98%	0%	Birdneck Rd 1% 0% 0% 0%				C	0.1	A	0.517	15000	F	2018
						To: 5th St										
8669 134 Pacific Ave	0.27	17000	F	98%	0%	5th St 1% 0% 0% 0%				F	0.08	F	0.541	18000	F	2018
						To: 9th St										
8669 134 Pacific Ave	0.55	15000	F	99%	0%	9th St 1% 0% 0% 0%				F	0.077	F	0.547	16000	F	2018
						To: 17th St Shore Dr										
8669 134 Atlantic Ave	0.44	3300	F	98%	0%	17th St Shore Dr 1% 0% 1% 0%				C	0.079	F	0.59	3500	F	2018
						To: 89th St										
8670 134 Pungo Ferry Rd	2.78	3700	F	92%	1%	89th St Blackwater Rd 2% 3% 2% 0%				C	0.099	F	0.524	3900	F	2018
						To: Princess Anne Rd										
8671 134 Sandpiper Rd	0.67	1000	F	99%	0%	Princess Anne Rd Dead End 1% 0% 0% 0%				C	0.098	F	0.553	1100	F	2018
						To: White Cap Lane										
8671 134 Sandpiper Rd	1.49	2300	F	99%	0%	White Cap Lane 0% 0% 0% 0%				C	0.087	F	0.527	2500	F	2018
						To: Pike Lane										
8671 134 Sandpiper Rd	2.04	4800	F	99%	0%	Pike Lane 0% 0% 0% 0%				F	0.086	F	0.563	5100	F	2018
						To: Sandbridge Rd										
8672 134 Mill Landing Rd	0.81	980	F	98%	0%	Sandbridge Rd Princess Anne Rd 0% 1% 0% 0%				C	0.101	F	0.609	1000	F	2018
						To: Nannys Creek Rd										
8673 134 Morris Neck Rd	3.31	450	F	97%	1%	Nannys Creek Rd Princess Anne Rd 0% 1% 1% 0%				C	0.096	F	0.630	480	F	2018
						To: Mill Landing Rd Morris Neck Rd										
8673 134 Mill Landing Rd	0.82	800	F	98%	1%	Morris Neck Rd 0% 1% 0% 0%				C	0.106	F	0.602	850	F	2018
						To: Nannys Creek Rd										

Virginia Department of Transportation
Traffic Engineering Division
2018
Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Virginia Beach																
(8673/134) Nannys Creek Rd	1.49	400	F	97%	0%	1%	1%	0%	0%	C	0.116	F	0.654	420	F	2018
			From: Mill Landing Rd													
			To: Muddys Creek Rd													
(8673/134) Muddy Creek Rd	1.30	230	F	96%	2%	2%	0%	0%	0%	C	0.129	F	0.576	240	F	2018
			From: Nannys Creek Rd													
			To: Gum Bridge Rd													
(8673/134) Muddy Creek Rd	4.52	170	F	94%	4%	1%	0%	0%	0%	C	0.1	F	0.632	180	F	2018
			From: Gum Bridge Rd													
			To: Indian River Rd													
(8673/134) New Bridge Rd	1.28	2800	F	98%	1%	1%	0%	0%	0%	C	0.091	F	0.576	3000	F	2018
			From: Indian River Rd													
			To: Sandbridge Rd													
(8673/134) Sandbridge Rd	3.07	8300	F	97%	0%	1%	1%	0%	0%	F	0.083	F	0.526	8900	F	2018
			From: Sandbridge Rd													
			To: Lotus Dr													
			To: Gull Lane													
(8676/134) Bayside Rd	0.65	2700	F	98%	0%	1%	0%	0%	0%	F	0.103	F	0.643	2900	F	2018
			From: SR 166 Diamond Springs Rd													
			To: US 13 Northampton Blvd													
(8677/134) Jack Frost Rd	1.00	1800	F	99%	0%	0%	0%	0%	0%	C	0.091	F	0.640	1900	F	2018
			From: US 13 Northampton Blvd													
			To: US 60 Shore Dr													
(8678/134) Sullivan Blvd	0.56	1800	F	99%	0%	1%	0%	0%	0%	C	0.099	F	0.521	1900	F	2018
			From: US 60 Shore Dr													
			To: Witchduck Rd													
(8678/134) Sullivan Blvd	0.50	3700	F	98%	0%	1%	0%	0%	0%	C	0.099	F	0.531	3900	F	2018
			From: Witchduck Rd													
			To: Aragona Blvd													
(8678/134) Newtown Rd	0.90	6300	F	98%	1%	1%	0%	0%	0%	C	0.094	F	0.508	6700	F	2018
			From: Aragona Blvd													
			To: Haygood Rd													
(8678/134) Newtown Rd	0.46	26000	F	98%	0%	1%	0%	0%	0%	C	0.082	F	0.504	28000	F	2018
			From: Haygood Rd													
			To: Diamond Springs Rd													
(8678/134) Newtown Rd	0.23	39000	F	98%	0%	1%	0%	0%	0%	F	0.08	F	0.528	42000	F	2018
			From: Diamond Springs Rd													
			To: Baker Rd													
(8678/134) Susquehanna Dr	1.19	2300	F	96%	1%	2%	0%	0%	0%	C	0.123	F	0.520	2400	F	2018
			From: Baker Rd													
			To: ECL Norfolk													
			To: SR 403 Newtown Rd													
(8679/134) Aragona Blvd	0.63	3700	F	98%	1%	1%	0%	0%	0%	C	0.114	F	0.536	3900	F	2018
			From: SR 403 Newtown Rd													
			To: SR 165 Princess Anne Rd													
(8679/134) Aragona Blvd	0.33	6200	F	97%	2%	1%	0%	0%	0%	F	0.115	F	0.535	6600	F	2018
			From: SR 165 Princess Anne Rd													
			To: US 58 Va Beach Blvd													
(8679/134) Aragona Blvd	0.91	7100	F	97%	2%	1%	0%	0%	0%	C	0.100	F	0.548	7600	F	2018
			From: US 58 Va Beach Blvd													
			To: Kellam Rd													
(8680/134) Thoroughgood Dr	0.05	3400	F	99%	0%	1%	0%	0%	0%	F	0.098	F	0.584	3700	F	2018
			From: Kellam Rd													
			To: Whitethorn Rd													
(8680/134) Hermitage Rd	0.87	1100	F	99%	0%	1%	0%	0%	0%	C	0.093	F	0.617	1200	F	2018
			From: Whitethorn Rd													
			To: Thoroughgood Dr													
(8681/134) Pleasure House Rd	0.26	18000	F	99%	0%	1%	0%	0%	0%	F	0.091	F	0.551	19000	F	2018
			From: Thoroughgood Dr													
			To: Whitehorn Rd													
(8681/134) Pleasure House Rd	0.17	12000	F	99%	0%	1%	0%	0%	0%	F	0.09	F	0.546	13000	F	2018
			From: Whitehorn Rd													
			To: SR 225 Independence Blvd													
(8681/134) Pleasure House Rd	0.38	10000	F	99%	0%	1%	0%	0%	0%	C	0.088	F	0.641	11000	F	2018
			From: SR 225 Independence Blvd													
			To: First Ct Rd													
(8681/134) Pleasure House Rd	0.90	7500	F	99%	0%	1%	0%	0%	0%	F	0.093	F	0.638	8000	F	2018
			From: First Ct Rd													
			To: US 13 Northampton Blvd													
			To: US 60 Shore Dr													
			To: US60 Shore Dr													
(8681/134) Pleasure House Rd	0.90	7500	F	99%	0%	1%	0%	0%	0%	F	0.093	F	0.638	8000	F	2018
			From: US 13 Northampton Blvd													
			To: US 60 Shore Dr													
			To: US60 Shore Dr													
			To: Lookout Rd													

Virginia Department of Transportation
Traffic Engineering Division
2018
Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Virginia Beach																
8683 134 Witchduck Rd (N Leg)	0.47	4500	From: Moraine Ct													
			F	98%	1%	1%	0%	0%	0%	F	0.095	F	0.568	4900	F	2018
8683 134 Witchduck Rd	0.80	1400	From: SR 225 Independence Blvd													
			F	98%	1%	1%	0%	0%	0%	C	0.087	F	0.563	1500	F	2018
8683 134 Witchduck Rd	0.39	690	From: Independence Blvd													
			F	97%	0%	2%	0%	0%	0%	C	0.095	F	0.546	740	F	2018
8684 134 21st St	0.53	12000	From: Wishart Rd													
			F	97%	1%	1%	1%	0%	0%	C	0.083	F		13000	F	2018
8684 134 21st St	0.07	3200	From: US 60 Pacific Ave													
			F	97%	1%	1%	1%	0%	0%	F	0.083	F		3400	F	2018
8685 134 London Bridge Rd	1.34	31000	From: Pacific Ave													
			F	96%	1%	1%	1%	1%	0%	F	0.101	F	0.633	33000	F	2018
8685 134 London Bridge Rd	2.05	28000	From: Atlantic Ave													
			F	96%	1%	1%	1%	1%	0%	C	0.092	F	0.504	30000	F	2018
8685 134 Great Neck Rd	0.42	36000	From: London Bridge Rd Ext													
			F	96%	1%	1%	1%	1%	0%	F	0.08	F	0.538	39000	F	2018
8687 134 Shipp's Corner Rd	0.81	8600	From: International Pkwy													
			F	98%	0%	1%	0%	0%	0%	F	0.105	F	0.723	9200	F	2018
8687 134 London Bridge Rd	1.18	11000	From: Potters Rd													
			F	98%	0%	1%	0%	0%	0%	F	0.093	F	0.51	12000	F	2018
8687 134 London Bridge Rd	0.48	20000	From: US 58 Va Beach Blvd													
			F	98%	0%	1%	0%	0%	0%	C	0.089	F	0.664	22000	F	2018
8687 134 London Bridge Rd	2.11	17000	From: Harpers Rd													
			F	98%	0%	1%	0%	0%	0%	F	0.090	F	0.638	18000	F	2018
8688 134 Dam Neck Rd	1.70	37000	From: General Booth Blvd													
			F	98%	0%	1%	0%	0%	0%	F	0.080	F	0.556	39000	F	2018
8688 134 Dam Neck Rd	0.61	27000	From: Holland Rd													
			F	98%	0%	1%	0%	0%	0%	F	0.087	F	0.545	29000	F	2018
8688 134 Dam Neck Rd	2.19	23000	From: London Bridge Rd													
			F	98%	0%	1%	0%	0%	0%	C	0.092	F	0.575	25000	F	2018
8688 134 Dam Neck Rd	2.02	18000	From: Harpers Rd													
			F	98%	0%	1%	0%	0%	0%	F	0.087	F	0.694	19000	F	2018
8689 134 Entrada Dr	0.68	520	From: General Booth Blvd													
			F	98%	0%	1%	0%	0%	0%	C	0.107	F	0.55	550	F	2018
8690 134 Harpers Rd	2.87	6600	From: Sandbridge Rd													
			F	98%	1%	1%	1%	0%	0%	C	0.101	F	0.565	7000	F	2018
8691 134 West Neck Rd	3.08	3000	From: Atwoodtown Rd													
			F	94%	0%	1%	4%	1%	0%	C	0.100	F	0.688	3200	F	2018
8691 134 West Neck Rd	2.05	6900	From: London Bridge Rd													
			F	98%	0%	1%	1%	0%	0%	C	0.088	F	0.609	7400	F	2018
8692 134 Ferrell Pkwy	0.44	47000	From: Oceana Blvd													
			F	98%	0%	0%	1%	1%	0%	C	0.079	F	0.519	41000	F	2018
8692 134 Ferrell Pkwy	0.84	38000	From: Princess Anne Rd													
			F	98%	0%	0%	1%	1%	0%	C	0.078	F	0.605	50000	F	2018
8692 134 Ferrell Pkwy	0.84	38000	From: Indian River Rd													
			F	98%	0%	0%	1%	1%	0%	C	0.079	F	0.519	41000	F	2018
8692 134 Ferrell Pkwy	0.84	38000	From: Indian Lakes Blvd													
			F	98%	0%	0%	1%	1%	0%	C	0.079	F	0.519	41000	F	2018
8692 134 Ferrell Pkwy	0.84	38000	From: Pleasant Valley Rd													
			F	98%	0%	0%	1%	1%	0%	C	0.079	F	0.519	41000	F	2018

Virginia Department of Transportation
Traffic Engineering Division
2018
Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Virginia Beach																
8692 134 Ferrell Parkway	1.38	42000	G	98%	0%	Pleasant Valley Rd				F	0.079	F	0.525	46000	G	2018
						SR 165 Princess Anne Rd										
8693 134 Indian Lakes Blvd	0.43	14000	F	99%	0%	Indian River Rd				C	0.088	F	0.589	15000	F	2018
						Ferrell Pkwy										
8693 134 Indian Lakes Blvd	0.78	8100	F	99%	0%	Stratford Chase Dr				F	0.117	F	0.664	8600	F	2018
						Independence Blvd										
8698 134 Pembroke Blvd	0.21	3500	F	99%	0%	Cathedral Dr				F	0.090	F	0.556	3700	F	2018
						St Martin Dr										
8698 134 Pembroke Blvd	0.30	2400	F	99%	0%	Baxter Rd				C	0.097	F	0.634	2600	F	2018
						Dolton Dr										
8700 134 Alicia Dr	0.18	3000	F	99%	0%	Baxter Rd				F	0.111	F	0.855	3300	F	2018
						SR 190 Witchduck Rd										
8700 134 Bonney Rd	1.17	6800	F	99%	0%	SR 279 Great Neck Rd				C	0.102	F	0.659	7300	F	2018
						Lone Pine Rd										
8702 134 Broad Bay Rd	0.96	2300	F	98%	0%	Pleasure House Rd				C	0.087	F	0.509	2500	F	2018
						US 60 Shore Dr										
8705 134 First Court Rd	1.55	7800	F	98%	0%	Lookout Rd				F	0.092	F	0.646	8300	F	2018
						Indian Hill Rd										
8705 134 Indian Hill Rd	0.47	2000	F	98%	0%	Indian Hill Rd				C	0.087	F	0.665	2100	F	2018
						Pleasure House Rd										
8705 134 Lookout Rd	0.95	1600	F	98%	0%	Oceana Blvd				C	0.093	F	0.636	1700	F	2018
						Birdneck Rd										
8706 134 Bells Rd	0.44	4900	F	99%	0%	Witchduck Rd				F	0.091	F	0.514	5300	F	2018
						Haygood Rd										
8707 134 Ferry Plantation Rd	0.62	4100	G	99%	0%	134-8749 Kellam Rd				F	0.105	F	0.537	4400	G	2018
						SR 225 Independence Blvd										
8708 134 Jeanne St	0.37	1900	F	99%	0%	Constitution Dr				C	0.102	F	0.514	2100	F	2018
						Red Coat Rd										
8708 134 Jeanne St	0.23	13000	F	99%	0%	Bromfield Rd				F	0.094	F	0.566	13000	F	2018
						Five Forks Rd										
8709 134 Five Forks Rd	0.78	590	F	98%	0%	Ewell Rd				C	0.101	F	0.632	630	F	2018
						Bromfield Rd										
8709 134 Bromfield Rd	0.11	160	F	98%	1%	SR 225 Independence Blvd				C	0.107	F	0.611	170	F	2018
						Hermitage Rd										
8709 134 Ewell Rd	0.12	1300	F	98%	1%	Schooner Lane				C	0.095	F	0.563	1400	F	2018
						SR 225 Independence Blvd										
8709 134 Five Forks Rd	0.55	1000	F	98%	1%	SR 279 Great Neck Rd				C	0.099	F	0.52	1100	F	2018
						Hermitage Rd										
8710 134 Laurel Cove Dr	0.74	1200	F	99%	0%	Schooner Lane				C	0.102	F	0.581	1300	F	2018
						SR 279 Great Neck Rd										

Virginia Department of Transportation
Traffic Engineering Division
2018
Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Virginia Beach																
(8711 134) Lynnhaven Rd	0.61	9200	F	99%	0%	1%	1%	0%	0%	F	0.102	F	0.502	9800	F	2018
						Lynnhaven Pkwy										
(8711 134) Lynnhaven Rd	0.55	9400	F	99%	0%	1%	1%	0%	0%	F	0.095	F	0.572	10000	F	2018
						US 58 Va Beach Blvd										
(8711 134) Lynnhaven Rd	0.89	2700	F	98%	0%	1%	1%	0%	0%	C	0.091	F	0.532	2800	F	2018
						Kings Grant Rd										
(8711 134) Little Neck Rd	0.51	12000	F	99%	0%	1%	1%	0%	0%	C	0.087	F	0.615	12000	F	2018
						Little Neck Rd Lynnhaven Rd										
(8711 134) Little Neck Rd	1.82	3500	F	98%	0%	0%	1%	0%	0%	C	0.082	F	0.635	3700	F	2018
						Newcastle Rd										
(8712 134) Plantation Dr	0.25	430	F	99%	1%	1%	0%	0%	0%	C	0.103	F	0.563	460	F	2018
						Wolfsnare Dr										
						SR 279 Great Neck Rd										
(8713 134) Regency Dr	0.22	9100	F	99%	0%	1%	1%	0%	0%	F	0.087	F	0.513	9800	F	2018
						US 58 Laskin Rd										
(8713 134) Regency Dr	0.19	4600	F	99%	0%	1%	1%	0%	0%	F	0.094	F	0.525	5000	F	2018
						Westminster Ln										
						Wolfsnare Rd										
(8714 134) Wolfsnare Rd	1.33	4300	F	99%	0%	1%	1%	0%	0%	F	0.090	F	0.515	4600	F	2018
						SR 279 Great Neck Rd										
						First Colonial Rd										
(8715 134) Mill Dam Rd	0.60	8700	F	97%	1%	1%	0%	0%	0%	C	0.105	F	0.525	9300	F	2018
						First Colonial Rd										
(8715 134) Mill Dam Rd	0.60	8600	F	97%	1%	1%	0%	0%	0%	F	0.101	F	0.501	9100	F	2018
						Woodhouse Rd										
						SR 279 Great Neck Rd										
(8716 134) Woodhouse Rd	1.10	2900	F	98%	0%	1%	0%	0%	0%	C	0.087	F	0.621	3100	F	2018
						Mill Dam Rd										
						Alanton Dr										
(8716 134) Alanton Dr	0.25	270	F	98%	1%	1%	0%	0%	0%	C	0.135	F	0.676	290	F	2018
						Woodhouse Rd										
						Arnold Circle										
(8717 134) Lynnhaven Pkwy	0.42	15000	F	99%	0%	0%	0%	0%	0%	F	0.109	F	0.588	16000	F	2018
						Plantation Lakes Circle										
(8717 134) Lynnhaven Pkwy	0.45	16000	F	99%	0%	0%	0%	0%	0%	C	0.115	F	0.553	17000	F	2018
						Centerville Tpke										
(8717 134) Lynnhaven Pkwy	1.24	18000	F	99%	0%	0%	0%	0%	0%	F	0.116	F	0.507	19000	F	2018
						Dead End										
(8717 134) Lynnhaven Pkwy	1.97	24000	F	99%	0%	0%	0%	0%	0%	C	0.097	F	0.545	26000	F	2018
						Indian River Rd										
(8717 134) Lynnhaven Pkwy	0.47	24000	F	99%	0%	0%	0%	0%	0%	F	0.09	F	0.562	25000	F	2018
						Salem Rd										
(8717 134) Lynnhaven Pkwy	0.67	24000	F	99%	0%	0%	0%	0%	0%	F	0.091	F	0.503	25000	F	2018
						Sr 165 Princess Anne Rd										
(8717 134) Lynnhaven Pkwy	0.56	32000	F	99%	0%	0%	0%	0%	0%	F	0.089	F	0.530	34000	F	2018
						Independence Blvd South										
(8717 134) Lynnhaven Pkwy	0.90	26000	F	99%	0%	0%	0%	0%	0%	F	0.088	F	0.556	28000	F	2018
						Rosemont Rd										
						Holland Rd										
(8718 134) York Lane	0.24	2100	F	98%	0%	1%	1%	0%	0%	C	0.087	F	0.615	2300	F	2018
						Bay Colony Dr										
						Cavalier Dr										

Virginia Department of Transportation
Traffic Engineering Division
2018
Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Virginia Beach																
(8718/134) Cavalier Dr	0.57	3100	F	99%	0%	York Lane				C	0.084	F	0.558	3300	F	2018
(8718/134) Cavalier Dr	0.23	390	G	99%	0%	Holly Rd				F	0.111	F	0.897	420	G	2018
(8719/134) Atlantic Ave	0.28	7100	F	95%	1%	US 60 Atlantic Ave				F	0.077	F	0.512	7600	F	2018
(8719/134) Atlantic Ave	0.71	6600	F	95%	1%	17th St				F	0.087	F	0.578	7100	F	2018
(8719/134) Atlantic Ave	0.77	3400	F	95%	1%	21st St				C	0.087	F	0.578	3600	F	2018
(8721/134) Baltic Ave	0.27	2200	F			21st Street					0.094	F	0.594	2300	F	2018
(8721/134) Baltic Ave	0.73	6100	F	99%	0%	Laskin Rd				F	0.095	F	0.621	6500	F	2018
(8721/134) Holly Rd	0.80	7800	F	99%	0%	US 58 Laskin Rd				C	0.085	F	0.708	8400	F	2018
(8722/134) 22nd St	0.53	14000	F	99%	0%	Cavalier Dr				C	0.082	F		15000	F	2018
(8722/134) 22nd St	0.07	2400	F	99%	0%	I-264				F	0.084	F		2600	F	2018
(8723/134) Birdneck Rd	0.15	2300	F	98%	0%	US 60 Pacific Ave				C	0.172	F	0.856	2400	F	2018
(8723/134) Birdneck Rd	0.40	4100	F	98%	1%	Atlantic Ave				F	0.123	F	0.779	4400	F	2018
(8723/134) Birdneck Rd	2.52	11000	F	98%	1%	Pacific Ave				C	0.091	F	0.519	12000	F	2018
(8723/134) Birdneck Rd	0.37	26000	F	98%	1%	Dead End				F	0.084	F	0.522	28000	F	2018
(8723/134) Birdneck Rd	0.55	23000	F	98%	1%	Bus US 58 Va Beach Blvd				F	0.083	F	0.501	25000	F	2018
(8723/134) Cardinal Rd	0.48	2400	F	97%	0%	Va Beach-Norfolk Exp				C	0.091	F	0.646	2500	F	2018
(8723/134) Ramp	0.17	7800	F			US 58 Laskin Rd					0.084	F		8400	F	2018
(8723/134) Ramp	0.17	8300	F			Kamichi Pl					0.096	F		8900	F	2018
(8724/134) Norfolk Ave	0.67	11000	F	98%	0%	Birdneck Rd North				F	0.083	F	0.620	12000	F	2018
(8724/134) Norfolk Ave	0.73	6600	F	98%	0%	I-264 West				C	0.08	F	0.518	7100	F	2018
(8724/134) 9th Street	0.07	2700	F	98%	0%	Birdneck Rd				F	0.089	F	0.505	2900	F	2018
(8725/134) Kings Arms Rd	0.44	940	F	98%	1%	Indian Rd				C	0.091	F	0.510	1000	F	2018
						Pacific Ave										
						US 60 Atlantic Ave										
						Lynnhaven Pkwy										
						Bow Creek Blvd										

Virginia Department of Transportation
Traffic Engineering Division
2018
Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Virginia Beach																
(8726/134) Lynnhaven Rd	1.98	15000	F	98%	1%	1%	0%	0%	0%	C	0.102	F	0.513	16000	F	2018
(8726/134) Potters Rd	0.93	6000	F	98%	1%	1%	0%	0%	0%	F	0.101	F	0.561	6400	F	2018
(8726/134) Potters Rd	2.09	3600	F	98%	1%	1%	0%	0%	0%	F	0.101	F	0.530	3900	F	2018
(8727/134) Winwood Rd	0.23	750	F	96%	1%	2%	1%	1%	0%	C	0.101	F	0.506	800	F	2018
(8729/134) Oceana Blvd	0.97	32000	N	98%	0%	1%	0%	0%	0%	N	0.098	A	0.511	37000	N	2018
(8729/134) Oceana Blvd	2.98	32000	A	98%	0%	1%	0%	0%	0%	C	0.098	A	0.511	37000	A	2018
(8730/134) Parliament Dr	0.91	2600	F	99%	0%	0%	0%	0%	0%	C	0.096	F	0.611	2800	F	2018
(8730/134) S Parliament Dr	0.52	3300	F	99%	0%	1%	0%	0%	0%	C	0.093	F	0.554	3500	F	2018
(8731/134) Whitehurst Landing Rd	0.51	3600	F	99%	0%	0%	0%	0%	0%	F	0.103	F	0.61	3800	F	2018
(8731/134) Whitehurst Landing Rd	0.40	3500	F	97%	1%	1%	0%	1%	0%	C	0.117	F	0.657	3700	F	2018
(8732/134) Thalia Rd	0.44	4800	F	99%	0%	1%	0%	0%	0%	F	0.113	F	0.678	5100	F	2018
(8732/134) Edinburgh Dr	0.51	1700	F	99%	0%	1%	0%	0%	0%	C	0.112	F	0.505	1800	F	2018
(8732/134) Edinburgh Dr	1.08	2600	F	99%	0%	0%	0%	0%	0%	C	0.125	F	0.518	2800	F	2018
(8733/134) Plaza Trail S	0.51	10000	F	99%	0%	0%	0%	0%	0%	F	0.1	F	0.573	11000	F	2018
(8733/134) Plaza Trail S	1.63	9100	F	99%	0%	0%	0%	0%	0%	C	0.098	F	0.506	9700	F	2018
(8733/134) Plaza Trail	1.12	10000	F	99%	0%	0%	0%	0%	0%	F	0.107	F	0.569	11000	F	2018
(8733/134) Little Neck Rd	1.04	15000	F	99%	0%	0%	0%	0%	0%	F	0.089	F	0.624	16000	F	2018
(8734/134) Windsor Oaks	0.87	6500	F	99%	0%	1%	0%	0%	0%	F	0.103	F	0.507	6900	F	2018
(8734/134) Windsor Oaks Blvd	0.50	4900	F	99%	0%	1%	0%	0%	0%	F	0.103	F	0.543	5200	F	2018
(8736/134) Baxter Rd	0.95	21000	F	99%	0%	1%	0%	0%	0%	C	0.096	F	0.61	23000	F	2018
(8737/134) Edwin Dr	0.64	3900	F	99%	0%	1%	0%	0%	0%	F	0.108	F	0.553	4200	F	2018

Virginia Department of Transportation
Traffic Engineering Division
2018
Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year		
						2Axle	3+Axle	1Trail	2Trail									
City of Virginia Beach																		
8737 134	Edwin Dr	0.78	4000	F	99%	0%	1%	0%	0%	0%	C	0.122	F	0.56	4300	F	2018	
						From: SR 165 Princess Anne Rd												
						To: Gleneagle Dr												
8737 134	Edwin Dr	0.31	4800	F	99%	0%	1%	0%	0%	0%	F	0.109	F	0.600	5100	F	2018	
						From: Independence Blvd S												
						To: Independence Blvd												
8737 134	Edwin Dr	0.53	6200	F	99%	0%	1%	0%	0%	0%	F	0.097	F	0.544	6600	F	2018	
						From: South Blvd												
						To: US 58 Va Beach Blvd												
8738 134	Dorset Ave	0.13	3500	F	98%	0%	1%	0%	0%	0%	F	0.158	F	0.571	3800	F	2018	
						From: Cleveland St												
						To: SR 225 Independence Blvd												
8738 134	Bonney Rd	2.38	13000	F	98%	0%	1%	0%	0%	0%	C	0.096	F	0.561	14000	F	2018	
						From: Rosemont Rd												
						To: Dam Neck Rd												
8739 134	Rosemont Rd	0.93	15000	F	98%	1%	1%	0%	0%	0%	F	0.089	F	0.521	16000	F	2018	
						From: Buckner Blvd												
						To: Lynnhaven Pkwy												
8739 134	Rosemont Rd	0.51	17000	F	98%	1%	1%	0%	0%	0%	C	0.083	F	0.543	19000	F	2018	
						From: Holland Rd												
						To: Columbus St												
8740 134	Constitution Dr	0.18	7400	F	97%	1%	1%	0%	0%	0%	F	0.104	F	0.521	7900	F	2018	
						From: SR 58 Va Beach Blvd												
						To: SR 225 Independence Blvd												
8740 134	Jericho Rd	0.46	2800	F	97%	1%	1%	0%	0%	0%	F	0.113	F	0.514	3000	F	2018	
						From: SR 190 Witchduck Rd												
						To: S Plaza Trail												
8742 134	Old Forge Rd	0.76	1400	F	97%	2%	1%	0%	0%	0%	C	0.097	F	0.527	1500	F	2018	
						From: Rosemont Rd												
						To: Rosemont Rd												
8744 134	Bow Creek Blvd	1.46	5800	F	97%	1%	1%	0%	0%	0%	F	0.093	F	0.56	6200	F	2018	
						From: Lynnhaven Rd												
						To: SR 279 Great Neck Rd												
8746 134	St Marshall Rd	0.13	1100	F	99%	0%	0%	0%	0%	0%	C	0.100	F	0.767	1200	F	2018	
						From: North Plantation Dr												
						To: Lynnhaven Rd												
8747 134	Kings Grant Dr	1.01	4700	F	98%	0%	1%	0%	0%	0%	F	0.091	F	0.654	5000	F	2018	
						From: Little Neck Rd												
						To: Rosemont Rd												
8748 134	Chester St	0.32	980	F	98%	0%	1%	0%	0%	0%	C	0.108	F	0.615	1100	F	2018	
						From: Victoria Dr												
						To: Continental St												
8748 134	Dillon Dr	0.81	4500	F	97%	1%	1%	0%	0%	0%	F	0.103	F	0.509	4800	F	2018	
						From: Silina Dr												
						To: Columbus St												
8749 134	Kellam Rd	0.19	7200	F	100%	0%	0%	0%	0%	0%	F	0.115	F	0.64	7700	F	2018	
						From: US 58 Va Beach Blvd												
						To: SR 190 Witchduck Rd												
8749 134	Kellam Rd	0.98	4000	F	100%	0%	0%	0%	0%	0%	C	0.113	F	0.52	4200	F	2018	
						From: Rosemont Rd												
						To: Lynnhaven Rd												
8750 134	Silina Dr	1.00	6400	F	97%	1%	1%	0%	0%	0%	F	0.103	F	0.520	6800	F	2018	

Virginia Department of Transportation
Traffic Engineering Division
2018
Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Virginia Beach																
(8751 134) Malibu Dr	0.42	1200	F	98%	1%	1%	0%	0%	0%	C	0.085	F	0.636	1300	F	2018
(8752 134) Lynn Shores Dr	0.51	2900	F	99%	0%	1%	0%	0%	0%	C	0.09	F	0.595	3100	F	2018
(8752 134) Lynn Shores Dr	0.35	1100	F	98%	0%	1%	1%	0%	0%	C	0.103	F	0.564	1200	F	2018
(8752 134) Thalia Dr	0.49	850	F	99%	0%	0%	1%	0%	0%	C	0.095	F	0.682	910	F	2018
(8764 134) Janke Rd	0.48	770	F	98%	0%	1%	1%	0%	0%	C	0.088	F	0.662	820	F	2018
(8774 134) Southern Blvd	0.16	30	F	100%	0%	0%	0%	0%	0%	C	0.1	F	0.5	30	F	2018
(8774 134) Southern Blvd	0.23	160	F	85%	9%	5%	1%	0%	0%	C	0.1	F	0.5	170	F	2018
(8775 134) Albright Dr	1.22	4100	F	98%	0%	1%	0%	0%	0%	F	0.104	F	0.576	4400	F	2018
(8779 134) Landstown Rd	2.34	2100	F	98%	0%	1%	0%	0%	0%	C	0.126	F	0.711	2300	F	2018
(8779 134) Dam Neck Rd	1.01	33000	F	98%	0%	1%	0%	0%	0%	F	0.082	F	0.559	36000	F	2018
(8781 134) Sandpiper Rd	0.95	540	F	97%	0%	2%	0%	0%	0%	C	0.101	F	0.576	580	F	2018
(8783 134) Lotus Dr	0.58	140	F	97%	1%	1%	1%	0%	0%	C	0.13	F	0.571	150	F	2018
(8783 134) Sandbridge Rd	1.63	12000	F	99%	0%	0%	0%	0%	0%	C	0.083	F	0.555	13000	F	2018
(8785 134) Haygood Rd	0.29	3100	F	99%	0%	0%	0%	0%	0%	F	0.097	F	0.523	3300	F	2018
(8786 134) South Blvd	0.70	4400	F	100%	0%	0%	0%	0%	0%	F	0.108	F	0.625	4700	F	2018
(8786 134) South Blvd	0.59	4300	F	100%	0%	0%	0%	0%	0%	C	0.104	F	0.624	4600	F	2018
(8786 134) South Blvd	0.59	1800	F	99%	0%	1%	0%	0%	0%	C	0.107	F	0.626	1900	F	2018
(8786 134) South Blvd	0.27	1200	F	99%	0%	1%	0%	0%	0%	C	0.099	F	0.539	1200	F	2018
(8805 134) Elbow Rd	0.15	9300	F	99%	0%	0%	0%	0%	0%	F	0.109	F	0.513	9900	F	2018
(8805 134) Elbow Rd	1.09	13000	F	99%	0%	0%	0%	0%	0%	C	0.094	F	0.511	13000	F	2018

Virginia Department of Transportation
Traffic Engineering Division
2018
Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Virginia Beach																
8816 134 Kings Grant Rd	1.24	4800	F	97%	1%	From: Winthrope Dr				C	0.110	F	0.757	5200	F	2018
						To: Little Neck Rd										
8817 134 Inlynnview Rd	0.66	2700	F	99%	0%	From: Five Point Rd				C	0.091	F	0.611	2900	F	2018
						To: SR 279 Great Neck Rd										
8817 134 Old Donation Pkwy	0.94	7000	F	99%	0%	From: SR 279 Great Neck Rd				C	0.085	F	0.519	7400	F	2018
						To: First Colonial Rd										
8818 134 19th St	0.59	3700	G	99%	0%	From: Birdneck Rd				F	0.094	F	0.685	4000	G	2018
						To: Parks Ave										
8818 134 19th St	0.52	4100	G	99%	0%	From: Parks Ave				F	0.077	F	0.531	4500	G	2018
						To: US 60 Atlantic Ave										
8819 134 Greenwich Rd	1.64	6800	G	98%	0%	From: SR 403 Newtown Rd				C	0.106	F	0.543	7400	G	2018
						To: SR 190 Witchduck Rd										
8820 134 College Park Blvd	1.01	4900	F	99%	0%	From: Drew Dr				F	0.090	F	0.526	5300	F	2018
						To: Providence Rd										
8821 134 Drew Dr	0.57	2200	F	99%	0%	From: ECL Norfolk				F	0.096	F	0.504	2300	F	2018
						To: Level Green Blvd										
8821 134 Level Green Blvd	0.88	2300	F	99%	0%	From: Drew Dr				F	0.09	F	0.613	2400	F	2018
						To: Indian River Rd										
8822 134 Beaufain Blvd	0.46	3400	F	99%	0%	From: Legare Lane				F	0.094	F	0.618	3600	F	2018
						To: SR 190 Kempsville Rd										
8822 134 Brandon Blvd	0.73	3500	F	97%	1%	From: SR 190 Kempsville Rd				C	0.121	F	0.786	3700	F	2018
						To: Centerville Tpke										
8823 134 Stratford Chase Dr	0.66	2400	F	99%	0%	From: SR 190 Kempsville Rd				F	0.147	F	0.754	2600	F	2018
						To: Indian Lakes Blvd										
8824 134 Pleasant Valley Rd	0.74	4400	F	99%	0%	From: Indian Lakes Blvd				F	0.121	F	0.640	4800	F	2018
						To: Ferrell Pkwy										
8826 134 Timberlake Dr	0.54	3000	F	99%	0%	From: Providence Rd				C	0.108	F	0.549	3200	F	2018
						To: SR 165 Princess Anne Rd										
8827 134 Stoneshore Rd	0.53	1200	F	98%	1%	From: Rosemont Rd				C	0.108	F	0.525	1300	F	2018
						To: Holland Rd										
8827 134 Stoneshore Rd	0.22	2900	F	99%	0%	From: Holland Rd				F	0.105	F	0.539	3100	F	2018
						To: Riverbend Rd										
8828 134 Riverbend Rd	0.71	1600	F	99%	0%	From: Lynnhaven Pkwy				F	0.102	F	0.528	1800	F	2018
						To: Lakecrest Rd										
8829 134 Dahlia Dr	0.66	5600	F	99%	0%	From: Lynnhaven Pkwy				F	0.099	F	0.552	6000	F	2018
						To: Independence Blvd										
8829 134 Dahlia Dr	0.82	6700	F	99%	0%	From: Independence Blvd				F	0.111	F	0.582	7100	F	2018
						To: Rosemont Rd										
8829 134 Dahlia Dr	0.59	3100	F	97%	1%	From: Rosemont Rd				C	0.107	F	0.506	3300	F	2018
						To: Green Garden Cir										
8829 134 Green Run Blvd	0.17	2700	F	96%	2%	From: Green Garden Cir				C	0.109	F	0.635	2900	F	2018
						To: Holland Rd										

Virginia Department of Transportation
Traffic Engineering Division
2018
Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Virginia Beach																
8830 134 Chimney Hill Pkwy	0.55	5700	F	99%	0%	From: Campion Ave				F	0.088	F	0.553	6100	F	2018
						To: Holland Rd										
8831 134 Magic Hollow Blvd	1.18	1300	G	99%	0%	From: Lynnhaven Pkwy S				F	0.095	F	0.619	1400	G	2018
						To: Lynnhaven Pkwy N										
8832 134 Green Meadows Dr	0.82	3700	F	99%	0%	From: SR 165 Princess Anne Rd				F	0.104	F	0.502	4000	F	2018
						To: S Independence Blvd										
8833 134 Foxwood Dr	0.64	1300	F	99%	0%	From: Independence Blvd				F	0.096	F	0.509	1400	F	2018
						To: S Plaza Trail										
15th St		250	F			From: Cypress Ave				0.11	F	0.644	270	F	2018	
						To: Parks Ave										
24th St		2900	F			From: Barberton Dr				0.087	F	0.511	3100	F	2018	
						To: Cypress Ave										
Alanton Dr		330	G			From: Herford Way				0.112	F	0.539	330	G	2018	
						To: Bohnhoff Dr										
Ambassador Dr		230	F			From: Overholt Dr				0.125	F	0.646	250	F	2018	
						To: Parliament Dr										
Andover Rd		450	F			From: Acredale Rd				0.114	F	0.586	480	F	2018	
						To: Olive Rd										
Aragon Dr		650	F			From: King William Rd				0.098	F	0.73	700	F	2018	
						To: Moody Rd										
Arctic Ave		4900	F			From: 24th St				0.09	F	0.533	5200	F	2018	
						To: 25th St										
Arrowhead Dr		2000	F			From: SR 403 Newtown Rd				0.093	F	0.583	2100	F	2018	
						To: SR 165 Princess Anne Rd										
Avalon Woods		400	F			From: Chipstead Lane				0.111	F	0.5	430	F	2018	
						To: Avalon Ave										
Baycliff Dr		2500	G	99%	0%	From: Mill Dam Rd				C	0.096	F	0.603	2500	G	2018
						To: Windjammer Ct										
Berrywood Rd		530	G			From: Worthington Lane				0.096	F	0.539	530	G	2018	
						To: Glen Lochen Dr										
Berwyn Rd		370	G			From: Bonney Dale Rd				0.154	F	0.855	400	G	2018	
						To: Andover Rd										
Bloomfield Dr		1000	G			From: Barberry Lane				0.106	F	0.628	1000	G	2018	
						To: Monet Dr										
Bounty Rd		70	F			From: Ben Gun Rd				0.187	F	0.615	80	F	2018	
						To: John Silver Rd										
Broad St		3400	F	98%	0%	From: Kellem Rd				C	0.096	F	0.543	3600	F	2018
						To: SR 225 Independence Blvd										

Virginia Department of Transportation
Traffic Engineering Division
2018
Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Virginia Beach																
Brookbridge Rd		80	F								0.138	F	0.654	90	F	2018
Buckner Blvd		12000	G	99%	0%	1%	0%	0%	0%	C	0.093	F	0.532	12000	G	2018
Burgesses Lane		520	G								0.095	F	0.644	520	G	2018
Cape Henry Dr		1700	F								0.112	F	0.665	1800	F	2018
Carolyn Dr		110	F								0.148	F	0.611	110	F	2018
Casanova Dr		220	G								0.13	F	0.719	220	G	2018
Cedar Lane		240	F								0.106	F	0.517	260	F	2018
Chickasaw Rd		180	F								0.128	F	0.549	190	F	2018
Chicken Valley Rd		540	F								0.103	F	0.667	570	F	2018
Clover St		170	F								0.108	F	0.689	180	F	2018
Coach House Lane		140	F								0.092	F	0.533	150	F	2018
Coventry Rd		280	F								0.13	F	0.593	300	F	2018
Crossborough Rd		890	F								0.09	F	0.531	950	F	2018
Cypress Ave		1600	F								0.095	F	0.617	1700	F	2018
Delray Dr		110	F								0.123	F	0.667	120	F	2018
Duke of Windsor Rd		900	G								0.095	F	0.524	900	G	2018
Dunstan Lane		180	F								0.133	F	0.537	190	F	2018
Eastwind Rd		280	F								0.123	F	0.675	300	F	2018
Elgin Rd		170	F								0.117	F	0.568	180	F	2018

Virginia Department of Transportation
Traffic Engineering Division
2018
Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Virginia Beach																
Floral St		270	F							0.153	F	0.511	290	F	2018	
Gammon Rd		390	F							0.116	F	0.529	420	F	2018	
Greenwell Rd		1700	F							0.098	F	0.554	1800	F	2018	
Gum Bridge Rd		1200	G	96%	0%	1%	3%	1%	0%	C	0.101	F	0.638	1200	G	2018
Hargrove Blvd		260	F							0.101	F	0.5	280	F	2018	
Hessian Rd		450	F							0.1	F	0.651	480	F	2018	
Highlands Blvd		2300	F							0.097	F	0.659	2500	F	2018	
Hillview Blvd		180	F							0.122	F	0.64	200	F	2018	
Historyland Dr		140	F							0.145	F	0.569	150	F	2018	
Holladay Lane		1100	F							0.109	F	0.595	1200	F	2018	
Honeygrove Rd		1000	F							0.108	F	0.518	1100	F	2018	
Hood Dr		190	G							0.135	F	0.51	190	G	2018	
Hudgins Dr		280	F							0.105	F	0.571	300	F	2018	
Iverness Rd		1200	F							0.085	F	0.657	1300	F	2018	
John Hancock Dr		350	G							0.090	F	0.594	350	G	2018	
Josephine Crescent		160	F							0.120	F	0.512	170	F	2018	
Kenley Rd		2000	F							0.089	F	0.517	2100	F	2018	
Kentucky Ave		1600	F							0.089	F	0.6	1800	F	2018	
Kildeer Ct		280	F							0.111	F	0.521	300	F	2018	

Virginia Department of Transportation
Traffic Engineering Division
2018
Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Virginia Beach																
King William Rd		420	F							0.126	F	0.610	450	F	2018	
Lake Dr		110	F							0.153	F	0.634	120	F	2018	
Lake Shores Rd		240	F							0.117	F	0.606	250	F	2018	
Lakeside Rd		330	F							0.106	F	0.526	360	F	2018	
Lakeview Dr		180	F							0.115	F	0.511	190	F	2018	
Linkhorne Dr		240	F							0.118	F	0.607	260	F	2018	
Little Haven Rd		1400	F							0.093	F	0.524	1500	F	2018	
MacDonald Rd		1700	F							0.095	F	0.628	1800	F	2018	
Manatee Dr		360	F							0.101	F	0.651	380	F	2018	
Mandan Rd		260	F							0.119	F	0.536	280	F	2018	
Maryland Ave		210	G							0.129	F	0.517	230	G	2018	
Meredith Rd		250	F							0.111	F	0.521	270	F	2018	
Middle Lane		210	F							0.114	F	0.509	230	F	2018	
Morgan Trail		260	F							0.109	F	0.603	280	F	2018	
Muddy Creek Rd		540	G							0.108	F	0.508	580	G	2018	
Newstead Dr		2600	G	96%	0%	1%	0%	2%	0%	C	0.086	F	0.508	2600	G	2018
Normandy Ave		350	F							0.124	F	0.613	370	F	2018	
Ocean View Ave		290	F							0.122	F	0.568	310	F	2018	
Ohio Ave		80	F							0.144	F	0.667	80	F	2018	

Virginia Department of Transportation
Traffic Engineering Division
2018
Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Virginia Beach																
Old Providence Rd		370	F							0.101	F	0.535	400	F	2018	
Old Shell Rd		310	G							0.162	F	0.833	340	G	2018	
Oliver Dr		490	F							0.122	F	0.522	520	F	2018	
Owls Creek Lane		400	F							0.116	F	0.579	420	F	2018	
Palace Green Blvd		940	F	100%	0%	0%	0%	0%	0%	F 0.106	F	0.598	1000	F	2018	
Palm Ave		350	F							0.109	F	0.632	370	F	2018	
Poinciana Dr		70	F							0.089	F	0.857	80	F	2018	
Pontiac Rd		1100	F							0.086	F	0.73	1100	F	2018	
Presidential Blvd		1500	G	99%	0%	1%	0%	0%	0%	C 0.097	F	0.551	1500	G	2018	
Prince Phillip Dr		490	G	99%	0%	0%	0%	0%	0%	C 0.089	F	0.727	490	G	2018	
Queen Elizabeth Dr		410	F							0.105	F	0.579	440	F	2018	
Ramp		13000	F							0.088	F		14000	F	2018	
Ramp		15000	F							0.102	F		15000	F	2018	
Reagan Ave		1900	F							0.081	F	0.598	2000	F	2018	
Redwood Farm Dr		580	F							0.098	F	0.554	620	F	2018	
Reynolds Dr		140	F							0.126	F	0.526	150	F	2018	
Richland Dr		110	G							0.138	F	0.5	110	G	2018	
Rose Hall Dr		1200	F							0.101	F	0.680	1300	F	2018	
Rumford Lane		500	F							0.102	F	0.701	530	F	2018	

Virginia Department of Transportation
 Traffic Engineering Division
 2018
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Princess Anne Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Virginia Beach																
S Head Of River Rd		580	F							0.111	F	0.587	620	F	2018	
Sandlewood Rd		400	F							0.117	F	0.529	430	F	2018	
Sandy Bay Dr		300	F							0.109	F	0.514	320	F	2018	
Scallop Rd		290	F							0.113	F	0.753	310	F	2018	
Schuyler Rd		120	F							0.122	F	0.686	130	F	2018	
Shell Rd		650	F							0.098	F	0.608	690	F	2018	
Silina Dr		2300	F							0.104	F	0.629	2500	F	2018	
Smith Lane		620	F							0.093	F	0.567	670	F	2018	
Smokey Rd		120	F							0.132	F	0.551	130	F	2018	
Southaven Dr		530	G							0.103	F	0.55	530	G	2018	
Stanfield Rd		110	F							0.121	F	0.667	120	F	2018	
Stratford Hall Dr		120	F							0.119	F	0.576	130	F	2018	
Sugar Maple Dr		1900	G							0.098	F	0.540	1900	G	2018	
Swallow Rd		160	F							0.105	F	0.568	170	F	2018	
Terrazzo Trail		150	F							0.094	F	0.531	160	F	2018	
Violet Bank Dr		230	G	99%	1%	0%	0%	0%	0%	0.096	F	0.652	230	G	2018	
Vista Circle		1800	F							0.109	F	0.581	1900	F	2018	
Washington Ave		420	F							0.106	F	0.655	450	F	2018	
Westminister Lane		2500	F							0.097	F	0.565	2700	F	2018	

Virginia Department of Transportation
 Traffic Engineering Division
 2018
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Princess Anne Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Virginia Beach																
Woodlake Rd		260	F			From High Gate Circle				0.113	F	0.623	280	F	2018	
						To Smoke Rise Lane										
Woods Edge Rd		380	F			From Weller Blvd				0.111	F	0.656	400	F	2018	
						To Marlwood Way										